

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

- Product Name** • **Non-Flammable Gas Mixture Containing One or More of the Following Components in a Nitrogen Balance Gas: Oxygen, 0.0015-23.5%; Propane, 0-1.1%; Carbon Monoxide, 0.0005-1.0%; Hydrogen Sulfide, 0.001-0.025%**
- Product Code** • MSDS No.: 50016

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Calibration of Monitoring and Research Equipment

1.3 Details of the supplier of the safety data sheet

- Manufacturer** • Air Liquide
2700 Post Oak Blvd.
Houston, TX 77056
United States
www.us.airliquide.com
sds@airliquide.com
- Telephone (Technical)** • 713-896-2896
- Telephone (Technical)** • 800-819-1704

1.4 Emergency telephone number

- Manufacturer** • 800-424-9300 - CHEMTREC
- Manufacturer** • +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

- CLP** • Compressed Gas - H280
Reproductive Toxicity 1A - H360
Specific Target Organ Toxicity Repeated Exposure 2 - H373
- DSD/DPD** • Harmful (Xn)
Substances Toxic To Reproduction - Category 1
R20, R48/20, R61

2.2 Label Elements

CLP

DANGER



- Hazard statements**
- H280 - Contains gas under pressure; may explode if heated
 - H360 - May damage fertility or the unborn child.
 - H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention**
- P201 - Obtain special instructions before use.
 - P202 - Do not handle until all safety precautions have been read and understood.
 - P260 - Do not breathe gas.
 - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 - P281 - Use personal protective equipment as required.

- Response**
- P308+P313 - IF exposed or concerned: Get medical advice/attention.

- Storage/Disposal**
- P403 - Store in a well-ventilated place.
 - P405 - Store locked up.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



- Risk phrases**
- R20 - Harmful by inhalation.
 - R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 - R61 - May cause harm to the unborn child.

- Safety phrases**
- S53 - Avoid exposure - obtain special instructions before use.

2.3 Other Hazards

CLP

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.
According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.
According to European Directive 1999/45/EC this preparation is considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

- Compressed Gas - H280
- Reproductive Toxicity 1A - H360
- Simple Asphyxiant

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- Contains gas under pressure; may explode if heated - H280
 - May damage fertility or the unborn child. - H360
 - May displace oxygen and cause rapid suffocation.

Precautionary statements

- Prevention**
- Obtain special instructions before use. - P201
 - Do not handle until all safety precautions have been read and understood. - P202
 - Do not breathe gas. - P260
 - Wear protective gloves/protective clothing/eye protection/face protection. - P280

- Response**
- IF exposed or concerned: Get medical advice/attention. - P308+P313

- Storage/Disposal**
- Store in a well-ventilated place. - P403
 - Store locked up. - P405
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Compressed Gas - A
- Very Toxic - D1A
- Other Toxic Effects - D2A

2.2 Label elements

WHMIS




- Compressed Gas - A
- Very Toxic - D1A
- Other Toxic Effects - D2A

2.3 Other hazards

WHMIS

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.
In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information



Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Oxygen	CAS:7782-44-7 EC Number:231-956-9	0.0015% TO 23.5%	NDA	EU DSD/DPD: Annex I - O; R8 EU CLP: Annex VI - Ox. Gas 1, H270; Press. Gas, H280 OSHA HCS 2012: Ox. Gas 1; Press Gas. - Comp.
Propane	CAS:74-98-6 EC Number:200-827-9	0% TO 1.1%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas, H280 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.; Simp. Asphyx.
Hydrogen sulfide	CAS:7783-06-4 EC Number:231-977-3	0.001% TO 0.025%	Inhalation-Rat LC50 • 444 ppm	EU DSD/DPD: Annex I - F+; R12; T+; R26; N; R50 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas - Liq., H280; Acute Tox. 2 *, H330; Aquatic Acute 1, H400 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Liq.; Acute Tox 2 (inhl)
Carbon monoxide	CAS:630-08-0 EC Number:211-128-3	0.005% TO 1%	Inhalation-Rat LC50 • 1807 ppm 4 Hour(s)	EU DSD/DPD: Annex I - F+; R12; Repr. Cat. 1; R61; T; R23-48/23 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas, H280; Repr. 1A, H360D; Acute Tox. 3 *, H331; STOT RE 1, H372 OSHA HCS 2012: Flam Gas; Press Gas; Repr 1A; Acute Tox 3 (inhl)
Nitrogen	CAS:7727-37-9 EINECS:231-783-9	74.245% TO 99.997%	NDA	EU DSD/DPD: None EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

- Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

Eye

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.

Ingestion

- Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. A potential health hazard associated with this gas is anoxia.

4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be

taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media • No data available

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Containers may explode when heated.
Ruptured cylinders may rocket.

Hazardous Combustion Products • No data available

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Always wear thermal protective clothing when handling refrigerated/cryogenic liquids.
Wear positive pressure self-contained breathing apparatus (SCBA).
Move containers from fire area if you can do it without risk.
FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.
FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.
FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.
FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions • Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.

Emergency Procedures • Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

6.2 Environmental precautions

- Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Stop leak if you can do it without risk.
Do not direct water at spill or source of leak.
Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.
If possible, turn leaking containers so that gas escapes rather than liquid.
Isolate area until gas has dispersed.
Ventilate the area.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	China Highly Toxic Goods
Propane (74-98-6)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	1000 ppm TWA _{EV} ; 1800 mg/m ³ TWA _{EV}	Not established	Not established
Hydrogen sulfide (7783-06-4)	Ceilings	Not established	Not established	Not established	10 mg/m ³ Ceiling [MAC]	10 mg/m ³ Ceiling
	STELs	5 ppm STEL	15 ppm STEL	15 ppm STEV; 21 mg/m ³ STEV	Not established	Not established
	TWAs	1 ppm TWA	10 ppm TWA	10 ppm TWA _{EV} ; 14 mg/m ³ TWA _{EV}	Not established	Not established
Carbon monoxide (630-08-0)	Ceilings	Not established	Not established	Not established	20 mg/m ³ Ceiling [MAC] (high altitude area, 2000-3000m); 15 mg/m ³ Ceiling [MAC] (high altitude area, >3000m)	Not established
	STELs	Not established	Not established	200 ppm STEV; 230 mg/m ³ STEV	30 mg/m ³ STEL (not in high altitude area)	30 mg/m ³ STEL (not in high altitude area)
	TWAs	25 ppm TWA	25 ppm TWA	35 ppm TWA _{EV} ; 40 mg/m ³ TWA _{EV}	20 mg/m ³ TWA (not in high altitude area)	20 mg/m ³ TWA (not in high altitude area)
Exposure Limits/Guidelines (Con't.)						
	Result	France	Germany DFG	Germany TRGS	Ireland	Israel
	TWAs	Not established	Not established	1000 ppm TWA AGW (exposure factor 4); 1800 mg/m ³ TWA AGW (exposure	1000 ppm TWA	1000 ppm TWA (gas)

Propane (74-98-6)				factor 4)		
	Ceilings	Not established	4000 ppm Peak; 7200 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	1000 ppm TWA MAK; 1800 mg/m3 TWA MAK	Not established	Not established	Not established
Hydrogen sulfide (7783-06-4)	STELs	10 ppm STEL [VLCT]; 14 mg/m3 STEL [VLCT]	Not established	Not established	10 ppm STEL; 14 mg/m3 STEL	5 ppm STEL
	TWAs	5 ppm TWA [VME]; 7 mg/m3 TWA [VME]	Not established	5 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 7.1 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	5 ppm TWA; 7 mg/m3 TWA	1 ppm TWA
	Ceilings	Not established	10 ppm Peak; 14.2 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	5 ppm TWA MAK; 7.1 mg/m3 TWA MAK	Not established	Not established	Not established
Carbon monoxide (630-08-0)	TWAs	50 ppm TWA [VME]; 55 mg/m3 TWA [VME]	Not established	30 ppm TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2); 35 mg/m3 TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2)	20 ppm TWA; 23 mg/m3 TWA	25 ppm TWA
	STELs	Not established	Not established	Not established	100 ppm STEL; 115 mg/m3 STEL	Not established
	Ceilings	Not established	60 ppm Peak; 70 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	30 ppm TWA MAK; 35 mg/m3 TWA MAK	Not established	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	NIOSH	OSHA	Portugal	Spain	Sweden
Propane (74-98-6)	TWAs	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA [VLE-MP]	1000 ppm TWA [VLA-ED]	Not established

Hydrogen sulfide (7783-06-4)	STELs	Not established	Not established	15 ppm STEL [VLE-CD]	10 ppm STEL [VLA-EC]; 14 mg/m3 STEL [VLA-EC]	Not established
	TWAs	Not established	Not established	10 ppm TWA [VLE-MP]	5 ppm TWA [VLA-ED]; 7 mg/m3 TWA [VLA-ED]	10 ppm LLV; 14 mg/m3 LLV
	Ceilings	10 ppm Ceiling (10 min); 15 mg/m3 Ceiling (10 min)	20 ppm Ceiling	Not established	Not established	15 ppm CLV; 20 mg/m3 CLV
Carbon monoxide (630-08-0)	TWAs	35 ppm TWA; 40 mg/m3 TWA	50 ppm TWA; 55 mg/m3 TWA	25 ppm TWA [VLE-MP]	25 ppm TWA [VLA-ED]; 29 mg/m3 TWA [VLA-ED]	20 ppm LLV (regulated under exhaust fumes, listed under Exhaust fumes); 25 mg/m3 LLV (regulated under exhaust fumes, listed under Exhaust fumes); 35 ppm LLV; 40 mg/m3 LLV
	Biological Limit Values (BLV)	Not established	Not established	Not established	3.5 % of Carboxyhemoglobin in total hemoglobin blood end of shift Carboxyhemoglobin (2,F,I); 20 ppm alveolar air end of shift CO end-cut of exhaled air (2,F,I)	Not established
	STELs	Not established	Not established	Not established	Not established	100 ppm STV; 120 mg/m3 STV
	Ceilings	200 ppm Ceiling; 229 mg/m3 Ceiling	Not established	Not established	Not established	Not established

Exposure Control Notations

Portugal

- Nitrogen (7727-37-9): **Simple Asphyxiants:** (Simple Asphyxiant)

France

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (Reproductive Toxin category 1)

Ireland

- Propane (74-98-6): **Simple Asphyxiants:** (Asphyxiant)
- Carbon monoxide (630-08-0): **Substances with Potential Chronic Health Effects:** (Repr1A)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (Asphyxiant)

Spain

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (known reproductive toxins with classification from human data)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (simple asphyxiant)

Sweden

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (Causes reproductive disturbances)

Germany DFG

- Propane (74-98-6): **Pregnancy:** (classification not yet possible)
- Hydrogen sulfide (7783-06-4): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to)
- Carbon monoxide (630-08-0): **Pregnancy:** (risk to embryo/fetus probable)

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other

engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety glasses.

Skin/Body

- Wear leather gloves when handling cylinders.

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

LLV = Limit Level Value is the exposure limit for 8-hour work day

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWAEV = Time-Weighted Average Exposure Value

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Gas mixture, colorless gas, which has a rotten egg-like odor, due to the presence of Hydrogen Sulfide.
Color	Colorless	Odor	Rotten egg-like odor, due to the presence of Hydrogen Sulfide.
Odor Threshold	Data lacking		
General Properties			
Boiling Point	-195.8 C(-320.44 F) Nitrogen	Melting Point	-210 C(-346 F) Nitrogen
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	Data lacking	Density	0.072 lb(s)/ft ³ @ 0 C(32 F) Nitrogen
Water Solubility	0.023 % @ 0 C(32 F) Nitrogen	Viscosity	Data lacking
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking
Volatility			
Vapor Pressure	Data lacking	Vapor Density	0.906 Air=1 Nitrogen
Evaporation Rate	Not relevant		
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Not flammable.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat.

10.5 Incompatible materials

- No data available

10.6 Hazardous decomposition products

- Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data
Hydrogen sulfide (0.001% TO 0.025%)	7783-06-4	Acute Toxicity: ihl-rat LC50:700 mg/m3/4H; Irritation: eye-hmn 0.000125 ppm/5H; Reproductive: ihl-rat TCLo:10 mg/m3 (48D pre/1-22D preg)
Carbon monoxide (0.005% TO 1%)	630-08-0	Acute Toxicity: ihl-rat LC50:1807 ppm/4H; Reproductive: ihl-rat TCLo:150 ppm (0-20D preg)

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	EU/CLP • Toxic to Reproduction 1A OSHA HCS 2012 • Toxic to Reproduction 1A

Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

Route(s) of entry/exposure • Inhalation, Skin, Eye

Potential Health Effects

Inhalation

Acute (Immediate)

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

Chronic (Delayed)

- No data available

Skin

Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

- Under normal conditions of use, no health effects are expected.

Eye

Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

- Under normal conditions of use, no health effects are expected.

Ingestion

Acute (Immediate)

- Ingestion is not anticipated to be a likely route of exposure to this product.

Chronic (Delayed)

- Ingestion is not anticipated to be a likely route of exposure to this product.

Other

Chronic (Delayed)

- The transport of oxygen in blood ensured by haemoglobin will be slowed down because carboxyhaemoglobin instead of oxyhaemoglobin will be formed in lungs. The affinity of haemoglobin for carbon monoxide is 200 to 300 higher than for oxygen. All related health hazards will be caused by slow respiration of cells which will damage the central nervous system, collapse the cardiovascular system, cause kidney insufficiency, coma, etc.

Carcinogenic Effects

- The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP and IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Reproductive Effects

- The Carbon Monoxide component of this gas mixture can cause teratogenic effects in humans. Severe exposure to Carbon Monoxide during pregnancy has caused adverse effects and the death of the fetus. In general, maternal symptoms are an indicator of the potential risk to the fetus since Carbon Monoxide is toxic to the mother before it is toxic to the fetus.

Section 12 - Ecological Information

12.1 Toxicity

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1956	Compressed gas, n.o.s. (Oxygen, Nitrogen)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GAS, N.O.S. (Oxygen, Nitrogen)	2.2	NDA	NDA
IMO/IMDG	UN1956	COMPRESSED GAS, N.O.S. (Oxygen, Nitrogen)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gas, n.o.s. (Oxygen, Nitrogen)	2.2	NDA	NDA

14.6 Special precautions for user

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

14.8 Other information

- DOT** • According to Appendix A to 49 CFR 172.101 Hydrogen sulfide H₂S has a reportable quantity of 100 lbs (45.4 kg)

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

- Acute, Pressure(Sudden Release of)

State Right To Know				
Component	CAS	MA	NJ	PA
Carbon monoxide	630-08-0	Yes	Yes	Yes
Hydrogen sulfide	7783-06-4	Yes	Yes	Yes
Nitrogen	7727-37-9	Yes	Yes	Yes
Oxygen	7782-44-7	Yes	Yes	Yes
Propane	74-98-6	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Carbon monoxide	630-08-0	Yes	No	Yes	Yes	No
Hydrogen sulfide	7783-06-4	Yes	No	Yes	Yes	No
Nitrogen	7727-37-9	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No
Propane	74-98-6	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Carbon monoxide	630-08-0	Yes
Hydrogen sulfide	7783-06-4	Yes
Nitrogen	7727-37-9	Yes
Oxygen	7782-44-7	Yes
Propane	74-98-6	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Hydrogen sulfide	7783-06-4	A, B1, D1A, D2B
• Carbon monoxide	630-08-0	A, B1, D1A, D2A
• Oxygen	7782-44-7	A, C
• Propane	74-98-6	A, B1
• Nitrogen	7727-37-9	A

Canada - WHMIS - Ingredient Disclosure List

• Hydrogen sulfide	7783-06-4	1 %
• Carbon monoxide	630-08-0	0.1 %
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Environment

Canada - 2004 NPRI (National Pollutant Release Inventory)

• Hydrogen sulfide	7783-06-4	Part 1, Group 1 Substance
• Carbon monoxide	630-08-0	Part 4 Substance
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Part 5 Substance
• Nitrogen	7727-37-9	Not Listed

Canada - 2005 NPRI (National Pollutant Release Inventory)

• Hydrogen sulfide	7783-06-4	Part 1, Group 1 Substance
• Carbon monoxide	630-08-0	Part 4 Substance
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Part 5 Substance
• Nitrogen	7727-37-9	Not Listed

Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Canada - CEPA - Priority Substances List

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Canada - DWQ (Drinking Water Quality) - IMACs

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Other

Canada - Accelerated Reduction/Elimination of Toxics (ARET)

• Hydrogen sulfide	7783-06-4	B-3
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Canada New Brunswick

Environment

Canada - New Brunswick - Ozone Depleting Substances - Schedule A

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Canada - New Brunswick - Ozone Depleting Substances - Schedule B

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

China

Environment

China - Ozone Depleting Substances - First Schedule

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

China - Ozone Depleting Substances - Second Schedule

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

China - Ozone Depleting Substances - Third Schedule

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Other

China - Annex I & II - Controlled Chemicals Lists

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

China - Dangerous Goods List

• Hydrogen sulfide	7783-06-4	
• Carbon monoxide	630-08-0	
• Oxygen	7782-44-7	(compressed or refrigerated liquid)
• Propane	74-98-6	
• Nitrogen	7727-37-9	(compressed or refrigerated liquid)

China - Export Control List - Part I Chemicals

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Hydrogen sulfide	7783-06-4	F+; R12 T+; R26 N; R50
• Carbon monoxide	630-08-0	F+; R12 T; R23-48/23 Repr.Cat.1; R61
• Oxygen	7782-44-7	O; R8
• Propane	74-98-6	F+; R12

• Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits		
• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
• Hydrogen sulfide	7783-06-4	F+ T+ N R:12-26-50 S:(1/2)-9-16-36-38-45-61
• Carbon monoxide	630-08-0	F+ T R:61-12-23-48/23 S:53-45
• Oxygen	7782-44-7	O R:8 S:(2)-17
• Propane	74-98-6	F+ R:12 S:(2)-9-16
• Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations		
• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	E
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		
• Hydrogen sulfide	7783-06-4	S:(1/2)-9-16-36-38-45-61
• Carbon monoxide	630-08-0	S:53-45
• Oxygen	7782-44-7	S:(2)-17
• Propane	74-98-6	S:(2)-9-16
• Nitrogen	7727-37-9	Not Listed

Germany

Environment

Germany - TA Luft - Types and Classes

• Hydrogen sulfide	7783-06-4	inorganic gas Substance: 5.2.4, Class II
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Germany - Water Classification (VwVwS) - Annex 1

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	ID Number 743, not considered hazardous to water
• Propane	74-98-6	ID Number 560, not considered hazardous to water
• Nitrogen	7727-37-9	ID Number 1351, not considered hazardous to water

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Hydrogen sulfide	7783-06-4	ID Number 283, hazard class 2 - hazard to waters
• Carbon monoxide	630-08-0	ID Number 257, hazard class 1 - low hazard to waters
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Germany - Water Classification (VwVwS) - Annex 3

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Other

Germany - Specifically Regulated Chemicals in TRGS

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Portugal

Other

Portugal - Prohibited Substances

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

United Kingdom

Environment

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	100000 kg
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Other

United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

United Kingdom - List of Dangerous Substances in Water

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed

• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Hydrogen sulfide	7783-06-4	1500 lb TQ
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Hydrogen sulfide	7783-06-4	100 lb final RQ; 45.4 kg final RQ
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Hydrogen sulfide	7783-06-4	100 lb EPCRA RQ
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Hydrogen sulfide	7783-06-4	500 lb TPQ
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed

• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Hydrogen sulfide	7783-06-4	1.0 % de minimis concentration
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261

• Hydrogen sulfide	7783-06-4	waste number U135
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Toxic Wastes & Other Hazardous Characteristics

• Hydrogen sulfide	7783-06-4	waste number U135
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	developmental toxicity, initial date 7/1/89
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed

• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Hydrogen sulfide	7783-06-4	
• Carbon monoxide	630-08-0	
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Hydrogen sulfide	7783-06-4	Not Listed
• Carbon monoxide	630-08-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Propane	74-98-6	Not Listed
• Nitrogen	7727-37-9	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

15.3 Other Information

- WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H220 - Extremely flammable gas
- H270 - May cause or intensify fire; oxidizer
- H330 - Fatal if inhaled

H331 - Toxic if inhaled
H360D - May damage the unborn child.
H372 - Causes damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life
R8 - Contact with combustible material may cause fire.
R12 - Extremely flammable.
R23 - Toxic by inhalation.
R26 - Very toxic by inhalation.
R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation.
R50 - Very toxic to aquatic organisms.

Last Revision Date

- 21/January/2014

Preparation Date

- 21/January/2014

Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations

NDA = No Data Available