

## Section 1. Chemical Product and Company Identification

Product Name Black Toner For TASKalfa 250ci, 300ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

## Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 1333-86-4) Carbon black	3.5mg/m <sup>3</sup> (TWA)	3.5mg/m <sup>3</sup> (TWA)	Group2B	Not Listed	5-10
(CAS No. 7631-86-9) Amorphous Silica	80mg/m <sup>3</sup> /%SiO <sub>2</sub> (TWA)	Not Listed	Group3	Not Listed	1-5
(Non Hazardous Ingredients)					
Polyester resin					70-80
Styrene acrylate copolymer					1-5
Wax					1-5

## Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards: Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact May cause eye irritation.

Skin Contact Unlikely to cause skin irritation.



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Flush thoroughly with water and seek medical treatment if irritating.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

#### Section 5. Fire Fighting Measures

Extinguishing Media Water (Sprinkle with water), Foam, Powder, C02 or Dry Chemical Extinguisher.

Fire Fighting Procedure Pay attention not to blow away toner powder. Drain water off around and decrease

the atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental toner release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released toner, not blowing away, and wipe up with a wet cloth.

### Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry and dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³ OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection None required under normal use. Eye/Face Protection None required under normal use. Skin/Hand/Body Protection None required under normal use.

Ventilation Ventilator not required under normal use.



## Section 9. Physical and Chemical Properties

Appearance

Physical state Solid
Form Fine powder
Color Black
Odor Odorless

pH N.A.

Melting Point 100-120°C

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 1.2-1.4g/cm<sup>3</sup>

Solubility Almost insoluble in water.

### Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

## Section 11. Toxicological Information

Acute oral toxicity (rat)LD<sub>50</sub>>2,000mg/kg (Estimated from other products containing same materials.)

Acute dermal toxicity (rat)LD<sub>50</sub>>2,000mg/kg (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity  $(rat)LC_{50}(4hr)>5.02mg/I$  (Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant (Estimated from other products containing same materials.)

Skin sensitization (mouse)Non-Sensitiser (Estimated from other products containing same materials.)

Mutagenicity Ames Test is Negative.

Reproductive Toxicity

No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen (except carbon black), according to IARC,

Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive(67/548/EEC).

In 1996, the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year's cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

#### Chronic effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate toner and toner containers. Dangerous sparks may cause burn. Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

## Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

#### Section 15. Regulatory Information

#### **US Information**

All components in this product comply with order under TSCA.

<u>EU Information</u> Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required
Hazardous ingredients for labeling None

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.

#### Abbreviation

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value TWA Time Weighted Average

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Cyan Toner For TASKalfa 250ci, 300ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

# Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 7631-86-9) Amorphous Silica	80mg/m³/%SiO <sub>2</sub> (TWA)	Not Listed	Group3	Not Listed	
			-		
(Non Hazardous Ingredients)					
Polyester resin 1					70-80
Polyester resin 2					5-10
Organic Pigment					1-5
Styrene-acrylate copolymer					1-5

#### Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact May cause eye irritation.

Skin Contact Unlikely to cause skin irritation.



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Flush thoroughly with water and seek medical treatment if irritating.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

## Section 5. Fire Fighting Measures

Extinguishing Media Water (Sprinkle with water), Foam, Powder, C02 or Dry Chemical Extinguisher.

Fire Fighting Procedure Pay attention not to blow away toner powder. Drain water off around and decrease

the atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental toner release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released toner not to blow away and wipe up with a wet cloth.

# Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry and dark place keeping

away from fire.

Keep away from children.

#### Section 8. Exposure Controls/Personal Protection

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³

OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection

Eye/Face Protection

Skin/Hand/Body Protection

None required under normal use.

None required under normal use.

None required under normal use.

Ventilation Ventilator not required under normal use.



## Section 9. Physical and Chemical Properties

Appearance

Physical state Solid
Form Fine powder
Color Cyan
Odor Odorless

pH N.A.

Melting Point 100-120°C

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 1.2-1.4g/cm<sup>3</sup>

Solubility Almost insoluble in water.

## Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

## Section 11. Toxicological Information

Acute oral toxicity (rat)LD<sub>50</sub>>2,000mg/kg (Estimated from other products containing same materials.)

Acute dermal toxicity (rat)LD<sub>50</sub>>2,000mg/kg (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4hr)>4.98mg/l (1 his value is the maximum attainable concentration for dust.)

(Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant (Estimated from other products containing same materials.)

Skin sensitization (mouse)Non-Sensitiser (Estimated from other products containing same materials.)

Mutagenicity Ames Test is Negative.

Reproductive Toxicity No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen (except carbon black), according to IARC,

Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive(67/548/EEC).

Chronic effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Other Information None



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

## Section 14. Transport Information

UN No.	None
UN Shipping Name	None
UN Classification	None
UN Packing Group	None
Special Precautions	None

#### Section 15. Regulatory Information

#### **US** Information

All components in this product comply with order under TSCA.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required
Hazardous ingredients for labeling None

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### **Abbreviation**

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value
TWA Time Weighted Average

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Magenta Toner For TASKalfa 250ci, 300ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

## Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 7631-86-9) Amorphous Silica	80mg/m <sup>3</sup> /%SiO <sub>2</sub> (TWA)	Not Listed	Group3	Not Listed	1-5
(Non Hazardous Ingredients)					
Polyester resin 1					70-80
Polyester resin 2					5-10
Organic pigment					1-5
Styrene acrylate copolymer					1-5

#### Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact May cause eye irritation.
Skin Contact Unlikely to cause skin irritation.



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Flush thoroughly with water and seek medical treatment if irritating.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

#### Section 5. Fire Fighting Measures

Extinguishing Media Water(Sprinkle with water), Foam, Powder, CO<sub>2</sub> or Dry Chemical Extinguisher.

Fire Fighting Procedure Pay attention not to blow away toner powder. Drain water off around and decrease

the atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental toner release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released toner not to blow away and wipe up with a wet cloth.

## Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry and dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³ OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection

Eye/Face Protection

None required under normal use.

Ventilation Ventilator not required under normal use.



# Section 9. Physical and Chemical Properties

Appearance

Physical state Solid
Form Fine powder
Color Magenta
Odor Odorless

pH N.A.

Melting Point 100-120<sup>o</sup>C

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 1.2-1.4g.cm<sup>3</sup>

Solubility Almost insoluble in water.

## Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

### Section 11. Toxicological Information

Acute oral toxicity (rat)LD50>2,000mg/kg (Estimated from other products containing same materials.)

Acute dermal toxicity (rat)LD50>2,000mg/kg (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4hr)>5.02mg/I (Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant (Estimated from other products containing same materials.)

Skin sensitization (mouse)Non-Sensitiser (Estimated from other products containing same materials.)

Mutagenicity Ames Test is Negative.

Reproductive Toxicity

No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen (except carbon black), according to IARC,

Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive(67/548/EEC).

Chronic effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Other Information None



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

#### Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

## Section 15. Regulatory Information

#### **US Information**

All components in this product comply with order under TSCA.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required
Hazardous ingredients for labeling None

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### Abbreviation

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value TWA Time Weighted Average

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program
ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Yellow Toner For TASKalfa 250ci, 300ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

# Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 7631-86-9) Amorphous Silica	80mg/m <sup>3</sup> /%SiO <sub>2</sub> (TWA)	Not Listed	Group3	Not Listed	1-5
(Non Hazardous Ingredients)					
Polyester resin 1					70-80
Polyester resin 2					5-10
Organic pigment					1-5
Styrene acrylate copolymer					1-5

### Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of

excessive dusts.

Eye Contact May cause eye irritation.

Skin Contact Unlikely to cause skin irritation.



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Do not rub eyes. Flush thoroughly with water and seek medical treatment if irritating.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

#### Section 5. Fire Fighting Measures

Extinguishing Media Water(Sprinkle with Water), Foam, Powder, CO<sub>2</sub> or Dry Chemical Extinguisher.

Fire Fighting Procedure Pay attention not to blow away toner powder. Drain water off around and decrease

atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental toner release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released toner, not blowing away, and wipe up with a wet cloth.

## Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry an dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³

OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection

Eye/Face Protection

None required under normal use.

Ventilation Ventilator not required under normal use.



## Section 9. Physical and Chemical Properties

Appearance

Physical state Solid

Form Fine powder Color Yellow Odor Odorless

PH N.A.

Melting Point 100-120°C

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 1.2-1.4g/cm<sup>3</sup>

Solubility Almost insoluble in water.

#### Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

## Section 11. Toxicological Information

Acute oral toxicity (rat)LD50>2,000mg/kg (Estimated from other products containing same materials.)

Acute dermal toxicity (rat)LD50>2,000mg/kg (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4hr)>5.02mg/I (Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant (Estimated from other products containing same materials.)

Skin sensitization (mouse)Non-Sensitiser (Estimated from other products containing same materials.)

Mutagenicity Ames Test is Negative.

Reproductive Toxicity

No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen (except carbon black), according to IARC,

Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive(67/548/EEC).

#### Chronic effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Other Information None



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

#### Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

## Section 15. Regulatory Information

#### **US Information**

All components in this product comply with order under TSCA.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required R-Phrase Not required S-Phrase Not required Special markings Not required Hazardous ingredients for labeling None

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### Abbreviation

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value TWA Time Weighted Average

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Black Developer For TASKalfa 250ci, 300ci, 400ci, 500ci, 552ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

## Section 2. Composition/Information on Ingredients

Hazardous Components	OSHA PEL				
(Chemical Identity, Common Name/s)	SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 66402-68-4) Ferrite (Ferrite including manganese)	5mg/m <sup>3*</sup>	0.2mg/m³(TWA)* <sup>,</sup>	Not Listed	Not Listed	80-90***
(CAS No. 1333-86-4) Carbon Black	3.5mg/m <sup>3</sup>	3.5mg/m <sup>3</sup>	Group2B	Not Listed	<1
(Non Hazardous Ingredients)					
Polyester resin					5-10

\*(Ceiling)(as Mn)

\*\*(as Mn)

\*\*\*(as Mn:15-20)

## Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact May cause eye irritation.

Skin Contact Unlikely to cause skin irritation.



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Do not rub eyes. Flush thoroughly with water and seek medical treatment.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

### Section 5. Fire Fighting Measures

Extinguishing Media Water (Sprinkle with water), Foam, Powder, C02 or Dry Chemical.

Fire Fighting Procedures Pay attention not to blow away developer powder. Drain water off around and

decrease atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental developer release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released developer, not blowing away, and wipe up with a wet cloth.

#### Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry and dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Exposure Guidelines See Section 2

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³ OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection None required under normal use.

Eye/Face Protection None required under normal use.

Skin/Hand/Body Protection None required under normal use.

Ventilation Ventilator is not required under normal use.



## Section 9. Physical and Chemical Properties

Appearance

Physical state Solid
Form Fine powder
Color Black
Odor Odorless
PH N.A.

Melting Point N.A.

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 3.5-5.0 g/cm<sup>3</sup>

Solubility Almost insoluble in water.

#### Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

#### Section 11. Toxicological Information

Acute oral toxicity  $(rat)LD_{50}>2,000mg/kg[Ioner]$  (Estimated from other products containing same materials.)

(rat)LD<sub>50</sub>>2,500mg/kg[Carrier] (Estimated from the data of constituent materials.)

Acute dermal toxicity (rat)LD<sub>50</sub>>2,UUUmg/kg[I oner] (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4 hr)>5.02mg/l[ I oner] (Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant [Toner] (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant [Toner] (Estimated from other products containing same materials.)

(rabbit) Non irritant [Carrier] (Estimated from the data of constituent materials.)

Skin sensitization (mouse)Non-Sensitizer [Toner] (Estimated from other products containing same materials.)

(guinea pig)Non-Sensitizer [Carrier] (Estimated from other products containing same materials.)

Mutagenicity Ames Test is Negative. [Toner]

Ames Test is Negative. [Carrier]

(Estimated from the data of constituent materials.)

Reproductive Toxicity

No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen (except carbon black) according to IARC, Japan

Association on Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive (67/548/EEC).

In 1996, the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year's cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

#### Chronic effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Other Information



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate developer and developer containers. Dangerous sparks may cause burn. Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

### Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

### Section 15. Regulatory Information

#### **US** Information

All components in this product comply with order under TSCA.

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required

Hazardous ingredients for labeling None

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### **Abbreviation**

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value TWA Time Weighted Average

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Cyan Developer For TASKalfa 250ci, 300ci, 400ci, 500ci, 552ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

## Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
	5mg/m <sup>3*</sup>	0.2mg/m³(TWA)**			-
(CAS No. 66402-68-4) Ferrite (Ferrite including manganese)	5mg/m	0.2mg/m (TVVA)	Not Listed	Not Listed	80-90
(Non Hazardous Ingredients)					
Polyester resin					5-10

\*(Ceiling)(as Mn)

\*\*(as Mn)

\*\*\*(as Mn:15-20)

## Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact May cause eye irritation.
Skin Contact Unlikely to cause skin irritation.

Page 1



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Do not rub eyes. Flush thoroughly with water and seek medical treatment.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

### Section 5. Fire Fighting Measures

Extinguishing Media Water (Sprinkle with Water), Foam, Powder, C02 or Dry Chemical.

Fire Fighting Procedures Pay attention not to blow away developer powder. Drain water off around and

decrease atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental developer

release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released developer, not blowing away, and wipe up with a wet cloth.

## Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry an dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Exposure Guidelines See Section 2

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³
OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection None required under normal use.

Eye/Face Protection None required under normal use.

Skin/Hand/Body Protection None required under normal use.

Ventilation None required under normal use.



## Section 9. Physical and Chemical Properties

**Appearance** 

Physical state Solid
Form Fine powder
Color Cyan
Odor Odorless

Melting Point N.A.

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 3.5-5.0 g/cm<sup>3</sup>

Solubility Almost insoluble in water.

#### Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

#### Section 11. Toxicological Information

Acute oral toxicity  $(rat)LD_{50}>2,000$ mg/kg[Toner] (Estimated from other products containing same materials.)

(rat)LD<sub>50</sub>>2,500mg/kg[Carrier] (Estimated from the data of constituent materials.)

Acute dermal toxicity (rat)LD<sub>50</sub>>2,000mg/kg[Toner] (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4 hr)>4.98mg/I[Toner] (Estimated from other products containing same materials.)

[This value is the maximum attainable concentration for dust.]

Acute eye irritation (rabbit) Minimal irritant [Toner] (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant [Toner] (Estimated from other products containing same materials.)

(rabbit) Non irritant [Carrier] (Estimated from the data of constituent materials.)

Skin sensitization (mouse)Non-Sensitizer [Toner] (Estimated from other products containing same materials.)

(guinea pig)Non-Sensitizer [Carrier] (Estimated from the data of constituent materials.)

Mutagenicity Ames Test is Negative. [Toner]

Ames Test is Negative. [Carrier]

(Estimated from the data of constituent materials.)

Reproductive Toxicity No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen according to IARC, Japan Association on

Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive (67/548/EEC).

Chronic effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was

observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree

of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was

reported in the lowest (1mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures.

Other Information None



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate developer and developer containers. Dangerous sparks may cause burn. Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

#### Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

## Section 15. Regulatory Information

#### **US Information**

All components in this product comply with order under TSCA.

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required
Hazardous ingredients for labeling None

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### **Abbreviation**

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value TWA Time Weighted Average

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program
ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Magenta Developer For TASKalfa 250ci, 300ci, 400ci, 500ci, 552ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

# Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 66402-68-4) Ferrite (Ferrite including manganese)	5mg/m <sup>3*</sup>	0.2mg/m <sup>3</sup> (TWA)*	Not Listed	Not Listed	80-90***
(Non Hazardous Ingredients)					
Polyester resin					5-10

\*(Ceiling)(as Mn)

\*\*(as Mn)

\*\*\*(as Mn:15-20)

#### Section 3. Hazards Identification

Most Important Hazards None

Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact May cause eye irritation.

Skin Contact Unlikely to cause skin irritation.



#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Do not rub eyes. Flush thoroughly with water and seek medical treatment.

Ingestion Ingestion is not applicable route of entry for intended use.

Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

## Section 5. Fire Fighting Measures

Extinguishing Media Water (Sprinkle with Water), Foam, Powder, CO<sub>2</sub> or Dry Chemical.

Fire Fighting Procedures Pay attention not to blow away developer powder. Drain water off around and

decrease atmosphere temperature to extinguish the fire.

#### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental developer

release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released developer, not blowing away, and wipe up with a wet cloth.

#### Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry an dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Exposure Guidelines See Section 2

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m³, Respirable fraction 3mg/m³
OSHA PEL(2006)-TWA Total dust 15mg/m³, Respirable fraction 5mg/m³

Protective Equipment

Respiratory Protection

Eye/Face Protection

Skin/Hand/Body Protection

None required under normal use.

None required under normal use.

None required under normal use.

Ventilation Ventilator is not required under normal use.



## Section 9. Physical and Chemical Properties

Appearance

Physical state Solid
Form Fine powder
Color Magenta
Odor Odorless
pH N.A.

Melting Point N.A.

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 3.5-5.0 g/cm<sup>3</sup>

Solubility Almost insoluble in water.

### Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

# Section 11. Toxicological Information

Acute oral toxicity (rat)LD<sub>50</sub>>2,000mg/kg[Toner] (Estimated from other products containing same materials.)

(rat)LD<sub>50</sub>>2,500mg/kg[Carrier] (Estimated from the data of constituent materials.)

Acute dermal toxicity  $(rat)LD_{50}>2,000 \text{mg/kg}[Toner]$  (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4 hr)>5.02mg/I[Toner] (Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant [Toner] (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant [Toner] (Estimated from other products containing same materials.)

(rabbit) Non irritant [Carrier] (Estimated from the data of constituent materials.)

Skin sensitization (mouse)Non-Sensitizer [Toner] (Estimated from other products containing same materials.)

(guinea pig)Non-Sensitizer [Carrier] (Estimated other products containing same materials.)

Mutagenicity Ames Test is Negative. [Toner]

Ames Test is Negative. [Carrier]

(Estimated from the data of constituent materials.)

Reproductive Toxicity

No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen according to IARC, Japan Association on

Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive (67/548/EEC).

טוווטוווט פוופטנא.

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was

reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Other Information Non



## Section 12. Ecological Information

No data available.

#### Section 13. Disposal Considerations

Do not incinerate developer and developer containers. Dangerous sparks may cause burn. Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

#### Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

#### Section 15. Regulatory Information

#### **US** Information

All components in this product comply with order under TSCA.

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required

Hazardous ingredients for labeling None

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### Abbreviation

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Time Weighted Average TWA Threshold Limit Value

MAK Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)



## Section 1. Chemical Product and Company Identification

Product Name Yellow Developer For TASKalfa 250ci,300ci,400ci,500ci,552ci

Manufacturer KYOCERA Document Solutions Inc.

Address KYOCERA Document Solutions America, Inc.

225 Sand Road

Fairfield, NJ 07004

Telephone Number (973)-808-8444

Date April 01, 2015

## Section 2. Composition/Information on Ingredients

Hazardous Components (Chemical Identity, Common Name/s)	OSHA PEL SubpartZ	ACGIH TLV	IARC	NTP	Weight%
(CAS No. 66402-68-4) Ferrite (Ferrite including manganese)	5mg/m <sup>3*</sup>	0.2mg/m³(TWA)*	Not Listed	Not Listed	80-90***
(Non Hazardous Ingredients)					
Polyester resin					5-10

\*(Ceiling)(as Mn)

\*\*(as Mn)

\*\*\*(as Mn:15-20)

### Section 3. Hazards Identification

Most Important Hazards None
Specific Hazards None

Other Information on Hazards:

Potential Health Effects:

Ingestion Ingestion is not applicable route of entry for intended use.

Inhalation Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of

excessive dusts.

Eye Contact May cause eye irritation.
Skin Contact Unlikely to cause skin irritation.

Page 1



Ingestion

# SAFETY DATA SHEET

#### Section 4. First Aid Measures

Inhalation Remove from exposure to fresh air and gargle with plenty of water.

Seek medical treatment in case of such a symptom as coughing.

Skin Contact Wash with soap and water. If irritation does occur, seek medical treatment.

Eye Contact Do not rub eyes. Flush thoroughly with water and seek medical treatment.

Ingestion is not applicable route of entry for intended use. Rinse out mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

#### Section 5. Fire Fighting Measures

Extinguishing Media Water (Sprinkle with Water), Foam, Powder, C0<sub>2</sub> or Dry Chemical.

Fire Fighting Procedures Pay attention not to blow away developer powder. Drain water off around and

decrease atmosphere temperature to extinguish the fire.

### Section 6. Accidental Release Measures

Personal Precautions Avoid inhalation, ingestion, eye and skin contact in case of accidental developer

release.

Environmental Precautions No special precaution.

Method for Cleaning Up Gather the released developer, not blowing away, and wipe up with a wet cloth.

## Section 7. Handling and Storage

Handling Keep the container tightly closed.

Keep away from children.

Storage Keep the container tightly closed and store in a cool, dry and dark place keeping

away from fire.

Keep away from children.

## Section 8. Exposure Controls/Personal Protection

Exposure Guidelines See Section 2

Control Parameters<Reference Data>

ACGIH TLV(2008)-TWA Inhalable fraction 10mg/m<sup>3</sup>, Respirable fraction 3mg/m<sup>3</sup>

OSHA PEL(2006)-TWA Total dust 15mg/m<sup>3</sup>, Respirable fraction 5mg/m<sup>3</sup>

Protective Equipment

Respiratory Protection None required under normal use.

Eye/Face Protection None required under normal use.

Skin/Hand/Body Protection None required under normal use.

Ventilation None required under normal use.



### Section 9. Physical and Chemical Properties

**Appearance** 

Physical state Solid

Form Fine powder Color Yellow Odor Odorless

Melting Point N.A.

Explosion Properties Dust explosion is improbable under normal use. Experimental explosiveness of toner

is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density 3.5-5.0g/cm<sup>3</sup>

Solubility Almost insoluble in water.

### Section 10. Stability and Reactivity

Stability/Reactivity Stable under normal use.

Hazardous Decomposition Products None

## Section 11. Toxicological Information

Acute oral toxicity (rat)LD<sub>50</sub>>2,000mg/kg[Toner] (Estimated from other products containing same materials.)

(rat)LD<sub>50</sub>>2,500mg/kg[Carrier] (Estimated from the data of constituent materials.)

Acute dermal toxicity (rat)LD<sub>50</sub>>2,000mg/kg[Toner] (Estimated from Acute oral toxicity for same product.)

Acute inhalation toxicity (rat)LC<sub>50</sub>(4 hr)>5.02mg/I[Toner] (Estimated from other products containing same materials.)

Acute eye irritation (rabbit) Minimal irritant [Toner] (Estimated from other products containing same materials.)

Acute skin irritation (rabbit) Mild irritant [Toner] (Estimated from other products containing same materials.)

(rabbit) Non irritant [Carrier] (Estimated from other products containing same materials.)

Skin sensitization (mouse)Non-Sensitizer [Toner] (Estimated from other products containing same materials.)

(guinea pig)Non-Sensitizer [Carrier] (Estimated from other products containing same materials.)

Mutagenicity Ames Test is Negative. [Toner]

Ames Test is Negative. [Carrier]

(Estimated from the data of constituent materials.)

Reproductive Toxicity No reproductive toxicant, according to MAK, California Proposition 65, TRGS905 and

EU Directive(67/548/EEC).

Carcinogenicity No carcinogen or potential carcinogen according to IARC, Japan Association on

Industrial Health, ACGIH, EPA, OSHA, NTP, ILO, MAK, California

Proposition 65, TRGS905 and EU Directive (67/548/EEC).

Chronic effects:

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was

observed in 92% of the rats in the high concentration (16mg/m<sup>3</sup>) exposure group, and a minimal to mild degree

of fibrosis was noted in 22% of the animal in the middle (4mg/m³) exposure group. But no pulmonary change was

reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Other Information None



## Section 12. Ecological Information

No data available.

## Section 13. Disposal Considerations

Do not incinerate developer and developer containers. Dangerous sparks may cause burn. Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

### Section 14. Transport Information

UN No. None
UN Shipping Name None
UN Classification None
UN Packing Group None
Special Precautions None

## Section 15. Regulatory Information

#### **US Information**

All components in this product comply with order under TSCA.

#### Canada Information

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

EU Information Label information according to the Directives 67/548/EEC and 1999/45/EEC)

Symbol & Indication Not required
R-Phrase Not required
S-Phrase Not required
Special markings Not required
Hazardous ingredients for labeling None

#### Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability

whatsoever for the accuracy or completeness of the information contained herein.

#### Abbreviation

MAK

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH American Conference of Governmental Industrial Hygienists

TLV Threshold Limit Value TWA Time Weighted Average

Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft

TRGS Technische Regeln für Gefahrstoffe (Deutsche)
IARC International Agency for Research on Cancer
EPA Environmental Protection Agency (USA)

NTP National Toxicology Program ILO International Labour Office

UN United Nations

TSCA Toxic Substances Control Act (USA)

WHMIS Workplace Hazardous Materials Information System(Canada)