

a member of the Roche Group

Material Safety Data Sheet

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

* * * Section 1 - Chemical Product and Company Identification * * *

Manufacturer Information

VENTANA MEDICAL SYSTEMS INC. 1910 E. Innovation Park Drive

Tucson, AZ 85755 Phone: (520) 887-2155 EMERGENCY TELEPHONE NUMBER: (800) 424-9300 (USA/Canada)

CHEMTREC: +1 (703) 527-3887 (International)

Material Name: Congo Red Buffer 1

Product Number(s)

860-026, 1502306, 06037887001, 05279429001

Product Use

clinical/research

* * * Section 2 - Hazards Identification * * *

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Preparation

This material is not classified.

EMERGENCY OVERVIEW

Color: colorless

Physical Form: liquid

Odor: odorless

Major Health Hazards: No significant target effects reported.

POTENTIAL HEALTH EFFECTS

Inhalation

Short Term: no information on significant adverse effects **Long Term:** no information on significant adverse effects

Skin

Short Term: no information on significant adverse effects **Long Term:** no information on significant adverse effects

Eye

Short Term: no information on significant adverse effects **Long Term:** no information on significant adverse effects

Ingestion

Short Term: no information on significant adverse effects **Long Term:** no information on significant adverse effects

OSHA Regulatory Status

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

* * * Section 3 - Composition/Information on Ingredients * * *

CAS#	Component / EU Number	Percent	Symbol(s)	Risk Phrase(s)
Not Available	NON-HAZARDOUS	60-100		
	-			
7647-14-5	SODIUM CHLORIDE 231-598-3	<1	Xi	R:36
1310-73-2	SODIUM HYDROXIDE 215-185-5	<1	С	R:35

Page 1 of 7 Issue Date: 08/28/06 Revision 1.0000 Print Date: 10/15/2010

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

* * * Section 4 - First Aid Measures * * *

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin

Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Get medical attention, if needed.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If a large amount is swallowed, get medical attention.

* * * Section 5 - Fire-Fighting Measures * * *

See Section 9 for Flammability Properties

Flammable Properties

Negligible fire hazard.

Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

Sensitivity to Mechanical Impact

Not sensitive

Sensitivity to Static Discharge

Not sensitive

* * * Section 6 - Accidental Release Measures * * *

Occupational Spill/Release

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

* * * Section 7 - Handling and Storage * * *

Handling Procedures

Wash thoroughly after handling.

Storage Procedures

Store and handle in accordance with all current regulations and standards. Store between 2 C and 8 C. See original container for storage recommendations. Keep separated from incompatible substances.

Page 2 of 7 Issue Date: 08/28/06 Revision 1.0000 Print Date: 10/15/2010

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

* * * Section 8 - Exposure Controls/Personal Protection * * *

Exposure Limits

SODIUM HYDROXIDE (1310-73-2)

ACGIH: 2 mg/m3 Ceiling NIOSH: 2 mg/m3 Ceiling 10 mg/m3 IDLH

OSHA: 2 mg/m3 Ceiling 2 mg/m3 TWA

Austria: 4 mg/m3 STEL (inhalable fraction, 8 X 5 min)

2 mg/m3 MAK (inhalable fraction)

Denmark: 2 mg/m3 Ceiling
Finland: 2 mg/m3 STEL
2 mg/m3 Ceiling
France: 2 mg/m3 VME
Greece: 2 mg/m3 STEL
2 mg/m3 TWA

lreland: 2 mg/m3 TWA
2 mg/m3 STEL
3 papan 2 mg/m3 Ceiling
Portugal: 2 mg/m3 Ceiling
Spain: 2 mg/m3 VLA-EC

Sweden: 1 mg/m3 LLV (inhalable dust) 2 mg/m3 CLV (inhalable dust)

United Kingdom: 2 mg/m3 STEL

Ventilation

Provide adequate ventilation. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Safety glasses or goggles are recommended when there is a potential for eye contact. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Protective Clothing

Lab coat or apron.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Protective Materials

latex, nitrile, vinyl

Respiratory Protection

No respirator is required under normal conditions of use.

* * * Section 9 - Physical and Chemical Properties * * *

Physical State:	Liquid	Appearance:	Clear, colorless liquid
Color:	colorless	Physical Form:	liquid
Odor:	odorless	Odor Threshold:	Not available
pH:	10.0	Melting/Freezing Point:	Not available
Boiling Point:	Not available	Decomposition:	Not available
Flash Point:	not flammable	Evaporation Rate:	Not available
LEL:	Not available	UEL:	Not available
Vapor Pressure:	Not available	Vapor Density (air = 1):	Not available
Density:	Not available	Specific Gravity (water = 1):	Not available
Water Solubility:	miscible	Log KOW:	Not available
Coeff. Water/Oil Dist.:	Not available	Auto Ignition:	Not available
Viscosity:	Not available	Volatility:	Not available

* * * Section 10 - Stability and Reactivity * * *

Chemical Stability

Stable at normal temperatures and pressure.

Page 3 of 7 Issue Date: 08/28/06 Revision 1.0000 Print Date: 10/15/2010

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

Conditions to Avoid

None reported.

Materials to Avoid

oxidizing materials

Decomposition Products

miscellaneous decomposition products

Possibility of Hazardous Reactions

Will not polymerize.

* * * Section 11 - Toxicological Information * * *

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

SODIUM CHLORIDE (7647-14-5)

Inhalation LC50 Rat >42 g/m3 1 h; Oral LD50 Rat 3 g/kg; Dermal LD50 Rabbit >10 g/kg

SODIUM HYDROXIDE (1310-73-2)

Dermal LD50 Rabbit 1350 mg/kg

RTECS Acute Toxicity (selected)

The components of this material have been reviewed, and RTECS publishes the following endpoints:

SODIUM CHLORIDE (7647-14-5)

Oral: 3000 mg/kg Oral Rat LD50

Acute Toxicity Level

SODIUM CHLORIDE (7647-14-5)

Moderately Toxic: ingestion.

SODIUM HYDROXIDE (1310-73-2)

Toxic: ingestion.

Moderately Toxic: dermal absorption.

Irritation/Corrosivity

RTECS Irritation

The components of this material have been reviewed, and RTECS publishes the following endpoints:

SODIUM CHLORIDE (7647-14-5)

10 mg Eyes Rabbit moderate; 100 mg/24 hour Eyes Rabbit moderate; 500 mg/24 hour Skin Rabbit mild

Local Effects

SODIUM CHLORIDE (7647-14-5)

Irritant: eye.

SODIUM HYDROXIDE (1310-73-2)

Corrosive: inhalation, skin, eye, ingestion.

Carcinogenicity

Component Carcinogenicity

None of the substances in this preparation are listed by ACGIH, OSHA, NIOSH, NTP, IARC, Austria, Belgium, Denmark, France, Germany, Ireland, Italy, Netherlands, Portugal, Spain, Sweden, or United Kingdom.

Mutagenic

No information available for the mixture.

RTECS Mutagenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Reproductive Effects

No information available for the mixture.

RTECS Reproductive Effects

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Tumorigenic

No information available for the mixture.

RTECS Tumorigenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

Medical Conditions Aggravated by Exposure

None known.

* * * Section 12 - Ecological Information * * *

Component Analysis - Aquatic Toxicity SODIUM CHLORIDE (7647-14-5)

Fish: 96 Hr LC50 Lepomis macrochirus: 5560-6080 mg/L [flow-through]; 96 Hr LC50 Lepomis

macrochirus: 12946 mg/L [static]; 96 Hr LC50 Pimephales promelas: 6020-7070 mg/L [static]; 96 Hr LC50 Pimephales promelas: 7050 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 6420-6700 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss:

4747-7824 mg/L [flow-through]

Invertebrate: 48 Hr EC50 Daphnia magna: 1000 mg/L; 48 Hr EC50 Daphnia magna: 340.7 - 469.2

mg/L [Static]

SODIUM HYDROXIDE (1310-73-2)

Fish: 96 Hr LC50 Oncorhynchus mykiss: 45.4 mg/L [static]

Mobility

No information available for the mixture.

Persistence & Degradation

No information available for the mixture.

Bioaccumulative Potential

No information available for the mixture.

* * * Section 13 - Disposal Considerations * * *

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

* * * Section 14 - Transport Information * * *

US DOT Information

Not regulated.

TDG Information

Not regulated.

ADR Information

Not regulated.

RID Information

Not regulated.

IATA Information

Not regulated.

ICAO Information

Not regulated.

IMDG Information

Not regulated.

* * * Section 15 - Regulatory Information * * *

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

SODIUM HYDROXIDE (1310-73-2)

CERCLA: 1000 lb final RQ; 454 kg final RQ

SARA 311/312

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

Page 5 of 7 Issue Date: 08/28/06 Revision 1.0000 Print Date: 10/15/2010

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component / EC Number	CAS	CA	MA	MN	NJ	PA	RI
SODIUM HYDROXIDE	1310-73-2	Yes	Yes	Yes	Yes	Yes	Yes

California Proposition 65

Not regulated under California Proposition 65

Canadian Regulations

WHMIS Classification

Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

European Regulations

This preparation has been classified for the European Union according to Annex VI Directives 67/548/EEC and 99/45/EC.

Germany Water Classification

SODIUM CHLORIDE (7647-14-5)

Number 270, hazard class 1 - low hazard to waters

SODIUM HYDROXIDE (1310-73-2)

Number 142, hazard class 1 - low hazard to waters (footnote 8)

EU Marking and Labelling

This material is not classified.

Safety Phrases

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

\$60 This material and its container must be disposed of as hazardous waste.

Japanese Regulations

Japan Designated Chemical Substances (PRTR Law)

No components of this material are subject to reporting requirements as specified by the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management" nor are they included in the "Pollutant Release and Transfer Register (PRTR)" of designated chemicals.

Japan Poisonous and Deleterious Substances

The following components are specified as poisonous and deleterious substances, and are regulated by Japan under the Poisonous and Deleterious Substances Control Law.

SODIUM HYDROXIDE (1310-73-2)

Deleterious, 5; Deleterious

Industrial Safety and Health Law - Flammable Materials

No components of this material are specifically identified in Table 6-2 of the Enforcement Order of the Industrial Safety and Health Law which, if used in the workplace, require designation of an Operations Chief during confined space work and periodic machine inspections.

Industrial Safety and Health Law - Label Disclosure

No components of this material are specifically required to be indicated on a container label as specified by Article 18 of the Enforcement Order of the Industrial Safety and Health Law.

Industrial Safety and Health Law - Organic Solvents

No components of this material are specifically identified in Table 6-2 of the Enforcement Order of the Industrial Safety and Health Law which, if used in the workplace, require designation of an Operations Chief during confined space work and periodic machine inspections.

Material Name: Congo Red Buffer 1 MSDS ID: 00232098

* * Section 16 - Other Information * * *

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: ICAO - International Civil Aviation Organization: IDL - Ingredient Disclosure List: IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database: MAK - Maximum Concentration Value in the Workplace: MEL - Maximum Exposure Limits: NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID -European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US -**United States**

Full text of R phrases in Section 3

R35 Causes severe burns.

R36 Irritating to eyes.

Other Information

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date. Ventana Medical Systems, Inc. makes no warranty with respect to the content of this MSDS and disclaims all liability from reliance thereon.

"RTECS®" is a United States trademark owned and licensed under authority of the U.S. Government, by and through Symyx Software, Inc. Portions ©Copyright 2010, U.S. Government. All rights reserved.

MSDS Update: 10/15/2010

End of Sheet 00232098

Page 7 of 7 Issue Date: 08/28/06 Revision 1.0000 Print Date: 10/15/2010