

a member of the Roche Group

Material Safety Data Sheet

Material Name: ChipMap Prep 1 MSDS ID: 00232192

* * * Section 1 - Chemical Product and Company Identification* * *

Manufacturer Information

VENTANA MEDICAL SYSTEMS INC. 1910 E. Innovation Park Drive

Tucson, AZ 85755 Phone: (520) 887-2155 EMERGENCY TELEPHONE NUMBER: (800) 424-9300 (USA/Canada)

CHEMTREC: +1 (703) 527-3887 (International)

Material Name: ChipMap Prep 1

Product Number(s)

760-4121, 05268346001

Product Use

Research use only

* * * Section 2 - Hazards Identification* * *

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Preparation

This material is not classified.

EMERGENCY OVERVIEW

Color: colorless to yellow

Physical Form: liquid

Odor: odorless

Major Health Hazards: No significant target effects reported.

POTENTIAL HEALTH EFFECTS

Inhalation

Short Term: irritation, cough, sore throat

Long Term: no information on significant adverse effects

Skin

Short Term: irritation **Long Term:** irritation

Eye

Short Term: irritation Long Term: irritation

Ingestion

Short Term: gastrointestinal irritation, fever, nausea, vomiting, diarrhea, loss of appetite, disorientation, lung

congestion, effects on the brain, convulsions, coma Long Term: changes in blood pressure, diarrhea

OSHA Regulatory Status

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

* * * Section 3 - Composition/Information on Ingredients* * *

CAS#	Component / EU Number	Percent	Symbol(s)	Risk Phrase(s)
Not Available	NON-HAZARDOUS	60-100		
	-			
7647-14-5	SODIUM CHLORIDE	3-7	Xi	R:36
	231-598-3			
7558-79-4	SODIUM PHOSPHATE, DIBASIC	<1		
	231-448-7			

Page 1 of 7 Issue Date: 01/10/11 Revision 1.0100 Print Date: 1/10/2011

Material Name: ChipMap Prep 1 MSDS ID: 00232192

60-00-4	ETHYLENEDIAMINETETRAACETIC ACID	<1	Xi	R:36
	200-449-4			

* * * Section 4 - First Aid Measures* * *

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

Skin

Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Get medical attention, if needed.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If a large amount is swallowed, get medical attention.

* * * Section 5 - Fire-Fighting Measures* * *

See Section 9 for Flammability Properties

Flammable Properties

Negligible fire hazard.

Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

Hazardous Combustion Products

Thermal decomposition or combustion products: hydrogen chloride, oxides of carbon, oxides of nitrogen, oxides of phosphorus, oxides of sulfur, phosphine

Sensitivity to Mechanical Impact

Not sensitive

Sensitivity to Static Discharge

Not sensitive

* * * Section 6 - Accidental Release Measures* * *

Occupational Spill/Release

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

* * * Section 7 - Handling and Storage* * *

Handling Procedures

Wash thoroughly after handling.

Storage Procedures

Store and handle in accordance with all current regulations and standards. Store between 15 C and 30 C. See original container for storage recommendations. Keep separated from incompatible substances.

* * * Section 8 - Exposure Controls/Personal Protection* * *

Exposure Limits

ACGIH, NIOSH, OSHA, EU, Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Japan, Netherlands, Portugal, Spain, Sweden, and United Kingdom have not developed exposure limits for any of the substances in this preparation.

Ventilation

Provide adequate ventilation. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eves/Face

Safety glasses or goggles are recommended when there is a potential for eye contact. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Protective Clothing

Lab coat or apron.

Page 2 of 7 Issue Date: 01/10/11 Revision 1.0100 Print Date: 1/10/2011

Material Name: ChipMap Prep 1 MSDS ID: 00232192

Glove Recommendations

Wear appropriate chemical resistant gloves.

Protective Materials

latex, vinyl

Respiratory Protection

No respirator is required under normal conditions of use.

* * * Section 9 - Physical and Chemical Properties* * *

Physical State: Liquid Appearance: Clear, colorless to yellow liquid

Color: colorless to yellow Physical Form: liquid

Odor:odorlessOdor Threshold:Not availablepH:neutralDecomposition:Not availableFlash Point:not flammableEvaporation Rate:Not available

LEL: Not available Lead of the Lead of the

Vapor Pressure:Not availableVapor Density (air = 1):Not availableDensity:Not availableWater Solubility:miscibleLog KOW:Not availableCoeff. Water/Oil Dist.:Not availableAuto Ignition:Not availableViscosity:Not available

Volatility: Not available

* * * Section 10 - Stability and Reactivity* * *

Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

None reported.

Materials to Avoid

oxidizing materials

Decomposition Products

Thermal decomposition or combustion products: hydrogen chloride, oxides of carbon, oxides of nitrogen, oxides of phosphorus, oxides of sulfur, phosphine

Possibility of Hazardous Reactions

Will not polymerize.

* * * Section 11 - Toxicological Information* * *

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

SODIUM CHLORIDE (7647-14-5)

Inhalation LC50 Rat >42 g/m3 1 h; Oral LD50 Rat 3 g/kg; Dermal LD50 Rabbit >10 g/kg

SODIUM PHOSPHATE, DIBASIC (7558-79-4)

Oral LD50 Rat 17 g/kg

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

Oral LD50 Rat 1700 mg/kg

Material Name: ChipMap Prep 1 MSDS ID: 00232192

RTECS Acute Toxicity (selected)

The components of this material have been reviewed, and RTECS publishes the following endpoints:

SODIUM CHLORIDE (7647-14-5)

Oral: 3000 mg/kg Oral Rat LD50

SODIUM PHOSPHATE, DIBASIC (7558-79-4)

Oral: 17000 mg/kg Oral Rat LD50

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

Oral: 30 mg/kg Oral Mouse LD50

Acute Toxicity Level

SODIUM CHLORIDE (7647-14-5)

Moderately Toxic: ingestion

SODIUM PHOSPHATE, DIBASIC (7558-79-4)

Non Toxic: ingestion

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

Moderately Toxic: ingestion

Irritation/Corrosivity RTECS Irritation

The components of this material have been reviewed, and RTECS publishes the following endpoints:

SODIUM CHLORIDE (7647-14-5)

10 mg Eyes Rabbit moderate; 100 mg/24 hour Eyes Rabbit moderate; 500 mg/24 hour Skin Rabbit mild

SODIUM PHOSPHATE, DIBASIC (7558-79-4)

500 mg/24 hour Eyes Rabbit mild; 500 mg/24 hour Skin Rabbit mild

Local Effects

SODIUM CHLORIDE (7647-14-5)

Irritant: eye

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

Irritant: inhalation, skin, eye

Carcinogenicity

Component Carcinogenicity

None of the substances in this preparation are listed by ACGIH, OSHA, NIOSH, NTP, IARC, Austria, Belgium,

Denmark, France, Germany, Ireland, Italy, Netherlands, Portugal, Spain, Sweden, or United Kingdom.

Mutagenic

No information available for the mixture.

RTECS Mutagenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Reproductive Effects

No information available for the mixture.

RTECS Reproductive Effects

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Tumoriaenic

No information available for the mixture.

RTECS Tumorigenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Medical Conditions Aggravated by Exposure

None known.

Material Name: ChipMap Prep 1 MSDS ID: 00232192

* * * Section 12 - Ecological Information* * *

Component Analysis - Aquatic Toxicity SODIUM CHLORIDE (7647-14-5)

Fish: 96 Hr LC50 Lepomis macrochirus: 5560-6080 mg/L [flow-through]; 96 Hr LC50 Lepomis

macrochirus: 12946 mg/L [static]; 96 Hr LC50 Pimephales promelas: 6020-7070 mg/L [static]; 96 Hr LC50 Pimephales promelas: 7050 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 6420-6700 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss:

4747-7824 mg/L [flow-through]

Invertebrate: 48 Hr EC50 Daphnia magna: 1000 mg/L; 48 Hr EC50 Daphnia magna: 340.7 - 469.2

mg/L [Static]

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

Fish: 96 Hr LC50 Lepomis macrochirus: 34-62 mg/L [static]; 96 Hr LC50 Pimephales

promelas: 44.2-76.5 mg/L [static]

Algae: 72 Hr EC50 Desmodesmus subspicatus: 1.01 mg/L Invertebrate: 48 Hr EC50 Daphnia magna: 113 mg/L [Static]

Mobility

No information available for the mixture.

Persistence & Degradation

No information available for the mixture.

Bioaccumulative Potential

No information available for the mixture.

* * * Section 13 - Disposal Considerations* * *

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

* * * Section 14 - Transport Information* * *

US DOT Information

Not regulated.

TDG Information

Not regulated.

ADR Information

Not regulated.

RID Information

Not regulated.

IATA Information

Not regulated.

ICAO Information

Not regulated.

IMDG Information

Not regulated.

* * * Section 15 - Regulatory Information* * *

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

SODIUM PHOSPHATE, DIBASIC (7558-79-4)

CERCLA: 5000 lb final RQ; 2270 kg final RQ

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

CERCLA: 5000 lb final RQ; 2270 kg final RQ

SARA 311/312

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

Material Name: ChipMap Prep 1 MSDS ID: 00232192

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component / EC Number	CAS	CA	MA	MN	NJ	PA	RI
SODIUM PHOSPHATE, DIBASIC	7558-79-4	Yes	Yes	No	Yes	Yes	No
ETHYLENEDIAMINETETRAACETIC ACID	60-00-4	Yes	Yes	No	Yes	Yes	No

California Proposition 65

Not regulated under California Proposition 65

Canadian Regulations

WHMIS Classification

Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

European Regulations

This preparation has been classified for the European Union according to Annex VI Directives 67/548/EEC and 99/45/EC.

Germany Water Classification

SODIUM CHLORIDE (7647-14-5)

ID Number 270, hazard class 1 - low hazard to waters

SODIUM PHOSPHATE, DIBASIC (7558-79-4)

ID Number 330, hazard class 1 - low hazard to waters

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

ID Number 104, hazard class 2 - hazard to waters

EU Marking and Labelling

This material is not classified.

Japanese Regulations

Japan Designated Chemical Substances (PRTR Law)

The following components are subject to reporting requirements as specified by the "Law Concerning Reporting, etc. of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in Their Management" and are included in the "Pollutant Release and Transfer Register (PRTR)" of designated chemicals.

ETHYLENEDIAMINETETRAACETIC ACID (60-00-4)

60

Japan Poisonous and Deleterious Substances

No components of this material are specified as poisonous or deleterious substances, as regulated by Japan under the Poisonous and Deleterious Substances Control Law.

Industrial Safety and Health Law - Flammable Materials

No components of this material are specifically identified in Table 6-2 of the Enforcement Order of the Industrial Safety and Health Law which, if used in the workplace, require designation of an Operations Chief during confined space work and periodic machine inspections.

Industrial Safety and Health Law - Label Disclosure

No components of this material are specifically required to be indicated on a container label as specified by Article 18 of the Enforcement Order of the Industrial Safety and Health Law.

Industrial Safety and Health Law - Organic Solvents

No components of this material are specifically identified in Table 6-2 of the Enforcement Order of the Industrial Safety and Health Law which, if used in the workplace, require designation of an Operations Chief during confined space work and periodic machine inspections.

Page 6 of 7 Issue Date: 01/10/11 Revision 1.0100 Print Date: 1/10/2011

Material Name: ChipMap Prep 1 MSDS ID: 00232192

* * * Section 16 - Other Information* * *

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: ICAO - International Civil Aviation Organization: IDL - Ingredient Disclosure List: IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database: MAK - Maximum Concentration Value in the Workplace: MEL - Maximum Exposure Limits: NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID -European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US -**United States**

Full text of R phrases in Section 3

R36 Irritating to eyes.

Other Information

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date. Ventana Medical Systems, Inc. makes no warranty with respect to the content of this MSDS and disclaims all liability from reliance thereon.

"RTECS®" is a United States trademark owned and licensed under authority of the U.S. Government, by and through Accelrys, Inc. Portions ©Copyright 2011, U.S. Government. All rights reserved.

MSDS Update: 1/11/2011

End of Sheet 00232192