

a member of the Roche Group

# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

VENTANA MEDICAL SYSTEMS INC.

1910 E. Innovation Park Drive

Tucson, Arizona 85755

(520) 887-2155

**EMERGENCY TELEPHONE NUMBER:** 

(800) 424-9300 (USA/Canada)

(CHEMTREC)

+1 (703) 527-3887 (International)

**MSDS NUMBER:** 00232225

SUBSTANCE: QD Map<sup>TM</sup> 605 SA-25

PRODUCT NUMBER(S): 760-4176

**PRODUCT USE:** clinical/research

**CREATION DATE:** Oct 09 2006 **REVISION DATE:** Mar 05 2009

## 2. HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=0 REACTIVITY=0

## **EC CLASSIFICATION:**

No classification assigned.

#### **EMERGENCY OVERVIEW:**

COLOR: orange to red **PHYSICAL FORM:** liquid

**ODOR:** odorless

**MAJOR HEALTH HAZARDS:** No significant target effects reported.

## POTENTIAL HEALTH EFFECTS:

**INHALATION:** 

**SHORT TERM EXPOSURE:** irritation

**LONG TERM EXPOSURE:** no information on significant adverse effects

**SKIN CONTACT:** 

**SHORT TERM EXPOSURE:** irritation

**LONG TERM EXPOSURE:** no information on significant adverse effects

**EYE CONTACT:** 

**SHORT TERM EXPOSURE:** irritation



**LONG TERM EXPOSURE:** no information on significant adverse effects

**INGESTION:** 

**SHORT TERM EXPOSURE:** no information on significant adverse effects **LONG TERM EXPOSURE:** no information on significant adverse effects

## 3. COMPOSITION, INFORMATION ON INGREDIENTS

**COMPONENT: NON-HAZARDOUS** 

CAS NUMBER: Not assigned. EC NUMBER: Not assigned. PERCENTAGE: 60-100

EC CLASSIFICATION: No classification assigned.

COMPONENT: SODIUM AZIDE CAS NUMBER: 26628-22-8

**EC NUMBER (EINECS): 247-852-1** 

PERCENTAGE: <1

EC CLASSIFICATION: T+; N RISK PHRASES: 28-32-50/53

#### 4. FIRST AID MEASURES

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

**SKIN CONTACT:** Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Get medical attention, if needed.

**EYE CONTACT:** Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

**INGESTION:** If a large amount is swallowed, get medical attention.

#### 5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Negligible fire hazard.

**EXTINGUISHING MEDIA:** Use extinguishing agents appropriate for surrounding fire.

**FIRE FIGHTING:** Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

SENSITIVITY TO MECHANICAL IMPACT: Not sensitive

**SENSITIVITY TO STATIC DISCHARGE:** Not sensitive

FLASH POINT: not flammable

#### **HAZARDOUS COMBUSTION PRODUCTS:**

Thermal decomposition or combustion products: oxides of carbon

#### 6. ACCIDENTAL RELEASE MEASURES

#### **OCCUPATIONAL RELEASE:**

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

## 7. HANDLING AND STORAGE

**STORAGE:** Store and handle in accordance with all current regulations and standards. Store between 2 C and 8 C. See original container for storage recommendations. Keep separated from incompatible substances.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

## **EXPOSURE LIMITS:**

**QD Map**<sup>TM</sup> **605 SA-25**:

No occupational exposure limits established.

**VENTILATION:** Provide adequate ventilation. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:** Safety glasses or goggles are recommended when there is a potential for eye contact. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**CLOTHING:** Lab coat or apron.

**GLOVES:** Wear appropriate chemical resistant gloves.

**PROTECTIVE MATERIAL TYPES:** latex, vinyl

**RESPIRATOR:** No respirator is required under normal conditions of use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: liquid APPEARANCE: clear COLOR: orange to red

**ODOR:** odorless

BOILING POINT: Not available FREEZING POINT: Not available VAPOR PRESSURE: Not available VAPOR DENSITY: Not available SPECIFIC GRAVITY: Not available WATER SOLUBILITY: miscible

PH: neutral

**VOLATILITY:** Not available

**ODOR THRESHOLD:** Not available **EVAPORATION RATE:** Not available

**COEFFICIENT OF WATER/OIL DISTRIBUTION:** Not available

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:** None reported.

**INCOMPATIBILITIES:** oxidizing materials

#### **HAZARDOUS DECOMPOSITION:**

Thermal decomposition or combustion products: oxides of carbon

**POLYMERIZATION:** Will not polymerize.

## 11. TOXICOLOGICAL INFORMATION

Not available

## 12. ECOLOGICAL INFORMATION

Not available

## 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.

#### 14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION: Not regulated.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS: Not regulated.

**LAND TRANSPORT ADR:** Not regulated.

**LAND TRANSPORT RID:** Not regulated.

**AIR TRANSPORT IATA:** Not regulated.

**AIR TRANSPORT ICAO:** Not regulated.

MARITIME TRANSPORT IMDG: Not regulated.

### 15. REGULATORY INFORMATION

## **U.S. REGULATIONS:**

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

**SODIUM AZIDE: 1000 LBS RQ** 

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355 Subpart B):** Not regulated.

SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355 Subpart C): Not regulated.

# SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370 Subparts B and C):

ACUTE: No CHRONIC: No FIRE: No

DEACEUE

REACTIVE: No

SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.

## **STATE REGULATIONS:**

California Proposition 65: Not regulated.

## **CANADIAN REGULATIONS:**

**WHMIS CLASSIFICATION:** Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

## **EUROPEAN REGULATIONS:**

## EC CLASSIFICATION (CALCULATED):

No classification assigned.

## 16. OTHER INFORMATION

#### **EC RISK PHRASES:**

R 28	Very toxic if swallowed.
R 32	Contact with acids liberates very toxic gas.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date. Ventana Medical Systems, Inc. makes no warranty with respect to the content of this MSDS and disclaims all liability from reliance thereon.