

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

1 Identification

- **Product identifier**
- **Trade name:** **Alk-Test**
- **Catalogue number:** 00515571, 515570BT, 4515570BT, 515571BT, 4515571BT, 5155700, 00515579BT
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** Chemtrec®: (US & Canada) 800-424-9300 (International) +1 (703) 527-3887

* 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
sodium bisulfate
- **Hazard statements**
H318 Causes serious eye damage.
- **Precautionary statements**
P280 Wear eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P310 Immediately call a doctor.
- **Other hazards** No further relevant information available.

* 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of organic and inorganic compounds
- **Composition and information on Ingredients:**
Percent ranges are used due to the confidential product information.

(Contd. on page 2)
US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 1)

CAS: 9004-34-6 EINECS: 232-674-9 RTECS: FJ5691460	cellulose		90–100%
CAS: 7681-38-1 EINECS: 231-665-7 Index number: 016-046-00-X RTECS: VZ1860000	sodium bisulfate	☞ Eye Dam. 1, H318	5–10%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· **After swallowing:**

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed**

Irritation and corrosion

after inhalation:

mucosal irritations, cough, breathing difficulty

after swallowing of large amounts:

irritations

gastric or intestinal disorders

diarrhoea

· **Danger:** Danger of pulmonary edema.

· **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

mixture with combustible ingredients

The product is in tablet form not flammable.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Sulfur oxides (SO_x)

Sodium oxide

Carbon monoxide (CO) and carbon dioxide (CO₂)

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· **Advice for emergency responders:** Protective equipment: see section 8

· **Environmental precautions:** Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 2)

Methods and material for containment and cleaning up:

- Ensure adequate ventilation.
- Pick up mechanically.
- Dispose contaminated material as waste according to item 13.

Reference to other sections

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Advice on safe handling: Prevent formation of dust.

Hygiene measures:

- Avoid contact with the eyes.
- Take off immediately all contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Store in dry conditions.
- Protect from humidity and water.
- This product is hygroscopic.

Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 9004-34-6 cellulose

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m ³ paper fibre, total dust

Additional information: The lists that were valid during the creation were used as basis.

Engineering measures:

- Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
- See item 7.

Personal protective equipment:

Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.

Recommended filter device for short term use: Filter P2

Protection of hands:

- Preventive skin protection by use of skin-protecting agents is recommended.
- After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

- Nitrile rubber, NBR
- Recommended thickness of the material: ≥ 0.11 mm

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 3)

- **Penetration time of glove material**

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment:**

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

Form / Physical state: Tablets

Color: Pink

- **Odor:** Odorless

- **Odor threshold:** Not applicable.

- **pH-value (1.78 g/l) at 20 °C (68 °F):** 3.1

- **Melting point/freezing point:** Not determined.

- **Initial boiling point and boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** The product is not combustible.

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Product is not self-igniting.

- **Danger of explosion:** As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- **Flammability or explosive limits:**

Lower: Not determined.

Upper: Not determined.

- **Oxidizing properties:** none

- **Vapor Pressure:** Not applicable.

- **Density:** Not determined.

- **Relative density:** Not determined.

- **Vapor density:** Not applicable.

- **Evaporation rate:** Not applicable.

- **Solubility(ies)**

Water: Partly soluble.

- **Partition coefficient (n-octanol/water):** Not applicable.

- **Viscosity:** Not applicable.

- **Solvent content:**

Organic solvents: 0.0 %

Solids content: 100.0 %

- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** Dust can combine with air to form an explosive mixture.

- **Chemical stability** Stable at ambient temperature (room temperature).

- **Possibility of hazardous reactions**

Liberates acid in contact with water or alcohol.

Reacts with strong alkalis and oxidizing agents.

- **Conditions to avoid** strong heating

- **Incompatible materials:** metals

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 4)

· **Hazardous decomposition products:** see section 5

*11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:** Based on available data, the classification criteria are not met.· **LD/LC50 values that are relevant for classification:****CAS: 9004-34-6 cellulose**

Oral	LD50.	>5000 mg/kg (rat)
Dermal	LD50.	>2000 mg/kg (rabbit) (RTECS, limit test)
Inhalative	LC50.	>5.8 mg/l/4h (rat) (RTECS, limit test)

CAS: 7681-38-1 sodium bisulfate

Oral	LD50	2490 mg/kg (rat) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rabbit)

· **Primary irritant effect:**· **on the skin:** Based on available data, the classification criteria are not met.· **on the eye:**

Causes serious eye damage.

Risk of corneal clouding.

· **Information on components:****CAS: 9004-34-6 cellulose**

Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: no irritation)

CAS: 7681-38-1 sodium bisulfate

Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

· **Sensitization:** Based on available data, the classification criteria are not met.· **Information on components:****CAS: 9004-34-6 cellulose**

Sensitization	OECD 406	(guinea pig: negative)
---------------	----------	------------------------

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Other information:** see section 8 / 15· **Synergistic Products:** None· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 5)

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 7681-38-1 sodium bisulfate

EC50 190 mg/l/48h (Daphnia magna)
(IUCLID)

- **Bacterial toxicity:**

sulfates toxic > 2.5 g/l

CAS: 7681-38-1 sodium bisulfate

EC10 >1000 mg/l (Pseudomonas putida) (16 h)

- **Other information:**

Toxic for fish:

sulfates > 7 g/l

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Other adverse effects** Avoid transfer into the environment.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

· **DOT, IMDG, IATA** none

- **UN proper shipping name**

· **DOT, IMDG, IATA** none

- **Transport hazard class(es)**

· **DOT, IMDG, IATA**

· **Class** none

- **Packing group**

· **DOT, IMDG, IATA** none

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:** Not dangerous according to the above specifications.

*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Sara**

· **Section 355 (Extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 6)

·	Section 313 (Specific toxic chemical listings):
	None of the ingredients is listed.
·	TSCA (Toxic Substances Control Act):
	All ingredients are listed.
·	Proposition 65
·	Chemicals known to cause cancer:
	None of the ingredients is listed.
·	Chemicals known to cause reproductive toxicity for females:
	None of the ingredients is listed.
·	Chemicals known to cause reproductive toxicity for males:
	None of the ingredients is listed.
·	Chemicals known to cause developmental toxicity:
	None of the ingredients is listed.
·	New Jersey Right-to-Know List:
	CAS: 9004-34-6 cellulose
·	New Jersey Special Hazardous Substance List:
	None of the ingredients is listed.
·	Pennsylvania Right-to-Know List:
	CAS: 9004-34-6 cellulose
·	Pennsylvania Special Hazardous Substance List:
	None of the ingredients is listed.
·	EPA (Environmental Protection Agency)
	None of the ingredients is listed.
·	NIOSH-Ca (National Institute for Occupational Safety and Health)
	None of the ingredients is listed.
·	Information about limitation of use: Employment restrictions concerning young persons must be observed.
·	Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H318 Causes serious eye damage.

· Date of preparation / last revision 12/21/2017 / 22

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/21/2017

Reviewed on 12/21/2017

Trade name: Alk-Test

(Contd. of page 7)

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Sources

Data arise from safety data sheets, reference works and literature.
IUCLID (International Uniform Chemical Information Database)
RTECS (Registry of Toxic Effects of Chemical Substances)

*** Data compared to the previous version altered.**

US
