

Material Safety Data Sheet

MSDS ID NO.: 0183MAR019 **Revision date:** 12/07/2010

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product code: MR1255

Product name: Marathon Super Maraplex EP-2

Synonym: Super Maraplex® EP-2 Grease; Maraplex EP 2 Grease;

Chemical Family: Lubricating Grease

Formula: Mixture

Manufacturer:

Marathon Petroleum Company LP 539 South Main Street Findlay OH 45840

Other information: 419-421-3070 Emergency telephone number: 877-627-5463

2. COMPOSITION/INFORMATION ON INGREDIENTS

Super Maraplex® EP-2 grease is a complex mixture of highly refined, high viscosity, lubricating oil base stock with a lithium complex soap thickener.

Product information:

Name	CAS Number	Weight %	ACGIH Exposure Limits:	OSHA - Vacated PELs - Time Weighted Ave	Other:
Marathon Super Maraplex EP-2	Mixture	100			

Component Information:

Name	CAS Number	Weight %	ACGIH Exposure Limits:	OSHA - Vacated PELs - Time Weighted Ave	Other:
Distillates, Petroleum Hydrotreated Heavy Naphthenic	64742-52-5	65-80			Mineral Oil Mist (MOM) =5 mg/m³ TWA = 10 mg/m³ STEL
Distillates, Petroleum Solvent- Refined Heavy Paraffinic	64741-88-4	6-15			Mineral Oil Mist (MOM) =5 mg/m³ TWA = 10 mg/m³ STEL
Lithium Complex Soap Base	Mixture	9-12			
Additives	Not specified	3-10			

Notes: The manufacturer has voluntarily elected to reflect exposure limits contained in

OSHA's 1989 air contaminants standard in its MSDS's, even though certain of those

exposure limits were vacated in 1992.

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 1 of 9

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

THIS PRODUCT IS A NON-VOLATILE AND NON-COMBUSTIBLE RED COLORED SEMI-SOLID GREASE BUT WILL IGNITE AND BURN AT ELEVATED TEMPERATURES.

Inhalation:

No acute effects expected from routine operations. Overheating of product may produce vapors which can cause respiratory irritation, dizziness and nausea.

Ingestion:

Product would be expected to have a low order of acute toxicity.

Skin contact:

Prolonged or repeated liquid contact can cause dermatitis, folliculitis or oil acne.

Eye contact:

Short-term contact (solid or vapor) may result in slight eye irritation.

Carcinogenic Evaluation:

Product information:

Name	IARC Carcinogens:	NTP Carcinogens:	ACGIH - Carcinogens:	OSHA - Select Carcinogens:
Marathon Super Maraplex EP-2	NE			
Mixture				

Notes:

Based on the available information, this product cannot be classified with regard to its carcinogenicity. This product is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Component Information:

Name	IARC	NTP	ACGIH -	OSHA - Select
	Carcinogens:	Carcinogens:	Carcinogens:	Carcinogens:
Distillates, Petroleum Hydrotreated	Supplement 7 [1987],			Present
Heavy Naphthenic	Monograph 33 [1984]			
64742-52-5				
Distillates, Petroleum Solvent-	Supplement 7 [1987],			Present
Refined Heavy Paraffinic	Monograph 33 [1984]			
64741-88-4				

4. FIRST AID MEASURES

Eye Contact:

Flush eyes with large amounts of tepid water for at least 15 minutes. If symptoms or irritation occur, call a physician.

Skin Contact:

Wash with soap and large amounts of water. Remove contaminated clothing. If symptoms or irritation occur, call a physician.

If product is accidentally injected into or under the skin, regardless of wound size or initial absence of symptoms, the individual should be evaluated immediately by a physician as a surgical emergency.

Ingestion:

Not expected to be acutely toxic. If large amounts are swallowed, immediately call a physician.

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 2 of 9

4. FIRST AID MEASURES

Inhalation:

No acute effects expected. If symptoms or irritation occur with any exposure, call a physician.

NOTES TO PHYSICIAN:

No data available.

Medical Conditions Aggravated By Exposure:

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: For small fires, Class B fire extinguishing media such as

CO2, dry chemical, foam (AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Fire fighting should be attempted only by those who are adequately trained and equipped with proper

protective equipment.

Specific hazards: The product is not combustible per the OSHA Hazard

Communication Standard, but will ignite and burn at

temperatures exceeding the flash point.

Special protective equipment for firefighters: Avoid using straight water streams. Water spray and foam

(AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of

sewers and water sources.

Flash point:

Autoignition temperature:

Flammable limits in air - lower (%): Flammable limits in air - upper (%):

>397 F COC

No data available. No data available.

No data available.

NFPA rating:

Health: 1

Flammability: 1
Instability: 0
Other: -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Keep public away. Isolate and evacuate area. Shut off source if safe to do so.

Advise authorities and National Response Center (800-424-8802) if the product has entered a water course or sewer. Advise local and state emergency services agencies, if appropriate. Recover and return product to source. Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual liquids.

7. HANDLING AND STORAGE

Handling:

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 3 of 9

7. HANDLING AND STORAGE

Comply with all applicable EPA, OSHA, NFPA and consistent state and local requirements. Use appropriate grounding and bonding practices. All five gallon pails and larger metal containers (including tank cars and tank trucks) should be grounded and/or bonded when material is transferred. Store in properly closed containers that are appropriately labeled and in a cool well-ventilated area. Do not cut, drill, grind or weld on empty containers since they may contain explosive residues. Do not expose to heat, open flames, strong oxidizers or other sources of ignition.

Avoid repeated and prolonged skin contact. Exercise good personal hygiene including removal of soiled clothing and prompt washing with soap and water.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Engineering measures: Local or general exhaust required when using at elevated temperatures that

generate vapors or mists.

Respiratory protection: Not required under normal conditions and adequate ventilation. Approved organic

vapor chemical cartridge or supplied air respirators should be worn when significant vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 1910.134. Self-contained breathing apparatus should

be used for fire fighting.

Skin and body protection: Use chemical resistant gloves such as neoprene, nitrile, or PVA to prevent prolonged

or repeated skin contact.

Eye protection: Not normally required for routine operations.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Red Semi-solid

Physical state (Solid/Liquid/Gas):

Substance type (Pure/Mixture):

Color:

Odor:

Mixture

Red

Mineral Oil

Molecular weight:

Not determined.

pH: Neutral

Boiling point/range (5-95%): >600 F **Melting point/range:** >500 F

Decomposition temperature:Not applicable.Specific gravity:0.952 @ 60 FDensity:7.9 lbs/gal @ 60 FBulk density:No data available.Vapor density:No data available.Vapor pressure:Not determined.Evaporation rate:No data available.

Solubility: Negligible

Solubility in other solvents:

Partition coefficient (n-octanol/water):

VOC content(%):

Viscosity:

No data available.

No data available.

No data available.

No data available.

20 cSt @ 40 C
20 cSt @ 100 C

10. STABILITY AND REACTIVITY

Stability: The material is stable at 70 F, 760 mm pressure.

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 4 of 9

Polymerization: Will not occur.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, aldehydes, hydrogen

sulfide, oxides of sulfur and calcuim oxide.

Materials to avoid: Strong oxidizers such as nitrates, chlorates, peroxides.

Conditions to avoid: Heat and open flames.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Product information:

Name	CAS Number	Inhalation:	Dermal:	Oral:
Marathon Super Maraplex EP-2	Mixture	NA	NDA	NDA

Toxicology Information:

Based on the toxicity of its individual components, this product would not be expected to be toxic via either the oral or dermal route of exposure.

12. ECOTOXICOLOGICAL INFORMATION

Mobility:

No data available.

Ecotoxicity:

No data available.

Bioaccummulation:

No data available.

Persistance/Biodegradation:

This product is not expected to cause any acute or chronic toxicity to aquatic organisms due to its extremely low water solubility.

13. DISPOSAL CONSIDERATIONS

Cleanup Considerations:

Don't pollute, conserve resources. "Empty" drums and drum liners retain residue (solid, liquid and/or vapor) that will burn and can be dangerous. Do not attempt to clean and reuse. Dispose of empty drum liners in an environmentally safe manner. "Empty" drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. This material as supplied and by itself, when discarded or disposed of, is not an EPA RCRA hazardous waste according to federal regulations. This material could become a hazardous waste if mixed or contaminated with a hazardous waste or other substance(s). It is the responsibility of the user to determine if disposal material is hazardous according to federal, state and local regulations.

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 5 of 9

14. TRANSPORT INFORMATION

49 CFR 172.101:

DOT:

Transport Information: This material when transported via US commerce is NOT REGULATED by DOT

regulations.

Packing group:

DOT reportable quantity (lbs):

Not applicable.

Not applicable.

15. REGULATORY INFORMATION

US Federal Regulatory Information:

US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA

Chemical Inventory.

OSHA Hazard Communication Standard: This product has been evaluated and determined not to be

hazardous as defined in OSHA's Hazard Communication

Standard.

EPA Superfund Amendment & Reauthorization Act (SARA):

SARA Section 302: This product contains the following component(s) that have been listed on EPA's

Extremely Hazardous Substance (EHS) List:

Name	CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs
Distillates, Petroleum Hydrotreated	NA
Heavy Naphthenic	
Distillates, Petroleum Solvent-	NA
Refined Heavy Paraffinic	
Lithium Complex Soap Base	NA NA
Additives	NA

SARA Section 304: This product contains the following component(s) identified either as an EHS or a

CERCLA Hazardous substance which in case of a spill or release may be subject to

SARA reporting requirements:

Name	CERCLA/SARA - Hazardous Substances and their Reportable Quantities
Distillates, Petroleum Hydrotreated	NA
Heavy Naphthenic	
Distillates, Petroleum Solvent-	NA
Refined Heavy Paraffinic	
Lithium Complex Soap Base	NA
Additives	NA

SARA Section 311/312 The following EPA hazard categories apply to this product:

None

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 6 of 9

SARA Section 313:

This product contains the following component(s) that may be subject to reporting on the Toxic Release Inventory (TRI) From R:

Name	CERCLA/SARA 313 Emission reporting:
Distillates, Petroleum Hydrotreated	None
Heavy Naphthenic	
Distillates, Petroleum Solvent-	None
Refined Heavy Paraffinic	
Lithium Complex Soap Base	None
Additives	None

State and Community Right-To-Know Regulations:

The following component(s) of this material are identified on the regulatory lists below:

Distillates, Petroleum Hydroti	reated Heavy Naphthenic
--------------------------------	-------------------------

Louisiana Right-To-Know: Not Listed California Proposition 65: Not Listed New Jersey Right-To-Know: Not Listed. Pennsylvania Right-To-Know: Not Listed. Massachusetts Right-To Know: Not Listed. Florida substance List: Not Listed. Rhode Island Right-To-Know: Not Listed Michigan critical materials register list: Not Listed. Massachusetts Extraordinarily Hazardous Not Listed

Substances:

California - Regulated Carcinogens: Not Listed Pennsylvania RTK - Special Hazardous Not Listed

Substances:

New Jersey - Special Hazardous Substances: carcinogen New Jersey - Environmental Hazardous Not Listed

Substances List:

Illinois - Toxic Air Contaminants Not Listed New York - Reporting of Releases Part 597 -Not Listed List of Hazardous Substances:

Distillates, Petroleum Solvent-Refined Heavy Paraffinic

Louisiana Right-To-Know: Not Listed California Proposition 65: Not Listed New Jersey Right-To-Know: Not Listed. Pennsylvania Right-To-Know: Not Listed. Massachusetts Right-To Know: Not Listed. Florida substance List: Not Listed. Rhode Island Right-To-Know: Not Listed Michigan critical materials register list: Not Listed. Massachusetts Extraordinarily Hazardous Not Listed Substances:

California - Regulated Carcinogens:

Not Listed Pennsylvania RTK - Special Hazardous Not Listed

Substances:

New Jersey - Special Hazardous Substances: carcinogen New Jersey - Environmental Hazardous Not Listed

Substances List:

Illinois - Toxic Air Contaminants Not Listed New York - Reporting of Releases Part 597 -Not Listed

List of Hazardous Substances:

Lithium Complex Soap Base

Louisiana Right-To-Know: Not Listed California Proposition 65: Not Listed

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 7 of 9 Distillates, Petroleum Hydrotreated Heavy Naphthenic

New Jersey Right-To-Know:

Pennsylvania Right-To-Know:

Massachusetts Right-To Know:

Florida substance List:

Rhode Island Right-To-Know:

Michigan critical materials register list:

Massachusetts Extraordinarily Hazardous

Not Listed

Not Listed

Substances:

California - Regulated Carcinogens: Not Listed Pennsylvania RTK - Special Hazardous Not Listed

Substances:

New Jersey - Special Hazardous Substances: Not Listed New Jersey - Environmental Hazardous Not Listed

Substances List:

Illinois - Toxic Air Contaminants Not Listed
New York - Reporting of Releases Part 597 - Not Listed

List of Hazardous Substances:

Additives

Louisiana Right-To-Know: Not Listed California Proposition 65: Not Listed New Jersey Right-To-Know: Not Listed. Pennsylvania Right-To-Know: Not Listed. Massachusetts Right-To Know: Not Listed. Florida substance List: Not Listed. Rhode Island Right-To-Know: Not Listed Michigan critical materials register list: Not Listed. Massachusetts Extraordinarily Hazardous Not Listed

Substances:

California - Regulated Carcinogens: Not Listed Pennsylvania RTK - Special Hazardous Not Listed

Substances:

New Jersey - Special Hazardous Substances: Not Listed New Jersey - Environmental Hazardous Not Listed

Substances List:

Illinois - Toxic Air Contaminants Not Listed
New York - Reporting of Releases Part 597 - Not Listed

List of Hazardous Substances:

Canadian Regulatory Information:

Canada DSL/NDSL Inventory: This product and/or its components are listed either on the Domestic Substances List

(DSL) or are exempt.

NOTE: Not Applicable.

16. OTHER INFORMATION

Additional Information: No data available.

Prepared by: Mark S. Swanson, Manager, Toxicology and Product Safety

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 8 of 9

The information and recommendations contained herein are based upon tests believed to be reliable. However, Marathon Petroleum Company LP (MPC) does not guarantee their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage maybe required. MPC assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

End of Safety Data Sheet

MSDS ID NO.: 0183MAR019 Product name: Marathon Super Maraplex EP-2 Page 9 of 9