



# SAFETY DATA SHEET

**SDS ID NO.:** 0324MAR019 **Revision Date:** 05/27/2015

# 1. IDENTIFICATION

Product Name: Marathon Petroleum Performance Series Synthetic Motor Oil

Synonym: American Spirit Synthetic SAE 5W20 Motor Oil; Performance Series Synthetic SAE 5W20

Motor Oil; American Spirit Synthetic SAE 5W-30 Motor Oil; Performance Series Synthetic SAE 5W30 Motor Oil; American Spirit Synthetic SAE 10W-30 Motor Oil; Performance

Series Synthetic SAE 10W30 Motor Oil; 0323MAR019; 0325MAR019

Chemical Family: Motor/Lube Oil

Recommended Use: Engine Oil. Use Restrictions: All others.

**Supplier Name and Address:** 

MARATHON PETROLEUM COMPANY LP 539 South Main Street Findlay, OH 45840

**SDS information:** 1-419-421-3070 **Emergency Telephone:** 1-877-627-5463

# 2. HAZARD IDENTIFICATION

### Classification

**OSHA Regulatory Status** 

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### **Hazards Not Otherwise Classified (HNOC)**

Not applicable

### **Label elements**

### **EMERGENCY OVERVIEW**

No known significant effects or critical hazards.

Appearance Brown Liquid Physical State Liquid Odor Petroleum

**Precautionary Statements - Prevention** 

Not applicable

**Precautionary Statements - Response** 

Not applicable

SDS ID NO.: 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 1 of 7

### **Precautionary Statements - Storage**

Not applicable

### **Precautionary Statements - Disposal**

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Motor oil is a complex mixture of highly refined lubricating oil base stocks and additives. The base oil for this product can be a mixture of any of the following highly refined petroleum streams: 64741-88-4, 64742-54-7, and 64742-65-0.

### **Composition Information:**

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. FIRST AID MEASURES

**First Aid Measures** 

General advice In case of accident or if you feel unwell, seek medical advice immediately (show directions

for use or safety data sheet if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms

occur get medical attention.

**Skin Contact:** Wash skin with plenty of soap and water. If irritation or other symptoms occur get medical

attention. Wash contaminated clothing and clean shoes before reuse.

**Eye Contact:** Immediately flush eyes with plenty of water. Eyelids should be held away from the eyeball

to ensure thorough rinsing. Gently remove contacts while flushing. Get medical attention if

**Revision Date:** 05/27/2015

irritation persists.

Ingestion: Rinse mouth out with water. If spontaneous vomiting occurs, keep head below hips, or if

patient is lying down, turn body and head to side to prevent aspiration and monitor for breathing difficulty. Never give anything by mouth to an unconscious person. Keep affected

person warm and at rest. If symptoms develop, seek medical attention.

Most important signs and symptoms, both short-term and delayed with overexposure

Adverse Effects: May cause eye irritation. May cause skin irritation and/or dermatitis. Symptoms may include

redness, itching, and inflammation. Preexisting skin conditions and/or respiratory disorders

may be aggravated by exposure to this product.

Indication of any immediate medical attention and special treatment needed

**NOTES TO PHYSICIAN:** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

For small fires, Class B fire extinguishing media such as CO2, dry chemical, foam (AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.

### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

SDS ID NO.: 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 2 of 7

### 0324MAR019 Marathon Petroleum Performance Series **Synthetic Motor Oil**

### Specific hazards arising from the chemical

The product is not combustible per the OSHA Hazard Communication Standard, but will ignite and burn at temperatures exceeding the flash point.

### **Hazardous combustion products**

Smoke, carbon monoxide, and other products of incomplete combustion.

### **Explosion data**

Sensitivity to Mechanical Impact No. Sensitivity to Static Discharge No.

### Special protective equipment and precautions for firefighters

Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of sewers and water sources.

NFPA: Health 1 Flammability 1 Instability 0 Special Hazards -

### 6. ACCIDENTAL RELEASE MEASURES

Keep public away. Isolate and evacuate area. Shut off source if safe to do so. **Personal Precautions:** 

**Protective Equipment:** Use personal protection measures as recommended in Section 8.

**Emergency Procedures:** Advise authorities and National Response Center (800-424-8802) if the product has

entered a water course or sewer. Notify local health and pollution control agencies, if

**Revision Date:** 05/27/2015

appropriate.

**Environmental precautions:** Avoid release to the environment. Avoid subsoil penetration.

Methods and materials for

containment:

up:

Prevent further leakage or spillage if safe to do so.

Methods and materials for cleaning Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual liquids. Recover and return free product to proper containers.

# 7. HANDLING AND STORAGE

**Safe Handling Precautions:** Avoid contact with skin, eyes and clothing. Do not swallow. Avoid breathing vapors or mists.

Use good personal hygiene practices. Wash thoroughly after handling. Use personal protection measures as recommended in Section 8. Do not cut, drill, grind or weld on empty containers since explosive residues may remain. Refer to applicable EPA, OSHA, NFPA

and consistent state and local requirements.

Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. In testing, thorough washing has been found to prevent the development of skin cancer from used motor oil exposure. Avoid excessive skin contact. Exercise good personal hygiene including the removal and washing of soiled clothing and destroy used motor oil

contaminated leather shoes/boots.

**Storage Conditions:** Store in properly closed containers that are appropriately labeled and in a cool,

well-ventilated area. Containers that have been opened must be carefully resealed and kept

upright to prevent leakage. Store away from incompatible materials.

Incompatible materials Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**SDS ID NO.:** 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 3 of 7

### 0324MAR019 Marathon Petroleum Performance Series **Synthetic Motor Oil**

The manufacturer has voluntarily elected to provide exposure limits contained in OSHA's Notes:

1989 air contaminants standard in its SDSs, even though certain of those exposure limits

**Revision Date:** 05/27/2015

were vacated in 1992.

**Engineering measures:** Local or general exhaust required when using at elevated temperatures that generate

vapors or mists.

Personal protective equipment

Eye protection: Use goggles or face-shield if the potential for splashing exists.

Skin and body protection: Wear neoprene, nitrile or PVA gloves to prevent skin contact. Glove suitability is based on

workplace conditions and usage. Contact the glove manufacturer for specific advice on

glove selection and breakthrough times. Wear appropriate protective clothing.

Use a NIOSH approved organic vapor chemical cartridge or supplied air respirators when Respiratory protection:

> material produces vapors that exceed permissible exposure limits or excessive vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 29 CFR 1910.134. Self-contained breathing apparatus should be used for fire

fighting.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Hygiene measures:

skin, eyes and clothing. Wash hands before breaks and immediately after handling the

product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

**Physical State** Liquid **Appearance** Brown Liquid Color Brown Odor Petroleum **Odor Threshold** No available data.

Values (Method) No available data. **Melting Point / Freezing Point** Initial Boiling Point / Boiling Range No available data.

**Flash Point** > 204 °C / > 399.2 °F (Cleveland Open-Cup) (ASTM D92)

**Evaporation Rate** No available data. Flammability (solid, gas) Not applicable.

Flammability Limit in Air (%)

**Upper Flammability Limit:** No available data. **Lower Flammability Limit:** No available data. **Vapor Pressure** No available data. **Vapor Density** No available data. 0.847-0.82 **Specific Gravity / Relative Density** 

**Water Solubility** No available data. Solubility in other solvents No available data. **Partition Coefficient** No available data. **Decomposition temperature:** No available data. pH: No available data. **Autoignition Temperature** No available data.

**Kinematic Viscosity** > 40 mm2/s @ 40°C / 104°F (ASTM D445)

**Dynamic Viscosity** No available data. **Explosive Properties** No available data. **Softening Point** No available data. **VOC Content (%)** No available data. **Density** No available data. **Bulk Density** Not applicable.

**SDS ID NO.:** 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 4 of 7

**Revision Date:** 05/27/2015

# 10. STABILITY AND REACTIVITY

Reactivity The product is non-reactive under normal conditions.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

<u>Hazardous polymerization</u> Will not occur.

<u>Conditions to avoid</u> Sources of heat or ignition.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

None known under normal conditions of use.

## 11. TOXICOLOGICAL INFORMATION

### Potential short-term adverse effects from overexposures

**Inhalation** Overheating may produce vapors which may cause respiratory irritation, dizziness and

nausea.

**Eye contact** Exposure to vapor or contact with liquid may cause mild eye irritation.

**Skin contact** May cause skin irritation. Prolonged or repeated exposure may cause dermatitis, folliculitis

or oil acne.

**Ingestion** May cause irritation of the mouth, throat and gastrointestinal tract.

Acute Toxicological data

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

This product is considered to have a low order of acute and chronic oral and dermal toxicity.

USED MOTOR OIL: Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. The combustion process produces compounds (polycyclic aromatic hydrocarbons) in motor oils that increase with use and are responsible for the cancer induction. Thorough washing has been found to prevent the development of skin cancer on animals from used motor oil exposure.

ZDDP: Zinc dialkyldithiophosphate (ZDDP) additives are primarily eye and/or skin irritants or corrosives with low acute toxicity via oral, dermal, and inhalation routes of exposure and are not skin sensitizers. In laboratory repeat dose studies by the dermal and oral routes, ZDDPs cause effects only at high doses, primarily due to irritation, in a manner similar to other irritating materials. The weight-of- evidence of genotoxicity testing indicates that ZDDPs are not mutagenic and do not cause larger chromosomal effects.

### Adverse effects related to the physical, chemical and toxicological characteristics

Signs & Symptoms May cause eye irritation. Contact may cause skin dermatitis and/or irritation. Symptoms

may include redness, itching, and inflammation. Repeated or prolonged skin contact may

cause drying, reddening, itching and cracking.

**Sensitization** Not expected to be a skin or respiratory sensitizer.

SDS ID NO.: 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 5 of 7

# 0324MAR019 Marathon Petroleum Performance Series Synthetic Motor Oil

**Revision Date:** 05/27/2015

Mutagenic effects None known.

Carcinogenicity None known.

Reproductive toxicity None known.

**Specific Target Organ Toxicity** 

(STOT) - single exposure

Not classified.

Specific Target Organ Toxicity

(STOT) - repeated exposure

Not classified.

Aspiration hazard Not classified.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** No information available.

Used motor and/or lube oils can be toxic to birds and fish.

Persistence and degradability Not expected to be readily biodegradable.

Bioaccummulation Contains component(s) with the potential to bioaccumulate.

Mobility in soil No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

### **Description of Waste Residues**

No information available.

#### Safe Handling of Wastes

Handle in accordance with applicable local, state, and federal regulations. Use personal protection measures as required.

### **Disposal of Wastes / Methods of Disposal**

The user is responsible for determining if any discarded material is a hazardous waste (40 CFR 262.11). Dispose of in accordance with federal, state and local regulations.

### **Methods of Contaminated Packaging Disposal**

Empty containers should be completely drained and then discarded or recycled, if possible. Do not cut, drill, grind or weld on empty containers since explosive residues may be present. Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT (49 CFR 172.101):

UN Proper shipping name:
UN/Identification No:
Transport Hazard Class(es):
Packing group:

Not Regulated
Not applicable
Not applicable
Not applicable

TDG (Canada):

UN Proper shipping name:
UN/Identification No:
Transport Hazard Class(es):
Packing group:

Not Regulated
Not applicable
Not applicable

SDS ID NO.: 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 6 of 7

## 15. REGULATORY INFORMATION

**US Federal Regulatory Information:** 

US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA

Chemical Inventory.

EPA Superfund Amendment & Reauthorization Act (SARA):

SARA Section 302: This product may contain component(s) that have been listed on EPA's Extremely

Hazardous Substance (EHS) List:

SARA Section 304: This product may contain component(s) identified either as an EHS or a CERCLA

Hazardous substance which in case of a spill or release may be subject to SARA reporting

**Revision Date:** 05/27/2015

requirements:

SARA: The following EPA hazard categories apply to this product:

None

SARA Section 313: This product may contain component(s), which if in exceedance of the de minimus

threshold, may be subject to the reporting requirements of SARA Title III Section 313 Toxic

Release Reporting (Form R).

State and Community Right-To-Know Regulations:

The following component(s) of this material are identified on the regulatory lists below:

Canada DSL/NDSL Inventory: This product and/or its components are listed either on the Domestic Substances List (DSL)

or are exempt.

Canadian Regulatory Information: "This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the (M)SDS contains all the information required by the

Controlled Products Regulations."

NOTE: Uncontrolled product according to WHMIS classification criteria.

## **16. OTHER INFORMATION**

Prepared By Toxicology and Product Safety

**Revision Date:** 05/27/2015

**Revision Note:** 

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is intended as guidance for safe handling, use, processing, storage, transportation, accidental release, clean-up and disposal and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS ID NO.: 0324MAR019 Product name: Marathon Petroleum Performance Series Synthetic Motor Oil Page 7 of 7