

SDS No. 037-O040575 First issue: 2015/07/09

Revised:

# Safety Data Sheets

#### 1. Identification

Product Name : Antifreeze Mixed water 35%

Order No. : SPC-0783

General Use : General cold and heat medium(Food factory), ice storage refrigerant

Product Description : Antifreeze Mixed water

SDS Number : 037-O040575

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0700 Emergency Telephone No. : +81-268-64-2281

## 2. Hazards Identification

## [GHS Classification]

Physical Hazards

Flammable Liquids : Not classified Pyrophoric Liquids : Not classified

#### Health Hazards

Acute Toxicity - Oral : Not classified Acute Toxicity - Dermal : Not classified Skin Corrosion / Irritation : Not classified : Not classified Eye Damage / Irritation : Not classified Sensitization – Respiratory Sensitization – Skin : Not classified : Not classified Germ Cell Mutagenicity Specific Target Organ Toxicity : Not classified

(Single Exposure)

Specific Target Organ Toxicity : Not classified

(Repeated Exposure)



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

## Safety Data Sheets

**Environmental Hazards** 

Hazardous to the Aquatic : Not classified

Environment - Acute Hazard

Hazardous to the Aquatic : Not classified

Environment - Long Term Hazard

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements]

Symbol

None

Signal Word

None

**Hazard Statements** 

None

**Precautionary Statements** 

None

## 3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.	
1	Propylene glycol	15-25	57-55-6	
2	Additive	1-5	Trade Secret	
3	Water	75-80	7732-18-5	

## 4. First Aid Measures

Inhalation : Immediately remove victim to fresh air. Keep Victim warm by

covering with a blanket and rest. If breathing is weak or stopped,

loosen clothing and maintain an open airway and then, give

artificial respiration. If unconscious but breathing or if conscious but

breathing is difficult, it is effective to give oxygen. It is recommended to conduct under doctor's instructions.

Eye Contact : Remove contact lenses, if present and easy to do. Continue rinsing.

Rinse eyes with clean water for at least 15 minutes and get medical attention from an ophthalmologist immediately. Hold eyelids open and away from eyeballs with fingers to ensure that all surfaces are

flushed thoroughly.

Skin Contact : Remove contaminated clothing, shoes, etc. promptly. Cut it off if

necessary. Flush affected area with water or lukewarm water and



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

## Safety Data Sheets

wash off with soap. If visual change occurs or pain persists, get

medical attention.

Ingestion : If conscious, induce vomiting by giving more than two cups of milk

or water and get medical attention immediately. Never give water, etc to an unconscious person. Keep victim warm and get medical

attention immediately.

Expected acute and : If swallowed, it can cause diarrhea, vomit.

delayed symptoms, most
important sign and
If in eyes, it can cause inflammation.
If on skin, it can cause inflammation.

Symptoms
If inhaled mist, it can cause nausea.

### 5. Fire Fighting Measures

Flammable Properties : Flash point : None

Extinguishing Media : Use water (water fog), dry powder, alcohol-resistant foam.

Unsuitable extinguishing : Don't use fire hose.

Media

Fire Fighting : Eliminate all sources of ignition form fire area. For initial fire, use

Instructions water (water fog), dry powder, etc. for fighting fire. For large fire, it

is effective to use foam (alcohol-resistant foam), etc to shut off air supply. Pouring water can be dangerous by expanding fire. Cool surrounding facilities, etc. with water spray. Prohibit unnecessary personnel from entering fire area. Immediately remove movable

container to a safe area.

Protection for : Wear safety glasses, protective clothing, and respiratory protection

fire-fighters for the situation during fire fighting. Extinguish fire form upwind.

#### 6. Accidental Release Measures

Personal Precautions : Prohibit unnecessary personnel from entering spilled area

separated by rope, etc. Wear suitable protective equipment during clean-up to prevent contact with water drop or inhalation of gas.

Work from upwind and evacuate from downwind.

Precautions for the

environment

: Since it is related to soil and water contamination, recover spills as

much as possible.



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

Recovery/neutralization

For large spills, dike with earth and sand, etc. to prevent spreading and sweep into an empty container and dispose of in a safe place. Be tender of discharging into sewers, drains, etc. Be sure to wear protective equipment during clean-up. For small spills, absorb with dry sand, earth, sawdust, wastes, etc and collect into an empty container that can be closed.

Method for containment and clean-up

: Stop leakage, if it can be done without risk. In case of running off, prevent spread of the liquid and scoop or absorb with a proper absorbent. If inevitable, use a chemical. When using a chemical, it should meet the technical standards set by the Ordinance of the Ministry of Transport.

Preventive measure of secondary disaster

: Immediately eliminate all source of ignition nearby. Request cooperation by giving notice to relevant agencies.

#### 7. Handling and Storage

Handling

Technical measures:

: Keep good working environment. Prevent spills, overflow, scattering and generation of vapors. Prohibit the use of sources of fire, sparks and arcs around the handling place. Prohibit the use near sources of ignition of high temperature. Repair machinery containing residues after completely removing them in a safe place. Take precautionary measures against static discharge and wear conductive working clothes, shoes, etc. Since vapors are heavier than air, it is likely to stay in low areas. So, pay attention to ventilation and sources of fire, etc. Handle at room temperature and pay attention to mixing with water or impurities. If it is possible to contact with skin or eyes, wear protective equipment. If mist is generated, do not breathe mist by wearing respirators, etc. Use a pump, etc. to take out the product from a container. Use a thin tube and do not suck it with mouth. Do not weld, heat, puncture or cut containers. It can cause ignition of residues following explosion.

Local exhaust or general

ventilation

: See 'Section 8.Exposure Controls and Personal Protective

Equipment'.

Avoid to contact : See 'Section 10. Stability and Reactivity'.



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

Precaution for safe

handling

: Obtain special instruction before use. Do not handle until all safety precautions have been read and understood. Pay attention to sources

of fire. Wash hands and eyes thoroughly after handling. If on

clothing, change clothing. Use only outdoors or in a well-ventilated area. Do not eat or smoke when using this product. Do not put pressure to an empty container. It can cause rupture of a container.

Do not drink. Keep out of the reach of children.

Storage

Technical measure : Avoid heat, sparks, open flames and static built -up. Be sure to keep

container tightly closed.

Incompatible materials : See 'Section 10. Stability and Reactivity'.

Storage condition : Keep container in a well-ventilated area. Protect from direct sunlight.

Keep away from oxidizing agents.

Safe container and

packaging material

: Use container without damage, corrosion, cracks, etc. Do not handle a container in a violent manner such as turning over, impacting or

dragging it. Keep used container at a certain designated place.

#### 8. Exposure Controls / Personal Protection

**Exposure Controls** 

: Not established.

**Exposure Controls** 

Permissible exposure level(Threshold limits, biological exposure indices, etc):

Not established.

The Japanese Occupational Hygiene Society (2009): Not established.

ACGIH (2009): Not established.

Occupational Exposure Controls

Engineering Controls: If mist and vapor is generated, use enclosure of sources or local

exhaust ventilation. Provide safety shower, basin and eye wash facilities near the place where the product is handled and indicate

the location clearly.



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

# Safety Data Sheets

Personal Protection

Respiratory : Wear gas mask for toxic gas, if necessary.

Protection



Hand Protection : Wear impermeable rubber gloves.



Eye Protection : Wear ordinary glass with side shields or safety goggles.



Skin Protection

: Wear long-sleeved working clothes. Take off wet clothing and wash before reuse.



general hygiene consideration

: Check protective equipment on a regular based on a checklist. Do not eat or smoke during work. Wash hands with soap before eating or smoking.

## 9. Physical and Chemical Properties

Appearance - Physical State : liquid

- Color : Red clear

Odor : Almost odorless

pH : 8.0 - 9.0

Boiling Point / Boiling Range : Not Available
Melting Point / Melting Range : Not Available

Flash Point : None
Ignition temperature : None.
Explosive limits: Lower : None.
Explosive limits: Upper : None.



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

# Safety Data Sheets

Vapor pressure : Not Available

Vapor density(Air=1) : No data.

Specific gravity(Density) : 1.020 - 1.030

Solubility : Soluble in water, low alcohols, acetone

Partition coefficient(n-octanol/water) : Not Available
Auto-ignition temperature : Not Available
Decomposition temperature : Not Available

## 10. Stability and Reactivity

Conditions to Avoid : No data. (No hazardous reactions under normal handling condition.)

Stability : Stable

Materials to Avoid : Strong acids, strong oxidizing agents.

Hazardous Reactions / Explosion/ignition at room temperature hardly occurs, but if moisture

Decomposition Products is evaporated at high temperature, it is easy to ignite/burn. It can

react with strong acids, strong oxidizing agents violently.

## 11. Toxicological Information

Acute Toxicity	: (Annex) Acute toxicity(Oral, dermal, inhalation)						
	Content	Oral	Dermal	Inhalation	Inhalation	Inhalation	
	(%)			(Gas)	(Vapor)	(Dust, mist)	
①Propylene	15~25%	Not	Not	Not	Classification	Classification	
glycol		classified	classified	applicable	not possible	not possible	
②Additive	1~5%	Classificat	Classifica	Not	Classification	Classification	
		ion not	tion not	applicable	not possible	not possible	
		possible	possible				
③Water	75~80%	Not	Not	Not	Not classified	Not classified	
		classified	classified	applicable			
Total	100%						

Oral: : It contains acute toxicant (oral) on Annex. The product as a

mixture is classified as 'Acute toxicity (Oral): Not classified'.

Dermal: : It contains acute toxicant (dermal) on Annex. The product as a

mixture is classified as 'Acute toxicity (Dermal): Not classified'.



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

Inhalation: : It contains acute toxicant (inhalation) on Annex. The product as a

mixture is not possible to classify for acute toxicity(inhalation).

Eye Irritation: • It contains eye irritants classified below.-Not classified: Water,

propylene glycol<sup>5)</sup>

The product as a mixture is classified as 'Serious eye damage/eye

irritation: Not classified'.

• Serious eye damage/eye irritation of 1~5% of this mixture is

unknown.

Skin Irritation: • It contains skin irritants classified below. Not classified: Water

• The product as a mixture is classified as 'Skin corrosion/irritation:

Not classified'.

• Skin corrosion/irritation of 1~5% of this mixture is unknown.

Sensitization: • It contains respiratory sensitizers classified below. Not classified:

Water, propylene glycol<sup>5)</sup>

• The product as a mixture is classified as 'Respiratory sensitization:

Not Classified'.

• Respiratory sensitization of 1~5% of this mixture is unknown.

• It contains skin sensitizers classified below. Not classified: Water,

propylene glycol<sup>5)</sup>

• The product as a mixture is classified as 'Skin sensitization: Not

classified'.

• Skin sensitization of 1~5% of this mixture is unknown.

Germ cell mutagenicity: • It contains germ cell mutagens classified below. Not classified:

Water, propylene glycol<sup>5)</sup>

• The product as a mixture is classified as 'Germ cell mutagenicity:

Not classified'.

• Germ cell mutagenicity of 1~5% of this mixture is unknown.

Carcinogenicity: · Classification is not possible due to lack of data.

Reproductive toxicity: · Classification is not possible due to lack of data.

Specific target organ toxicity (single exposure):

• It contains specific target organ toxicants(single exposure)

classified below.-Not classified: Water, propylene glycol<sup>5)</sup>

• The product as a mixture is classified as 'Specific target organ

toxicity (single exposure): Not classified'.

Specific target organ toxicity (repeated exposure):

• It contains specific target organ toxicants(repeated exposure)



SDS No. 037-O040575 First issue: 2015/07/09

Revised:

classified below.-Not classified: Water

• The product as a mixture is classified as 'Specific target organ

toxicity(repeated exposure): Not classified'.

Aspiration hazard: · Classification is not possible due to lack of data.

## 12. Ecological Information

Handling is noted because it might influence the environment when

leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the

river, and the drain ditch.

Ecotoxicity • It contains hazardous substances(acute)to aquatic environment

classified below.-Not classified: Water, propylene glycol<sup>5)</sup>

• The product as a mixture is classified as 'Hazards to aquatic

environment (Acute): Not classified'.

• Hazards to aquatic environment (Acute) of 1~5% of this mixture is

unknown.

• It contains hazardous substances (chronic) to aquatic environment

classified below.-Not classified: Water, propylene glycol<sup>5)</sup>

• The product as a mixture is classified as 'Hazards to aquatic

environment (Chronic): Not classified'.

• Hazards to aquatic environment (Chronic) of 1~5% of this mixture is

unknown.

Persistence/degradability: : Not Available
Bio-accumulation: : Not Available
Mobility in soil: : Not Available
Other adverse effects: : Not Available
Environment criteria: : Not Available

## 13. Disposal Considerations

Residual wastes : Comply with all USA, national and local regulations. <u>Do not dump</u>

this product into sewers, on the ground or into any body of water.

Contaminated container and packages:

: Contaminated or empty container packaging are to be disposed

according to national and local regulation.



Safety Data Sheets

Product Name: Antifreeze Mixed water 35%

SDS No. 037-O040575 First issue: 2015/07/09

Revised:

## 14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

International regulation : Not Applicable

UN Classification : Not Applicable

Special precautions : Load the container in a manner that they are certain not to result in

direct sunlight exposure, damage, corrosion, leak, while being

transport.

## 15. Regulatory Information

No information

#### 16. Other Information

References 1) The Japanese Occupational Hygiene Society recommendation on

permissible exposure level, etc (OELs)

2) Thresholds limit values for chemical substances and physical agents

and biological exposure indices. ACGIH

3) National Institute of Technology and Evaluation (NITE)

4) European Chemical Substances Information System

5) Material Safety Data Sheet (Propylene glycol), Japan Petrochemical

Industry Association (1998)

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.