

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

**SECTION 1. IDENTIFICATION**

Product name : KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO

Mat.-No./ Genisys-No. : 05035970190

**Manufacturer or supplier's details**

Company name of supplier : Roche Diagnostics

-

Address : 9115 Hague Road  
46250 Indianapolis IN

Telephone : 1-800-428-5074

Emergency telephone number:

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or  
Canada)  
1-703-527-3887 (International)**Recommended use of the chemical and restrictions on use**

Restrictions on use : For professional users only.

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

The product is a kit consisting of individual ingredients. The classification of the ingredients can be obtained from section 3. Section Label elements contains the resulting labelling for the kit.

**GHS Label element**

Hazard pictograms



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.  
P330 Rinse mouth.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****[SPEX]****GHS Classification**

Acute toxicity (Oral), Category 4

H302: Harmful if swallowed.

Serious eye damage, Category 1

H318: Causes serious eye damage.

**Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
guanidinium thiocyanate	593-84-0	>= 30 - < 50
Polidocanol	9002-92-0	>= 1 - < 5
(R*,R*)-1,4-dimercaptobutane-2,3-diol	3483-12-3	>= 1 - < 5

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Notes to physician : The first aid procedure should be established in consultation

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

with the doctor responsible for industrial medicine.

---

**SECTION 5. FIREFIGHTING MEASURES**

- |   |   |
|---|---|
| Suitable extinguishing media                  | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Unsuitable extinguishing media                | : High volume water jet   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |   |   |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Refer to protective measures listed in sections 7 and 8.  |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal.                             |

---

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |
|-----------------------------|---|
| Advice on safe handling     | : Do not breathe vapours/dust.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Dispose of rinse water in accordance with local and national regulations.<br>To prevent leaks or spillages from spreading, provide a suitable liquid retention system. |
| Conditions for safe storage | : Keep container tightly closed in a dry and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Electrical installations / working materials must comply with the technological safety standards.   |

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****[SPEX]****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Personal protective equipment**

Hand protection

Material : Protective gloves

Remarks : The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES****[SPEX]**

Appearance : liquid

pH : 6.0

Flash point : does not flash

Density : 1.1124 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : completely miscible

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

**SECTION 11. TOXICOLOGICAL INFORMATION****[SPEX]****Information on likely routes of exposure****Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate : 1,283 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 25.88 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 2,588 mg/kg  
Method: Calculation method

**Components:****guanidinium thiocyanate:**

Acute oral toxicity : LD50 Oral (Rat): 593 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : 1.5 mg/l  
Test atmosphere: dust/mist  
Method: Expert judgement

Acute dermal toxicity : Acute toxicity estimate : 1,100 mg/kg  
Method: Expert judgement

**Polidocanol:**

Acute oral toxicity : LD50 Oral (Rat): 2,000 mg/kg

**(R\*,R\*)-1,4-dimercaptobutane-2,3-diol:**

Acute oral toxicity : LD50 Oral (Rat): 400 mg/kg

Acute toxicity (other routes of administration) : Symptoms: May cause cardiac arrhythmia., Convulsions, Vomiting

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks: May cause skin irritation and/or dermatitis.

**Components:**

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

**Polidocanol:**

Result: Irritating to skin.

**(R\*,R\*)-1,4-dimercaptobutane-2,3-diol:**

Result: Irritating to skin.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks: May cause irreversible eye damage.

**Components:****Polidocanol:**

Result: Risk of serious damage to eyes.

**(R\*,R\*)-1,4-dimercaptobutane-2,3-diol:**

Result: Irritating to eyes.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Components:****guanidinium thiocyanate:**

Remarks: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****[SPEX]****Ecotoxicity****Components:****guanidinium thiocyanate:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 89.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 42.4 mg/l  
aquatic invertebrates Exposure time: 48 h

Ecotoxicology Assessment  
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to : No data available  
the environment

**Polidocanol:**

M-Factor (Acute aquatic : 1  
toxicity)

Ecotoxicology Assessment  
Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**(R\*,R\*)-1,4-dimercaptobutane-2,3-diol:**

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 27 mg/l  
aquatic invertebrates Exposure time: 48 h

Ecotoxicology Assessment  
Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to : No data available  
the environment

**Persistence and degradability****Components:****Polidocanol:**

Biodegradability : Biodegradation: > 99 %  
Exposure time: 672 h  
Method: OECD Test Guideline 302

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

**Bioaccumulative potential****Components:****guanidinium thiocyanate:**

Partition coefficient: n-octanol/water : log Pow: -1.38

**(R\*,R\*)-1,4-dimercaptobutane-2,3-diol:**

Partition coefficient: n-octanol/water : log Pow: ca. -0.48

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.**Components:****Polidocanol:**

Additional ecological information

: Very toxic to aquatic life.  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues

: The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging

: Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulation**



**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION****[SPEX]****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

water	7732-18-5	50 - 70 %
guanidinium thiocyanate	593-84-0	30 - 50 %
Polidocanol	9002-92-0	1 - 5 %

**New Jersey Right To Know**

**KIT CAP-G/CTM SPECIMEN PRE-EXTRACT RUO**

Version 1.3


Revision Date 09-18-2014

Print Date 12-06-2014

water	7732-18-5	50 - 70 %
guanidinium thiocyanate	593-84-0	30 - 50 %
Polidocanol	9002-92-0	1 - 5 %
(R*,R*)-1,4-dimercaptobutane-2,3-diol	3483-12-3	1 - 5 %

**California Prop 65**

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**SECTION 16. OTHER INFORMATION****Further information****[SPEX]****NFPA:****HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date

: 09-18-2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.