

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : ASSY, FILLED DISP., ISH IVIEW BLUE NBT

Mat.-No./ Genisys-No. : 05279151001

**Manufacturer or supplier's details**Company : Roche Diagnostics Limited  
Charles AvenueAddress : Burgess Hill  
RH15 9RY West Sussex

Telephone : +44 1444 256000

Telefax : +44 1444 256239

Emergency telephone : +49(0)621-759-2012 oder +49(0)621-759-4848 oder  
number +49(0)8856-60-2629

Emergency telephone number:

In case of emergencies: : Health, Safety & +44 1444 256500 or +44 7802  
(Roche Diagnostics Ltd.) Environment 260498

- +44 1444 256561 or +44 7710

Product Safety / Vigilance 391653

-

Toxicology 24Hr help-line: : NPIS: +44 844 892 0111

Health Advice 24Hr help-line: NHS Direct: +44 845 4647

NHS 24: +44 8454 242424

**Recommended use of the chemical and restrictions on use**

Restrictions on use : For professional users only.

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

Physical state	liquid
Colour	light green
Odour	none

**GHS Classification**

Reproductive toxicity : Category 1A

**GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H360 May damage fertility or the unborn child.

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P281 Use personal protective equipment as required.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects****Carcinogenicity:**

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Preparation

**Hazardous components**

Chemical Name	CAS-No.	Concentration [%]
N,N-dimethylformamide	68-12-2	>= 1 - < 5

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : Move to fresh air.  
If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

- |                        |   |
|------------------------|---|
| In case of eye contact | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                   |
| If swallowed           | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital. |
| Notes to physician     | : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.  |

---

**SECTION 5. FIREFIGHTING MEASURES**

- |   |  |
|---|--|
| Suitable extinguishing media                  | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  |
| Unsuitable extinguishing media                | : High volume water jet  |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.  |
| Further information                           | : The product itself does not burn.<br><br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self contained breathing apparatus for fire fighting if necessary.  |

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |   |   |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Refer to protective measures listed in sections 7 and 8.  |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>Local authorities should be advised if significant spillages cannot be contained.     |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal.<br>Use neutralizing agents. |

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Do not breathe vapours/dust.  
 Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid :

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N-dimethylformamide	68-12-2	TWA	10 ppm	ACGIH
		TWA	10 ppm 30 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 30 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10 ppm 30 mg/m <sup>3</sup>	OSHA P0

**Personal protective equipment**

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

- Hand protection  
 Material : Protective gloves

- Remarks : The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: light green
Odour	: none
Odour Threshold	: no data available
pH	: ca. 10.0
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: does not flash
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Density	: 1.00 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: completely miscible
Auto-ignition temperature	: no data available
Thermal decomposition	: Hazardous decomposition products formed under fire conditions.
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Keep away from heat and sources of ignition. Risk of explosion. Reacts with the following substances: Oxidizing agents Reducing agents Acids Bases

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

No decomposition if stored and applied as directed.

Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Reducing agents Acids Bases
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NO <sub>x</sub> )

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 29.51 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

**Components:****N,N-dimethylformamide:**

Acute oral toxicity	: LD50 Oral rat: 2,800 mg/kg Symptoms: Gastrointestinal disturbance  LD50 Oral mouse: 3,700 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate : 11 mg/l Test atmosphere: vapour Method: Expert judgement
Acute dermal toxicity	: LD50 Dermal rabbit: 1,500 mg/kg

**Skin corrosion/irritation****Components:****N,N-dimethylformamide:**

Remarks: May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation**

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

**Components:****N,N-dimethylformamide:**

Result: Eye irritation

Remarks: May cause irreversible eye damage.

**Respiratory or skin sensitisation****Components:****N,N-dimethylformamide:**

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****N,N-dimethylformamide:**Genotoxicity in vitro : Type: Ames test  
Result: negative**Carcinogenicity****Components:****N,N-dimethylformamide:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**Reproductive toxicity****Components:****N,N-dimethylformamide:**

Reproductive toxicity - Assessment : May damage the unborn child., Known human reproductive toxicant

**STOT - single exposure****Components:****N,N-dimethylformamide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure****Components:****N,N-dimethylformamide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration toxicity****Components:****N,N-dimethylformamide:**

No aspiration toxicity classification

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

**Further information****Components:****N,N-dimethylformamide:**

Remarks: Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

**Components:****N,N-dimethylformamide :**Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,600 mg/l  
Exposure time: 96 hLC50 (Oncorhynchus mykiss (rainbow trout)): 9,800 mg/l  
Exposure time: 96 hLC50 (Lepomis macrochirus (Bluegill sunfish)): 6,300 mg/l  
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15,700 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella pyrenoidosa): 890 mg/l

IC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 96 hToxicity to bacteria : EC50 (Photobacterium phosphoreum): 2,000 mg/l  
Exposure time: 0.08 h

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

**Persistence and degradability****Components:****N,N-dimethylformamide :**Biodegradability : Zahn-Wellens Test  
Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 7 d  
Method: OECD Test Guideline 302  
Remarks: According to the results of tests of biodegradability



**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

this product is considered as being readily biodegradable.

Result: Readily biodegradable.

Biodegradation: &gt; 90 %

Exposure time: 28 d

Method: OECD Test Guideline 301

Biochemical Oxygen Demand (BOD) : 900 mg/g  
Incubation time: 5 d

**Bioaccumulative potential****Components:****N,N-dimethylformamide :**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.85 Method: OECD Test Guideline 107

**Mobility in soil**

no data available

**Other adverse effects**

no data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**Components:****N,N-dimethylformamide :**

Additional ecological information : no data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

**SECTION 14. TRANSPORT INFORMATION****International regulation****IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**Special precautions for user**

Remarks : Not dangerous goods in the meaning of ADR/RID, ADNR,  
IMDG-Code, ICAO/IATA-DGR

**SECTION 15. REGULATORY INFORMATION**

**OSHA Hazards** : Harmful by skin absorption., Moderate eye irritant, Reproductive hazard

**WHMIS Classification** : D2A: Very Toxic Material Causing Other Toxic Effects  
Toxic Material Causing Other Toxic Effects

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
N,N-Dimethylformamide	68-12-2	100	

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
N,N-dimethylformamide 68-12-2 1 %

**Clean Air Act**

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

N,N-dimethylformamide 68-12-2 1 %

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

N,N-dimethylformamide	68-12-2	1 %
-----------------------	---------	-----

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations****Massachusetts Right To Know**

N,N-dimethylformamide	68-12-2	1 - 5 %
-----------------------	---------	---------

**Pennsylvania Right To Know**

water	7732-18-5	90 - 100 %
N,N-dimethylformamide	68-12-2	1 - 5 %

**New Jersey Right To Know**

water	7732-18-5	90 - 100 %
N,N-dimethylformamide	68-12-2	1 - 5 %

**California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

---


**SECTION 16. OTHER INFORMATION**

**ASSY, FILLED DISP., ISH IVIEW BLUE NBT**

Version 1.1

Revision Date 11-18-2013

Print Date 03-18-2014

**Further information****NFPA:****HMIS III:**

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.