according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name : Congo Red Staining Kit

Mat.-No./ Genisys-No. : 05279429001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions

on use

: For professional users only.

1.3 Details of the supplier of the safety data sheet

Company : Ventana Medical Systems

1910 E. Innovation Park Drive

85755 Tucson AZ

E-mail address

Telephone : 1-800-227-2155 or 520-877-2155

Telefax

Responsible Department

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or

Canada)

1-703-527-3887 (International)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

Carcinogenicity, Category 1B H350: May cause cancer.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Classification (67/548/EEC, 1999/45/EC)

Highly flammable R11: Highly flammable. Carcinogenic Category 1 R45: May cause cancer. Toxic R22: Harmful if swallowed. Irritant R36/38: Irritating to eyes and skin.

R67: Vapours may cause drowsiness and

dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Hazard pictograms







Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

H350 May cause cancer.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions

have been read and understood. P210 Keep away from heat/sparks/open

flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.

P240 Ground/bond container and receiving

equipment.

P241 Use explosion-proof electrical/ ventilating/

lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/

vapours/ spray.

P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated

area.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take

off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air

and keep at rest in a position comfortable

for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue

insina.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep

container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an

approved waste disposal plant.

Additional Labelling:

Restricted to professional users.

2.3 Other hazards

No information available.

3. Composition/information on ingredients

3.2 Mixtures

Congo Red Stain

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

Carcinogenicity, Category 1B H350: May cause cancer.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Classification (67/548/EEC, 1999/45/EC)

Highly flammable R11: Highly flammable.
Carcinogenic Category 2 R45: May cause cancer.
Irritant R36: Irritating to eyes.

R67: Vapours may cause drowsiness and

dizziness.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
propan-2-ol	67-63-0 200-661-7	F; R11 Xi; R36 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 50 - <= 100
disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate)	573-58-0 209-358-4	Carc.Cat.2; R45 Repr.Cat.3; R63	Carc. 1B; H350 Repr. 2; H361d	>= 0.1 - < 5

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Glycine Buffer

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Remarks : No dangerous ingredients according to Regulation (EC) No.

1907/2006

Hematoxylin

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Classification (67/548/EEC, 1999/45/EC)

Harmful R22: Harmful if swallowed.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
ethane-1,2-diol	107-21-1 203-473-3	Xn; R22	Acute Tox. 4; H302	>= 25 - < 50
sodium iodate	7681-55-2 231-672-5	O; R 8	Ox. Sol. 2; H272 Acute Tox. 4; H302	< 10
acetic acid	64-19-7 200-580-7	R10 C; R35	Flam. Liq. 3; H226 Skin Corr. 1A; H314	>= 1 - < 5
haematoxylin	517-28-2 208-237-3	Xn; Xn; R22- R36/37/38	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	< 10
aluminium sulphate	10043-01-3 233-135-0	Xi; Xi; R37/38-R41	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	< 5

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

4. First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

nedia

: High volume water jet

5.2 Special hazards arising from the substance or mixture

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self contained breathing apparatus for fire fighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use a water spray to cool fully closed containers.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

> Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

> absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

6.4 Reference to other sections

Treat recovered material as described in the section "Disposal considerations".

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage conditions

Other data

: See label, package insert or internal guidelines

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Laboratory chemicals

8. Exposure controls/personal protection

Exposure Guidelines

Congo Red Stain

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Source
propan-2-ol	67-63-0	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400 ppm 980 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	500 ppm	USA. NIOSH

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

	1,225 mg/m3	Recommended Exposure Limits
TWA	400 ppm 980 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
TWA	400 ppm 980 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
STEL	500 ppm 1,225 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Glycine Buffer

Contains no substances with occupational exposure limit values.

Hematoxylin

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Source
ethane-1,2-diol	107-21-1	С	50 ppm 125 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 ppm 25 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Personal protective equipment

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Protective gloves

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

This recommendation is only valid for the product mentioned in the product mentioned in the product data should be applied by use and for the

in the safety data sheet and provided by us and for the

application specified by us.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Congo Red Stain

Appearance : liquid

Colour : orange pH : 10.0

Melting point/range : no data available

Boiling point/boiling range : 81 - 83 °C

Flash point : 12 °C

Lower explosion limit : no data available
Upper explosion limit : no data available
Vapour pressure : no data available

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Water solubility : completely miscible Partition coefficient: n- : no data available

octanol/water

Ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Glycine Buffer

Appearance : liquid

Colour : colourless

pH : 10.0

Melting point/range : no data available
Boiling point/boiling range : no data available
Flash point : not applicable

Flammability (solid, gas) : The product is not flammable.

Lower explosion limit : no data available
Upper explosion limit : no data available
Vapour pressure : no data available
Water solubility : completely miscible
Partition coefficient: n- : no data available

Partition coefficient. II-

octanol/water

Ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Hematoxylin

Appearance : liquid

Colour : violet

Odour : vinegar-like pH : 2.3 - 2.6

Melting point/range : no data available
Boiling point/boiling range : no data available
Flash point : not applicable

Flammability (solid, gas) : The product is not flammable.

Lower explosion limit : no data available
Upper explosion limit : no data available
Vapour pressure : no data available

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Water solubility : completely miscible Partition coefficient: n- : no data available

octanol/water

Ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : no data available

9.2 Other information

Congo Red Stain

Conductivity : no data available
Oxidising potential : no data available
Surface tension : no data available

Glycine Buffer

Conductivity : no data available
Oxidising potential : no data available
Surface tension : no data available

Hematoxylin

Conductivity : no data available
Oxidising potential : no data available
Surface tension : no data available

10. Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as

directed.

: Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : no data available

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

Hazardous decomposition

products

: no data available

11. Toxicological information

11.1 Information on toxicological effects

Further information : Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents

may degrease the skin.

Congo Red Stain

Components: propan-2-ol:

: LD50 Oral: 4,570 mg/kg, rat Acute oral toxicity

> : LD50 Oral: 3,600 mg/kg, mouse : LD50 Oral: 6,410 mg/kg, rabbit

: LC50: 30 mg/l, 16000 ppm, 4 h, rat, Acute inhalation toxicity

: LC50: 53 mg/l, mouse

: LD50 Dermal: 13,400 mg/kg, rabbit Acute dermal toxicity

Acute toxicity (other routes of : no data available

administration)

Skin corrosion/irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye

irritation

: Result: Irritating to eyes., May cause irreversible eye damage.

: Assessment: May cause drowsiness or dizziness. STOT - single exposure

Aspiration toxicity : no data available

Further information : no data available

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxylin Components: ethane-1,2-diol:

: LD50 Oral: 4,700 mg/kg, rat Acute oral toxicity

> : LD50 Oral: 5,500 mg/kg, mouse : LD50 Oral: 5,500 mg/kg, dog : LD50 Oral: 1,650 mg/kg, cat

: no data available Acute inhalation toxicity

Acute dermal toxicity : LD50 Dermal: > 10,000 mg/kg, rabbit

Acute toxicity (other routes of : no data available

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

administration)

Further information : no data available

acetic acid:

Acute oral toxicity : LD50 Oral: 3,310 mg/kg, rat : LD50 Dermal: 1016 µl/kg, rabbit Acute dermal toxicity

Acute toxicity (other routes of : no data available

administration)

: Result: Causes severe burns., Extremely corrosive and Skin corrosion/irritation

destructive to tissue.

Serious eye damage/eye

irritation

: May cause irreversible eye damage.

Respiratory or skin

sensitization

: Result: no data available

: Assessment: The substance or mixture is not classified as STOT - single exposure

specific target organ toxicant, single exposure.

Aspiration toxicity : no data available

Further information : no data available

haematoxylin:

Acute oral toxicity : LD50 Oral: 400 mg/kg, rat

Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Acute toxicity (other routes of : no data available

administration)

Skin corrosion/irritation : Result: Irritating to skin., May cause skin irritation in

susceptible persons.

Serious eye damage/eye

irritation

: Result: Irritating to eyes., May cause irreversible eye damage.

Respiratory or skin

sensitization

: Result: no data available

STOT - single exposure : Exposure routes: Inhalation

Assessment: May cause respiratory irritation.

STOT - repeated exposure : Assessment: The substance or mixture is not classified as

specific target organ toxicant, repeated exposure.

Aspiration toxicity : no data available

Further information : no data available

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

sodium iodate:

Acute oral toxicity : LD50 Oral: 505 mg/kg, mouse

Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Acute toxicity (other routes of : no data available

administration) Skin corrosion/irritation

: This information is not available.

Serious eye damage/eye

irritation

: This information is not available.

Respiratory or skin

sensitization

: Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as

specific target organ toxicant, single exposure.

: no data available Aspiration toxicity

Further information : no data available

aluminium sulphate:

Acute oral toxicity : LD50: 6,207 mg/kg, mouse

Acute inhalation toxicity : no data available : no data available Acute dermal toxicity Acute toxicity (other routes of : no data available

administration)

Skin corrosion/irritation : Result: Irritating to skin., May cause skin irritation in

susceptible persons.

Serious eye damage/eye

irritation

: Result: Risk of serious damage to eyes., May cause

irreversible eye damage.

Respiratory or skin

sensitization

: Result: no data available

STOT - single exposure : Assessment: May cause respiratory irritation.

STOT - repeated exposure : Assessment: The substance or mixture is not classified as

specific target organ toxicant, repeated exposure.

Aspiration toxicity : no data available

Further information : no data available

12. Ecological information

12.1 Toxicity

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

Congo Red Stain **Components:** propan-2-ol:

Toxicity to fish : LC0: 10,000 mg/l, Oncorhynchus mykiss (rainbow trout),

OECD Test Guideline 203

: LC50: 12,250 mg/l, Oncorhynchus mykiss (rainbow trout),

OECD Test Guideline 203

LC100: 15,000 mg/l, Oncorhynchus mykiss (rainbow trout),

OECD Test Guideline 203

aquatic invertebrates

Toxicity to algae

Toxicity to daphnia and other : EC50: 9,500 mg/l, 24 h, Daphnia magna (Water flea)

: EC0: 1,800 mg/l, 168 h, Scenedesmus quadricauda (Green

algae). OECD Test Guideline 201

Toxicity to bacteria

Ecotoxicology Assessment

: EC0: 1,050 mg/l, 16 h, Pseudomonas putida

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: no data available

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxvlin **Components:**

ethane-1.2-diol:

Toxicity to fish : LC50: > 10,000 mg/l, Leuciscus idus (Golden orfe)

: LC50: > 5,000 mg/l, 24 h, Carassius auratus (goldfish), OECD

Test Guideline 203

: LC50: > 18,500 mg/l, 4 d, Oncorhynchus mykiss (rainbow

trout)

Toxicity to daphnia and other : LC50: > 10,000 mg/l, 48 h, Daphnia magna (Water flea),

aquatic invertebrates

OECD Test Guideline 202

Toxicity to algae : EC0: > 10,000 mg/l, 7 d, Scenedesmus quadricauda (Green

algae)

Toxicity to bacteria

Ecotoxicology Assessment

: EC0: > 10,000 mg/l, 16 h, Pseudomonas putida

: Not expected to adsorb on soil. Toxicity Data on Soil

Other organisms relevant to

the environment

: no data available

acetic acid:

Toxicity to fish

: LC50: 410 mg/l, 48 h, Leuciscus idus (Golden orfe) Toxicity to daphnia and other : EC50: 95 mg/l, 24 h, Daphnia magna (Water flea)

aquatic invertebrates

: no data available Toxicity to algae : no data available Toxicity to bacteria

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: no data available

haematoxylin:

: no data available Toxicity to fish Toxicity to daphnia and other : no data available

aquatic invertebrates

: no data available Toxicity to algae Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: no data available

sodium iodate:

: LC50: 220 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout) Toxicity to fish

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available : no data available Toxicity to bacteria

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: no data available

aluminium sulphate:

: 33.9 mg/l, 96 h, Pimephales promelas (fathead minnow) Toxicity to fish

Toxicity to daphnia and other : 38.2 mg/l, 48 h, Daphnia magna (Water flea)

aquatic invertebrates

Toxicity to algae : no data available : no data available Toxicity to bacteria

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known eco-toxicological effects.

Chronic aquatic toxicity : This product has no known eco-toxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

: no data available

12.2 Persistence and degradability

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Congo Red Stain Components:
propan-2-ol:

Biodegradability : 99 %, Exposure time: 11 d, OECD Test Guideline 302

: 57 %, Exposure time: 5 d, OECD Test Guideline 302

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxylin
Components:
ethane-1,2-diol:

Biodegradability : 100 %, Exposure time: 28 d, OECD Test Guideline 302

acetic acid:

Biodegradability : 71 %, Exposure time: 5 d

haematoxylin:

Biodegradability : no data available

sodium iodate:

Biodegradability : no data available

aluminium sulphate :

Biodegradability : no data available

12.3 Bioaccumulative potential

Congo Red Stain Components: propan-2-ol:

Bioaccumulation : no data available

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxylin Components: ethane-1,2-diol:

Bioaccumulation : no data available

acetic acid:

Bioaccumulation : no data available

haematoxylin:

Bioaccumulation : no data available

sodium iodate:

Bioaccumulation : no data available

aluminium sulphate :

Bioaccumulation : no data available

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

12.4 Mobility in soil

Congo Red Stain **Components:** propan-2-ol:

Mobility : no data available Distribution among : no data available

environmental compartments

Environmental fate and : no data available

pathways

Physico-chemical : no data available

removability

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxylin Components: ethane-1,2-diol:

Mobility

: no data available Distribution among : no data available

environmental compartments

Environmental fate and : no data available

pathways

Physico-chemical : no data available

removability

acetic acid:

Mobility : no data available Distribution among : no data available

environmental compartments

Environmental fate and

pathways

: no data available

Physico-chemical

: no data available

removability

haematoxylin:

Mobility : no data available Distribution among : no data available

environmental compartments

Environmental fate and : no data available

pathways

Physico-chemical : no data available

removability

sodium iodate:

Mobility : no data available Distribution among : no data available

environmental compartments

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

Environmental fate and

pathways

: no data available

Physico-chemical

removability

: no data available

aluminium sulphate:

Mobility : no data available Distribution among : no data available

environmental compartments

Environmental fate and

pathways

removability

Physico-chemical

: no data available

: no data available

12.5 Results of PBT and vPvB assessment

Congo Red Stain **Components:** propan-2-ol:

Assessment : This substance is not considered to be persistent,

> bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxylin Components: ethane-1,2-diol:

Assessment : This substance is not considered to be persistent,

> bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

acetic acid:

Assessment : This substance is not considered to be persistent,

> bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

haematoxylin:

Assessment : This substance is not considered to be persistent.

> bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

sodium iodate:

: This substance is not considered to be persistent, Assessment

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Print Date 05-13-2013 Revision Date 10-01-2012

> bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

aluminium sulphate:

Assessment This substance is not considered to be persistent,

> bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

12.6 Other adverse effects

Congo Red Stain

Components: propan-2-ol:

Biochemical Oxygen

Demand (BOD)

Dissolved organic carbon

(DOC)

Chemical Oxygen Demand

(COD)

Adsorbed organic bound

halogens (AOX)

: no data available

: no data available

: no data available

: no data available

Glycine Buffer

No ingredients are hazardous according to OHSA criteria.

Hematoxvlin

Components: ethane-1,2-diol:

Biochemical Oxygen

Demand (BOD)

Dissolved organic carbon

(DOC)

Chemical Oxygen Demand

(COD)

Adsorbed organic bound

halogens (AOX)

: no data available

: no data available

: no data available

: no data available

acetic acid:

Biochemical Oxygen

: no data available

Demand (BOD)

Dissolved organic carbon

(DOC)

: no data available

Chemical Oxygen Demand

(COD)

: no data available

Adsorbed organic bound

: no data available

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

halogens (AOX)

haematoxylin:

Biochemical Oxygen

: no data available

Demand (BOD) Dissolved organic carbon

: no data available

(DOC)

Chemical Oxygen Demand

: no data available

(COD)

Adsorbed organic bound

halogens (AOX)

: no data available

sodium iodate:

Biochemical Oxygen

: no data available

Demand (BOD)

Dissolved organic carbon

: no data available

(DOC)

Chemical Oxygen Demand

: no data available

(COD)

Adsorbed organic bound

halogens (AOX)

: no data available

aluminium sulphate:

Biochemical Oxygen

Demand (BOD)

: no data available

Dissolved organic carbon : no data available

(DOC)

Chemical Oxygen Demand

(COD)

: no data available

Adsorbed organic bound

halogens (AOX)

: not applicable

13. Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Revision Date 10-01-2012 Version 1.0 Print Date 05-13-2013

14. Transport information

14.1 UN number

DOT : 3316 **IMDG** : 3316 IATA : 3316

14.2 Proper shipping name

: Chemical kits : Chemical kit DOT **IMDG IATA** : Chemical kit

14.3 Transport hazard class

DOT : 9 **IMDG** : 9 **IATA**

14.4 Packing group

DOT

: II Packaging group Labels : 9

Tunnel restriction code : packed

IMDG

: II Packaging group Labels : 9

EmS Number : F-A, S-P

IATA_C

Packing instruction (cargo : 960

aircraft)

Packaging group : II Labels : 9

IATA_P

Packing instruction : 960 (passenger aircraft)

Packaging group : 11 Labels : 9

14.5 Environmental hazards

Environmentally hazardous : no

Marine Pollutant : no

IATA

Environmentally hazardous : no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

Remarks : not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Congo Red Stain

REGULATORY INFORMATION

TSCA list : Listed

(a) List of substances. The following chemical substances are subject to all the provisions of part 716. Manufacturers, importers, and processors of a listed substance are subject to the reporting requirements of subpart A for that substance.

OSHA Hazards : Flammable liquid

Moderate eye irritant

WHMIS Classification : B2 Flammable liquid

Flammable liquid

D2B Toxic Material Causing Other Toxic Effects

Moderate eye irritant

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA

302 RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section

304 EHS RQ.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

propan-2-ol 70 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311. Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components : propan-2-ol 70 - 90 %

Pennsylvania Right To Know

Components : propan-2-ol 70 - 90 % water

10 - 30 %

New Jersey Right To Know

Components : propan-2-ol 70 - 90 %

> water 10 - 30 %

: WARNING! This product contains a chemical known to the California Prop 65

Components State of California to cause cancer.

> disodium 3,3'-[[1,1'biphenyl]-4,4'diylbis(azo)]bis(4aminonaphthalene-1-

sulphonate)

Glycine Buffer

REGULATORY INFORMATION

OSHA Hazards : No OSHA Hazards

WHMIS Classification : Not Rated

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : <u>hydrogen chloride</u> 5000 lbs

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA

302 RQ.

No SARA Hazards

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section

304 EHS RQ.

Clean Air Act

Ozone-Depletion : This product neither contains, nor was manufactured with a **Potential**

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR

61):

hydrogen chloride 0.0657 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

0.225 % glycine

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components : hydrogen chloride 0 - 0.1 %

Pennsylvania Right To Know

Components 90 - 100 % : water

> hydrogen chloride 0 - 0.1 %

New Jersey Right To Know

Components 90 - 100 % : water

sodium chloride 1 - 5 %

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

California Prop 65

Components

: This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Hematoxylin

REGULATORY INFORMATION

OSHA Hazards : Toxic by ingestion

Corrosive to skin Severe eye irritant

WHMIS Classification : D1B Toxic Material Causing Immediate and Serious Toxic

Effects

Toxic by ingestion

D2B Toxic Material Causing Other Toxic Effects

Severe eye irritant E Corrosive Material Corrosive to skin

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : ethane-1,2-diol 5000 lbs

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA

302 RQ.

Acute Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section

304 EHS RQ.

Components : ethane-1,2-diol

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1.0 Revision Date 10-01-2012 Print Date 05-13-2013

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

ethane-1,2-diol 30 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ethane-1,2-diol 30 %

acetic acid 1 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components	: ethane-1,2-diol	30 - 50 %
	acetic acid	1 - 5 %
	aluminium sulphate	1 - 5 %

Pennsylvania Right To Know

Components	: water	50 - 70 %
	ethane-1,2-diol	30 - 50 %
	acetic acid	1 - 5 %
	aluminium sulphate	1 - 5 %

New Jersey Right To Know

Components	: water	50 - 70 %
	ethane-1,2-diol	30 - 50 %
	acetic acid	1 - 5 %
	haematoxylin	1 - 5 %
	sodium iodate	1 - 5 %
	aluminium sulphate	1 - 5 %

California Prop 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

15.2 Chemical Safety Assessment

Components

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

according to Regulation (EC) No. 1907/2006



Congo Red Staining Kit

Version 1 . 0 Revision Date 10-01-2012 Print Date 05-13-2013

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R 8 Contact with combustible material may cause fire.

R10 Flammable.
R11 Highly flammable.
R22 Harmful if swallowed.
R35 Causes severe burns.

Full text of H-Statements referred to under sections 2 and 3.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.