

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Mat.-No./ Genisys-No. : 06039413001

Manufacturer or supplier's detailsCompany : Roche Diagnostics Limited
Charles AvenueAddress : Burgess Hill
RH15 9RY West Sussex

Telephone : +44 1444 256000

Telefax : +44 1444 256239

Emergency telephone : +49(0)621-759-2012 oder +49(0)621-759-4848 oder
number +49(0)8856-60-2629

Emergency telephone number:

In case of emergencies: : Health, Safety & +44 1444 256500 or +44 7802
(Roche Diagnostics Ltd.) Environment 260498

- +44 1444 256561 or +44 7710

Product Safety / Vigilance 391653

-

Toxicology 24Hr help-line: : NPIS: +44 844 892 0111

Health Advice 24Hr help-line: NHS Direct: +44 845 4647

NHS 24: +44 8454 242424

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Physical state	liquid
Colour	colourless

GHS Classification

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P363 Wash contaminated clothing before reuse.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects**Carcinogenicity:**

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Preparation

Hazardous components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

	Do not leave the victim unattended.
If inhaled	: Move to fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Notes to physician	: The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self contained breathing apparatus for fire fighting if necessary.

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions,
protective equipment and
emergency procedures | : | Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages
cannot be contained. |
| Methods and materials for
containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
Use neutralizing agents. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Advice on safe handling | : | Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the
application area.
Dispose of rinse water in accordance with local and national
regulations.
To prevent leaks or spillages from spreading, provide a
suitable liquid retention system. |
| Conditions for safe storage | : | Keep container tightly closed in a dry and well-ventilated
place.
Observe label precautions.
Electrical installations / working materials must comply with
the technological safety standards. |
| Materials to avoid | : | Keep away from oxidising agents, strongly alkaline and
strongly acid materials in order to avoid exothermic reactions. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|-----------------------------|---|---|
| Hand protection
Material | : | Protective gloves |
| Remarks | : | The selected protective gloves have to satisfy the
specifications of EU Directive 89/686/EEC and the standard
EN 374 derived from it. This recommendation is only valid for
the product mentioned in the safety data sheet and provided
by us and for the application specified by us. Please observe |

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colourless
- pH : 1.7 - 1.9
- Melting point/range : no data available
- Boiling point/boiling range : no data available
- Flash point :
does not flash
- Flammability (solid, gas) : The product is not flammable.
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Solubility(ies)
- Water solubility : completely miscible
- Auto-ignition temperature : no data available
- Thermal decomposition : no data available

SECTION 10. STABILITY AND REACTIVITY

- Reactivity : No dangerous reaction known under conditions of normal use.
- Chemical stability : Stable under normal conditions.
- Possibility of hazardous reactions : Reacts with the following substances:
Reducing agents
Bases

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

No decomposition if stored and applied as directed.

Conditions to avoid : no data available

Incompatible materials : no data available

Hazardous decomposition products : no data available

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute inhalation toxicity : Acute toxicity estimate : 30.15 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Skin corrosion/irritation**Product:**

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation**Product:**

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Remarks

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International regulation**

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADNR,
IMDG-Code, ICAO/IATA-DGR

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : No OSHA Hazards

WHMIS Classification : E: Corrosive Material

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

ASSY FLLD BTL ALCIAN YEL OXIDI 22ML

Version 1.1

Revision Date 11-18-2013

Print Date 03-28-2014

US State Regulations**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water

7732-18-5 90 - 100 %

New Jersey Right To Know

water


7732-18-5 90 - 100 %

California Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS III:**

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.