according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1 . 1 Revision Date 09-11-2012 Print Date 09-11-2012

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Commercial Product Name : BMK SPEC STAINS DEPAR SOLUTION (10X)

Mat.-No./ Genisys-No. : 06523102001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions : For professional users only.

on use

1.3 Details of the supplier of the safety data sheet

Company : Ventana Medical Systems

1910 E. Innovation Park Drive

85755 Tucson AZ

E-mail address

Telephone : 1-800-227-2155 or 520-877-2155

Telefax

Responsible Department

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or

Canada)

1-703-527-3887 (International)

:

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Classification (67/548/EEC, 1999/45/EC)

Sensitising R43: May cause sensitization by skin contact.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

(!)

Signal word : Warning

1 / 12

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1 . 1 Revision Date 09-11-2012 Print Date 09-11-2012

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/

vapours/ spray.

P272 Contaminated work clothing should not be

allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P321 Specific treatment (see supplemental first

aid instructions on this label).

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

Hazardous components which must be listed on the label:

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]

and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

2.3 Other hazards

No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	T; R23/24/25 C; R34 R43 N; R50-R53	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.0015 - < 0.06

For the full text of the R-phrases mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1 . 1 Revision Date 09-11-2012 Print Date 09-11-2012

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during : No information available.

3/12

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1 . 1 Revision Date 09-11-2012 Print Date 09-11-2012

firefighting

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self contained breathing apparatus for fire fighting if

necessary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Print Date 09-11-2012 Version 1.1 Revision Date 09-11-2012

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage conditions

: See label or package insert

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Laboratory chemicals

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

Personal protective equipment

Eve protection : Eye wash bottle with pure water

Tightly fitting safety goggles

: The selected protective gloves have to satisfy the Hand protection

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

This recommendation is only valid for the product mentioned

in the safety data sheet and provided by us and for the

application specified by us.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1 . 1 Revision Date 09-11-2012 Print Date 09-11-2012

EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

pH : 7.0

Flash point : not applicable

Lower explosion limit : no data available

Upper explosion limit : no data available

Vapour pressure : no data available

Density : 0.994 g/cm3

Partition coefficient: n-

octanol/water

: no data available

Ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : no data available

9.2 Other information

Conductivity : no data available

Oxidising potential : no data available

Surface tension : no data available

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Revision Date 09-11-2012 Print Date 09-11-2012 Version 1.1

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as

directed.

10.4 Conditions to avoid

Conditions to avoid : no data available

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition

products

: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product

Acute toxicity (other routes of : no data available

administration)

Skin corrosion/irritation : May cause skin irritation and/or dermatitis.

irritation

Serious eye damage/eye : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin

sensitization

: Causes sensitization.

Aspiration toxicity : no data available

Further information : no data available

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Revision Date 09-11-2012 Print Date 09-11-2012 Version 1.1

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

Toxicity to fish : no data available Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to : no data available

the environment

12.2 Persistence and degradability

Product:

Biodegradability : no data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : no data available

12.4 Mobility in soil

Product:

: no data available Mobility Distribution among : no data available

environmental compartments

Environmental fate and : no data available

pathwavs

Physico-chemical : no data available

removability

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance is not considered to be persistent,

bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating

(vPvB).

12.6 Other adverse effects

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1.1 Revision Date 09-11-2012 Print Date 09-11-2012

Product:

Biochemical Oxygen

Demand (BOD)

: no data available

Dissolved organic carbon : no data available

(DOC)

Chemical Oxygen Demand

(COD)

: no data available

Adsorbed organic bound : no data available

halogens (AOX)

Additional ecological

information

: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : No OSHA Hazards

9/12

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Version 1 . 1 Revision Date 09-11-2012 Print Date 09-11-2012

WHMIS Classification : Not Rated

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA 302

RQ.

SARA 311/312 Hazards : No SARA Hazards

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section

304 EHS RQ.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

according to Regulation (EC) No. 1907/2006



BMK SPEC STAINS DEPAR SOLUTION (10X)

Print Date 09-11-2012 Version 1.1 Revision Date 09-11-2012

Pennsylvania Right To Know

Components : water 50 - 70 %

> Cola Terge LFD-C 30 - 50 %

New Jersey Right To Know

Components : water 50 - 70 %

Cola Terge LFD-C 30 - 50 %

California Prop 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other Components

reproductive harm.

SECTION 16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

May cause sensitization by skin contact. R43

R50 Very toxic to aquatic organisms.

R53 May cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed. H311

Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Toxic if inhaled. H331

Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



BMK SPEC STAIR	NS DEPAR SOLUTION (10X)	
Version 1.1	Revision Date 09-11-2012	Print Date 09-11-2012