MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Material name Carbon Dioxide L3K®-C Reagent

Version # 01

Issue date 01-16-2013

Revision date Supersedes date -

CAS # Mixture

Kit number 288-36; 288-80; 288-80-91

Product use For the in vitro quantitative determination of carbon dioxide in serum and plasma.

Manufacturer information

Corporate Headquarters Sekisui Diagnostics, LLC

4 Hartwell Place, Lexington, MA 02421, USA

www.sekisuidiagnostics.com Phone: 800-332-1042 Americas 1-760-476-3962

Emergency Telephone

Numbers

Europe, Middle East & Africa +1-760-476-3961

Asia Pacific +1-760-476-3960

Access code 333512

2. Hazards Identification

Physical state Liquid.

Appearance Clear, yellow liquid.

Emergency overview WARNING

Harmful if swallowed. May be slightly irritating to skin and eyes. May cause irritation of respiratory tract. May cause central nervous system effects. May cause damage to the kidneys. May damage

the unborn child if large amounts are swallowed.

OSHA regulatory status

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Eyes May cause eye irritation.
Skin May cause skin irritation.

Inhalation In high concentrations, vapors may be irritating to the respiratory system.

Ingestion Large quantities: Ingestion of ethylene glycol may result in nausea, vomiting, abdominal cramps,

blindness, liver damage, irritation, reproductive effects, nerve damage, convulsions, edema of the lung, cardiopulmonary effects (metabolic acidosis), pneumonia and kidney failure which could result in death. The single lethal dose for humans is about 100 ml. Inhalation of high levels of

vapors or mists for prolonged periods of time may also result in toxic effects.

Target organs Eves. Skin. Central nervous system. Kidney

Chronic effects Can cause kidney damage. Can cause nervous system damage.

Signs and symptoms Direct contact with skin and eyes may cause irritation.

Potential environmental effects The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Ethylene glycol	107-21-1	5 - 10
Tris-(hydroxymethyl)aminomethane	77-86-1	5 - 10

Carbon Dioxide L3K®-C Reagent CPH MSDS NA

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First Aid Measures

First aid procedures

Eye contact In case of contact, immediately flush eyes with fresh water for at least 15 minutes while holding

the eyelids open. Remove contact lenses if worn. Get medical attention if irritation persists.

Skin contact For skin contact flush with large amounts of water while removing contaminated clothing.

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Ingestion If material is ingested, immediately contact a poison control center.

Notes to physician Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

General advice If you feel unwell, seek medical advice (show the label where possible).

5. Fire Fighting Measures

Flammable properties This product is not flammable.

Extinguishing media

Suitable extinguishing

media

Extinguish with water spray, carbon dioxide, dry chemical or material appropriate for the

surrounding fire.

Unsuitable extinguishing

media

None known.

None known.

Protection of firefighters

Specific hazards arising from the chemical

Protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Hazardous combustion

products

Use standard firefighting procedures and consider the hazards of other involved materials.

Fire will generate toxic and irritating gases.

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing.

Environmental precautions

Methods for containment

Absorb spillage with non-combustible, absorbent material.

Methods for cleaning up

Other information

Absorb spill with vermiculite or other inert material. Dispose of waste in accordance with all applicable federal, state, local and provincial environmental regulations, per Section 13.

Clean up in accordance with all applicable regulations.

Do not allow to enter drains, sewers or watercourses.

7. Handling and Storage

Handling Avoid contact with skin and eyes. Wash thoroughly after handling. In case of insufficient

ventilation, wear suitable respiratory equipment. Handle and open container with care.

2/7

Storage Store at 2-8°C (35-46°F). Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value
Ethylene glycol (CAS	Ceiling	100 mg/m3
107-21-1)		

Carbon Dioxide L3K®-C Reagent **CPH MSDS NA**

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
		50 ppm	Vapor.
	STEL	20 mg/m3	Particulate.
	TWA	10 mg/m3	Particulate.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	127 mg/m3	Vapor and mist.
,		50 ppm	Vapor and mist.

Mexico. Occupational Exposure Limit Values

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

Exposure guidelines Follow standard monitoring procedures.

Engineering controls Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of

inhalation of vapors. Provide easy access to water supply and eye wash facilities.

Personal protective equipment

Eye / face protection Wear approved safety glasses or goggles.

Skin protection Wear lab coat or other protective garments. Remove contaminated clothing promptly.

Respiratory protection Under normal conditions, respirator is not normally required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Appearance Clear, yellow liquid.

Physical stateLiquid.FormLiquid.ColorYellow.OdorNot available.Odor thresholdNot available.

pH 7.5

Vapor pressureNot available.Vapor densityNot available.Boiling pointNot available.Melting point/Freezing pointNot available.Solubility (water)Soluble.Specific gravity1.01

Flash point Not available.
Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air, lower, % by volume

Not available.

Auto-ignition temperature Not available.

Carbon Dioxide L3K®-C Reagent CPH MSDS NA

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.

Conditions to avoid Heat, sparks, flames, elevated temperatures.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

11. Toxicological Information

Toxicological data

Components	Species	Test Results	
Ethylene glycol (CAS 107-	21-1)		
Acute			
Dermal			
LD50	Rabbit	9530 mg/kg	
Oral			
LD50	Dog	> 8.81 g/kg	
	Rat	5.89 g/kg	
Tris-(hydroxymethyl)amino	omethane (CAS 77-86-1)		
Acute			
Oral			
LD50	Rat	5900 mg/kg	

Sensitization Although there is no evidence that the enzyme(s) in this mixture induce specific respiratory

hypersensitivity, all proteins are potential respiratory allergens and may result in respiratory sensitization in certain individuals after repeated and/or prolonged inhalation exposure, producing mild to severe symptoms similar to pollen allergy or asthma, including mucous membrane or eye irritation, itching of the skin or eyes, sneezing, nasal or sinus congestion, coughing, and tightness

in the chest. These symptoms may develop as late as 12 hours after exposure.

Acute effects May cause discomfort if swallowed.

Local effects May cause eye, skin and respiratory tract irritation.

Chronic effects Ingestion over a long period of time may cause damage to the kidneys and nervous system.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

ACGIH Carcinogens

Ethylene glycol (CAS 107-21-1)

A4 Not classifiable as a human carcinogen.

Epidemiology No epidemiological data is available for this product.

Mutagenicity Not classified.

Neurological effects Hazardous by OSHA criteria.

Reproductive effects Not classified.

Symptoms and target organs Direct contact with skin and eyes may cause irritiation.

Further information Ingestion of ethylene glycol may result in nausea, vomiting, abdominal cramps, blindness, liver

damage, irritation, reproductive effects, nerve damage, convulsions, edema of the lung,

cardiopulmonary effects (metabolic acidosis), pneumonia and kidney failure which could result in death. The single lethal dose for humans is about 100 ml. Inhalation of high levels of vapors or

mists for prolonged periods of time may also result in toxic effects.

12. Ecological Information

Ecotoxicological data

Components	Species	Test Results

Ethylene glycol (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Carbon Dioxide L3K®-C Reagent CPH MSDS NA

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulation /

Not available.

Accumulation

Partition coefficient

Ethylene glycol (CAS 107-21-1) -1.36

Tris-(hydroxymethyl)aminomethane (CAS 77-86-1) -2.31 (20°C)

Mobility in environmental

The product is completely soluble in water.

media

13. Disposal Considerations

Disposal instructions Contaminated instruments and surfaces should be disinfected in accordance with your employer's

> chemical-specific and universal/standard precautions. This preparation contains a small amount of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. If preparation enters drain, flush with a large volume of water to

prevent azide build-up.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

TDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This mixture is a component of an in vitro diagnostic device regulated by the U.S. Food and Drug

Administration. This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene glycol (CAS 107-21-1)

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Ethylene glycol (CAS 107-21-1) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Ethylene glycol (CAS 107-21-1) Listed.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

Ethylene glycol: 5000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance (40 CFR 355, Appendix A)

Section 311/312 (40 CFR

No

370)

Carbon Dioxide L3K®-C Reagent **CPH MSDS NA** **Drug Enforcement**

Administration (DEA) (21 CFR

1308.11-15)

Not controlled

Inventory name

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

On inventory (yes/no)*

Yes

Yes

6/7

contains all the information required by the CPR.

Australian Inventory of Chemical Substances (AICS)

WHMIS status Controlled

WHMIS classification D2A - Other Toxic Effects-VERY TOXIC

D2B - Other Toxic Effects-TOXIC

WHMIS labeling



Inventory status

Australia

Country(s) or region

Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US - California Hazardous Substances (Director's): Listed substance Ethylene glycol (CAS 107-21-1)

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed

US - New Jersey RTK - Substances: Listed substance

Ethylene glycol (CAS 107-21-1) Listed.

US. Massachusetts RTK - Substance List

Ethylene glycol (CAS 107-21-1) Listed.

US. New Jersey Worker and Community Right-to-Know Act

Ethylene glycol (CAS 107-21-1) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

Ethylene glycol (CAS 107-21-1) Listed.

Mexico regulations This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2000).

16. Other Information

Recommended restrictions Use in accordance with supplier's recommendations. **Further information** HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

904342 Version #: 01 Revision date: - Issue date: 01-16-2013

Flammability: 0 Instability: 0

Carbon Dioxide L3K®-C Reagent **CPH MSDS NA**

Disclaimer

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Sekisui Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Sekisui Diagnostics has been advised of the possibility of such damages. The information in the sheet was written based on the best knowledge and experience currently available.