AlphaPlus® C14-16 Blend

Version 1.9 Revision Date 2016-06-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : AlphaPlus® C14-16 Blend
Material : 1115254, 1071133, 1102536, 1037023, 1037025, 1037020, 1037024, 1037022, 1037021

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
1-Tetradecene	1120-36-1 214-306-9	Chevron Phillips Chemical Company LP 01-2119472424-39-0003
1-Hexadecene	629-73-2 211-105-8	Chevron Phillips Chemical Company LP 01-2119474686-23-0002

Relevant Identified Uses Supported : Manufacture
Distribution
Use as an intermediate
Formulation
Use in coatings – industrial
Use in coatings – professional
Use in Coatings - Consumer
Use as a cleaning agent – industrial
Use as a cleaning agent – professional
Use as a cleaning agent – consumer
Use in Oil and Gas field drilling and production operations - Industrial
Use in Oil and Gas field drilling and production operations – Professional
Lubricants - Industrial
Lubricants - Professional
Lubricants - Consumer
Metal working fluids / rolling oils - Industrial
Metal working fluids / rolling oils – Professional
Functional Fluids - Industrial
Functional Fluids - Professional
Functional Fluids - Consumer
Use in mining – industrial
Use in polymer production – industrial

Company : Chevron Phillips Chemical Company LP
Normal Alpha Olefins (NAO)

10001 Six Pines Drive
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
Airport Plaza (Stockholm Building)
Leonardo Da Vincilaan 19
1831 Diegem
Belgium

SDS Requests: (800) 852-5530
Technical Information: (832) 813-4862
Responsible Party: Product Safety Group
Email:sds@cpchem.com

Emergency telephone:

Health:
866.442.9628 (North America)
1.832.813.4984 (International)
Transport:
CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture
REGULATION (EC) No 1272/2008

Aspiration hazard, Category 1 — H304:
May be fatal if swallowed and enters airways.

Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H304 — May be fatal if swallowed and enters airways.

Precautionary Statements : **Prevention:**
P280 — Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P310 — IF SWALLOWED: Immediately call a

	POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
Storage:	
P405	Store locked up.

Hazardous ingredients which must be listed on the label:
- 1120-36-1 1-Tetradecene

Additional Labeling:

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 6,5 %
The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 6,5 %
EUH066
Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

Molecular formula : Mixture

Mixtures

Hazardous ingredients

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]
1-Tetradecene	**1120-36-1** **214-306-9**	Asp. Tox. 1; H304	0 - 80
1-Hexadecene	629-73-2 211-105-8	Asp. Tox. 1; H304	0 - 55

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : Move to fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Do not

give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point	:	110 °C (230 °F)
Autoignition temperature	:	230 °C (446 °F) estimated
Unsuitable extinguishing media	:	High volume water jet.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and explosion protection	:	Normal measures for preventive fire protection.
Hazardous decomposition products	:	No data available.

SECTION 6: Accidental release measures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

A quantitative risk assessment is not required for the environment.
A quantitative risk assessment is not required for human health.

SECTION 7: Handling and storage

Handling

Advice on safe handling	:	Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers	:	Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	:	Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

A quantitative risk assessment is not required for the environment.
A quantitative risk assessment is not required for human health.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state	:	Liquid
Color	:	Clear, colorless

Safety data

Flash point	:	110 °C (230 °F)
Lower explosion limit	:	0,5 %(V)
Upper explosion limit	:	5,6 %(V)
Oxidizing properties	:	no

Autoignition temperature	:	230 °C (446 °F) estimated
Thermal decomposition	:	No data available
Molecular formula	:	Mixture
Molecular weight	:	Varies
pH	:	Not applicable
Pour point	:	No data available
Freezing point		-12 - 4 °C (10 - 39 °F)
Boiling point/boiling range	:	250 - 280 °C (482 - 536 °F)
Vapor pressure	:	1,00 MMHG at 23,8 °C (74,8 °F)
Relative density	:	0,77 at 25 °C (77 °F)
Density	:	0,77 G/ML
Water solubility	:	Insoluble
Partition coefficient: n-octanol/water	:	No data available
Viscosity, kinematic	:	1,3 - 1,9 cSt at 40 °C (104 °F)
Relative vapor density	:	7,2 (Air = 1.0)
Evaporation rate	:	No data available

SECTION 10: Stability and reactivity

Chemical stability	:	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid	:	No data available.
Materials to avoid	:	May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Thermal decomposition	:	No data available
Hazardous decomposition products	:	No data available
Other data	:	No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

1-Hexadecene	:	LD50: 10 g/kg Species: Rat Sex: male and female Method: OECD Test Guideline 401 Test substance: yes

AlphaPlus® C14-16 Blend

Acute inhalation toxicity	:	LC50: > 9,9 mg/l Exposure time: 1 h Species: Rat Test atmosphere: dust/mist Information given is based on data obtained from similar substances.

Acute dermal toxicity

1-Hexadecene	:	LD50: > 2020 mg/kg Species: Rabbit Sex: male and female Information given is based on data obtained from similar substances.

AlphaPlus® C14-16 Blend

Skin irritation	:	Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. Information refers to the main ingredient.

AlphaPlus® C14-16 Blend

Eye irritation	:	No eye irritation Information refers to the main ingredient.

AlphaPlus® C14-16 Blend

Sensitization	:	Did not cause sensitization on laboratory animals. Information refers to the main ingredient.

Repeated dose toxicity

1-Hexadecene	:	Species: Rat, Male and female Sex: Male and female Application Route: oral gavage Dose: 100, 500, or 1000 mg/kg/day Exposure time: 42- 51 days Number of exposures: Daily NOEL: 1000 mg/kg bw/day Method: OECD Guideline 422

Information given is based on data obtained from similar substances.

Species: Rat, male
Sex: male
Application Route: oral gavage
Dose: 10, 101, 1010, 3365 mg/kg/day
Exposure time: 4 weeks
Number of exposures: 7 days/week
NOEL: 101 mg/kg bw/day
Method: OECD Test Guideline 407
Target Organs: Stomach
Information given is based on data obtained from similar substances.

Species: Rat, female
Sex: female
Application Route: oral gavage
Dose: 10, 101, 1010, 3365 mg/kg/day
Exposure time: 4 weeks
Number of exposures: 7 days/week
NOEL: 1010 mg/kg bw/day
Method: OECD Test Guideline 407
Information given is based on data obtained from similar substances.

Species: Rat, Male and female
Sex: Male and female
Application Route: oral gavage
Dose: 100, 500, 1000 mg/kg/day
Exposure time: 13 weeks
Number of exposures: 7 days/week
NOEL: 1000 mg/kg bw/day
Information given is based on data obtained from similar substances.

Species: Rat, Male and female
Sex: Male and female
Application Route: Inhalation
Dose: 300, 1000, 3000 ppm
Exposure time: 13 weeks
Number of exposures: 6 hrs/day, 5 days/week
NOEL: 3000 ppm
Information given is based on data obtained from similar substances.

Reproductive toxicity

1-Tetradecene : Species: Rat
Sex: male
Application Route: Oral diet
Dose: 0, 100, 500, 1000 mg/kg
Exposure time: 43-47 days
Method: OECD Guideline 422
NOAEL Parent: 1.000 mg/kg
NOAEL F1: 1.000 mg/kg

	Species: Rat Sex: female Application Route: Oral diet Dose: 0, 100, 500, 1000 mg/kg Exposure time: 46-47 days Method: OECD Guideline 422 NOAEL Parent: 1.000 mg/kg NOAEL F1: 1.000 mg/kg
1-Hexadecene	Species: Rat Sex: female Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Number of exposures: Daily Test period: 41 to 55 days Method: OECD Guideline 421 NOAEL Parent: 1000 mg/kg bw/day NOAEL F1: 1000 mg/kg bw/day Information given is based on data obtained from similar substances.
	Species: Rat Sex: male and female Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Number of exposures: Daily Test period: 42- 51days Method: OECD Guideline 422 NOAEL Parent: 1000 mg/kg bwday NOAEL F1: 1000 mg/kg bw/day Information given is based on data obtained from similar substances.

AlphaPlus® C14-16 Blend
Aspiration toxicity : May be fatal if swallowed and enters airways.

CMR effects

1-Tetradecene	: Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Reproductive toxicity: No toxicity to reproduction
1-Hexadecene	Carcinogenicity: Not classifiable as a human carcinogen. Mutagenicity: Did not show mutagenic effects in animal experiments. Teratogenicity: Did not show teratogenic effects in animal experiments. Reproductive toxicity: No toxicity to reproduction

AlphaPlus® C14-16 Blend
Further information : Solvents may degrease the skin.

SECTION 12: Ecological information

Toxicity to fish

1-Tetradecene	: LL50: > 1.000 mg/l

Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
semi-static test Test substance: yes
Method: OECD Test Guideline 203
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Hexadecene
LL50: > 1000 mg/L
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 203
The product has low solubility in the test medium. An aqueous dispersion was tested.

Toxicity to daphnia and other aquatic invertebrates

1-Tetradecene : EL50: > 1.000 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Test substance: yes
Method: OECD Test Guideline 202
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Hexadecene
EL50: < 1000 mg/L
Exposure time: 48 h
Species: Daphnia magna (Water flea)
static test Method: OECD Test Guideline 202
The product has low solubility in the test medium. An aqueous dispersion was tested.

Toxicity to algae

1-Tetradecene : EL50: > 1.000 mg/l
Exposure time: 96 h
Species: Selenastrum capricornutum (algae)
static test Test substance: yes
Method: OECD Test Guideline 201
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Hexadecene
EC50: > 1000 mg/L
Exposure time: 72 h
Species: Selenastrum capricornutum (algae)
static test Method: OECD Test Guideline 201
The product has low solubility in the test medium. An aqueous dispersion was tested.

Elimination information (persistence and degradability)

Bioaccumulation

1-Hexadecene : Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Biodegradability : This material is expected to be readily biodegradable.

Ecotoxicology Assessment

Results of PBT assessment

1-Tetradecene	:	Non-classified PBT substance, Non-classified vPvB substance
1-Hexadecene	:	Non-classified PBT substance, Non-classified vPvB substance
Additional ecological information	:	No data available
		No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

A quantitative risk assessment is not required for the environment.
A quantitative risk assessment is not required for human health.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

Chemical Safety Assessment

Ingredients	:	tetradec-1-ene	A Chemical Safety Assessment has been carried out for this substance.	214-306-9
Chemical Safety Assessment				
		hexadec-1-ene		211-105-8

Major Accident Hazard Legislation : 96/82/EC Update: 2003
Directive 96/82/EC does not apply

Water contaminating class (Germany) : WGK 1 slightly water endangering

Notification status

Europe REACH	:	On the inventory, or in compliance with the inventory
United States of America TSCA	:	On the inventory, or in compliance with the inventory
Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0



Further information

Legacy SDS Number : 6748

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average

	Substances in China		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Full text of H-Statements referred to under sections 2 and 3.

H304 May be fatal if swallowed and enters airways.