

**ForSField™ SG-11H hardener**

Version 1.1

Revision Date 2015-04-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : ForSField™ SG-11H hardener
Material : 1117079, 1116117, 1116116

Use : Coatings

Company : Chevron Phillips Chemical Company LP
10001 Six Pines Drive
The Woodlands, TX 77380

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887

Asia: +800 CHEMCALL (+800 2436 2255) China: +86-21-22157316

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Emergency Overview**Danger**

Form: Liquid, Mist **Physical state:** Liquid **Color:** Yellow, Amber

OSHA Hazards : Corrosive to eyes, Corrosive to skin, Skin sensitizer

Classification

: Skin corrosion , Category 1B
Serious eye damage , Category 1

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

Skin sensitization , Category 1

Labeling

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

SECTION 3: Composition/information on ingredients

Synonyms : polyamide - polyamide blend

Component	CAS-No.	Weight %
Amine terminated polyamide oligomer	Proprietary	40 - 70
Natural oil-derived fatty alcohol	Proprietary	0 - 5
meta-Xylenediamine	1477-55-0	1 - 5
Trisubstituted phenol	Proprietary	0 - 5
Disubstituted phenol	Proprietary	0 - 1

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

SECTION 4: First aid measures

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

- General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.
- If inhaled : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

- Flash point : 134 °C (273 °F)
Method: ASTM D 93
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Fire and explosion protection : Normal measures for preventive fire protection.
- This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
- This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

SECTION 7: Handling and storage

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

Handling

- Advice on safe handling : Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters**

US

Ingredients	Basis	Value	Control parameters	Note
meta-Xylenediamine	ACGIH	C	0.1 mg/m3	Skin,
	OSHA Z-1-A	C	0.1 mg/m3	X,

Skin Danger of cutaneous absorption
X Skin notation

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Dusts and Mists. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Complete head face and neck protection. Rubber apron. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

Form : Liquid, Mist
Physical state : Liquid
Color : Yellow, Amber

Safety data

Flash point : 134 °C (273 °F)
Method: ASTM D 93

Thermal decomposition : No data available

Boiling point/boiling range : > 110 °C (> 230 °F)

Density : 8.2 L/G

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

SECTION 10: Stability and reactivity

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Thermal decomposition : No data available

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

ForSField™ SG-11H hardener

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

ForSField™ SG-11H hardener

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Test atmosphere: dust/mist

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

Method: Calculation method

ForSField™ SG-11H hardener

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

ForSField™ SG-11H hardener

Skin irritation : Extremely corrosive and destructive to tissue.

ForSField™ SG-11H hardener

Eye irritation : May cause irreversible eye damage.

ForSField™ SG-11H hardener

Sensitization : Causes sensitization.

ForSField™ SG-11H hardener

Further information : No data available.

SECTION 12: Ecological information

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

Toxicity to fish

Natural oil-derived fatty alcohol : LL50: > 1,000 mg/l
Exposure time: 96 h
Species: Cyprinodon variegatus (sheepshead minnow)
static test Method: OECD Test Guideline 203
Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates

Amine terminated polyamide oligomer : EC50: 4.79 mg/l
Exposure time: 48 h
Species: Daphnia pulex (Water flea)
Method: QSAR modeled data

Natural oil-derived fatty alcohol : EL50: > 1,000 mg/l
Exposure time: 48 h
Species: Acartia tonsa (Marine Copepod)
static test Method: ISO 14669 and PARCOM method
Information given is based on data obtained from similar substances.

Toxicity to algae

Natural oil-derived fatty alcohol : ErL50: 1,300 mg/l
Exposure time: 72 h
Species: Skeletonema costatum
Growth inhibition Method: ISO 10253
Information given is based on data obtained from similar substances.

Trisubstituted phenol 84 mg/l

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

Exposure time: 72 h
 Species: *Desmodesmus subspicatus* (green algae)
 static test Method: OECD Test Guideline 201
 Harmful to algae.

Disubstituted phenol

84 mg/l
 Exposure time: 72 h
 Species: *Desmodesmus subspicatus* (green algae)
 static test Method: OECD Test Guideline 201
 Harmful to algae.

Biodegradability

Amine terminated polyamide oligomer : This material is not expected to be readily biodegradable.

Natural oil-derived fatty alcohol : Result: Readily biodegradable.
 96 %
 Testing period: 28 d
 Method: OECD Test Guideline 301D

Trisubstituted phenol : aerobic
 Result: Not readily biodegradable.
 4 %
 Testing period: 28 d
 Method: OECD Test Guideline 301D

Disubstituted phenol : This material is not expected to be readily biodegradable.
 Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity
 Amine terminated polyamide oligomer : Toxic to aquatic life.
 meta-Xylenediamine : Harmful to aquatic life.

Trisubstituted phenol : Harmful to aquatic life.

Disubstituted phenol : Harmful to aquatic life.

Chronic aquatic toxicity
 Amine terminated polyamide oligomer : Toxic to aquatic life with long lasting effects.
 meta-Xylenediamine : Harmful to aquatic life with long lasting effects.

Trisubstituted phenol : Harmful to aquatic life with long lasting effects.

Disubstituted phenol : Harmful to aquatic life with long lasting effects.

Results of PBT assessment
 Natural oil-derived fatty alcohol : Non-classified PBT substance, Non-classified vPvB substance
 Trisubstituted phenol : Non-classified PBT substance, Non-classified vPvB substance

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1760, CORROSIVE LIQUIDS, N.O.S., (TRISUBSTITUTED PHENOL, DISUBSTITUTED PHENOL), 8, II

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1760, CORROSIVE LIQUID, N.O.S., (TRISUBSTITUTED PHENOL, DISUBSTITUTED PHENOL), 8, II, (134 °C), MARINE POLLUTANT, (AMINE TERMINATED POLYAMIDE OLIGOMER)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1760, CORROSIVE LIQUID, N.O.S., (TRISUBSTITUTED PHENOL, DISUBSTITUTED PHENOL), 8, II

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1760, CORROSIVE LIQUID, N.O.S., (TRISUBSTITUTED PHENOL, DISUBSTITUTED PHENOL), 8, II, (E), ENVIRONMENTALLY HAZARDOUS, (AMINE TERMINATED POLYAMIDE OLIGOMER)

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN1760, CORROSIVE LIQUID, N.O.S., (TRISUBSTITUTED PHENOL, DISUBSTITUTED PHENOL), 8, II, ENVIRONMENTALLY HAZARDOUS, (AMINE TERMINATED POLYAMIDE OLIGOMER)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1760, CORROSIVE LIQUID, N.O.S., (TRISUBSTITUTED PHENOL, DISUBSTITUTED PHENOL), 8, II, ENVIRONMENTALLY HAZARDOUS, (AMINE TERMINATED POLYAMIDE OLIGOMER)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

SARA 311/312 Hazards : Acute Health Hazard

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Ingredients : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

: meta-Xylenediamine - 1477-55-0

New Jersey Right To Know

: meta-Xylenediamine - 1477-55-0

California Prop. 65
Ingredients

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

Europe REACH

: Not in compliance with the inventory

United States of America TSCA

: On TSCA Inventory This product is subject to a Significant New Use Rule (SNUR) under Section 5(a) of TSCA.

Canada NDSL

: This product contains one or several components listed in the Canadian NDSL.

Australia AICS

: Not in compliance with the inventory

New Zealand NZIoC

: Not in compliance with the inventory

Japan ENCS

: Not in compliance with the inventory

Korea KECI

: Not in compliance with the inventory

Philippines PICCS

: Not in compliance with the inventory

China IECSC

: On the inventory, or in compliance with the inventory

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

ForSField™ SG-11H hardener


Version 1.1

Revision Date 2015-04-22

SECTION 16: Other information

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

NFPA Classification : Health Hazard: 3
Fire Hazard: 1
Reactivity Hazard: 0

**Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average

ForSField™ SG-11H hardener

Version 1.1

Revision Date 2015-04-22

ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		