

**DEHA (N,N-Diethylhydroxylamine), 85%**

Version 2.0

Revision Date 2015-02-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : DEHA (N,N-Diethylhydroxylamine), 85%
Material : 1025310, 1067076, 1034532, 1031290, 1017929, 1034283,
1024842, 1031122

Use : Oxygen Scavenger

Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
10001 Six Pines Drive
The Woodlands, TX 77380

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887

Asia: +800 CHEMCALL (+800 2436 2255) China: +86-21-22157316

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Emergency Overview**Warning**

Form: Liquid **Physical state:** Liquid **Color:** Colorless to light yellow **Odor:** Slight amine

OSHA Hazards : Combustible Liquid, Harmful by skin absorption., Harmful by inhalation.

Classification

: Flammable liquids , Category 3
Acute toxicity , Category 4 , Inhalation

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Acute toxicity , Category 4 , Dermal
 Specific target organ systemic toxicity - single exposure ,
 Category 3 , Respiratory system

Labeling

Symbol(s)



Signal Word

: Warning

Hazard Statements

: H226: Flammable liquid and vapor.
 H312 + H332: Harmful in contact with skin or if inhaled.
 H335: May cause respiratory irritation.

Precautionary Statements

: **Prevention:**
 P210 Keep away from heat/sparks/open flames/hot surfaces.
 - No smoking.
 P233 Keep container tightly closed.
 P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting/
 equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ eye protection/ face protection.
Response:
 P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take
 off immediately all contaminated clothing. Rinse skin with
 water/ shower.
 P304 + P340 + P312 IF INHALED: Remove victim to fresh
 air and keep at rest in a position comfortable for breathing. Call
 a POISON CENTER or doctor/ physician if you feel unwell.
 P363 Wash contaminated clothing before reuse.
 P370 + P378 In case of fire: Use dry sand, dry chemical or
 alcohol-resistant foam for extinction.
Storage:
 P403 + P233 Store in a well-ventilated place. Keep container
 tightly closed.
 P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/ container to an approved waste
 disposal plant.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or
 equal to 0.1% is identified as probable, possible or confirmed
 human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or
 equal to 0.1% is identified as a known or anticipated carcinogen
 by NTP.

ACGIH

No ingredient of this product present at levels greater than or
 equal to 0.1% is identified as a carcinogen or potential carcinogen

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : Ethanamine, N-Ethyl-N-Hydroxy- (85%)

Molecular formula : (C₂H₅)₂-N-OH

Component	CAS-No.	Weight %
Diethylhydroxylamine	3710-84-7	85

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point : 45 °C (113 °F)

Autoignition temperature : No data available

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable extinguishing media : High volume water jet.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Fire and explosion protection : Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products : Diethylamine. Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Neutralize with acid. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7: Handling and storage**Handling**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Storage

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters**

US

Ingredients	Basis	Value	Control parameters	Note
Diethylhydroxylamine	ACGIH	TWA	2 ppm,	*

* 2013 Adoption

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant antistatic protective clothing. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

MSDS Number:100000014144

5/12

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Form : Liquid
Physical state : Liquid
Color : Colorless to light yellow
Odor : Slight amine

Safety data

Flash point : 45 °C (113 °F)
Lower explosion limit : 1.7 %(V)
Upper explosion limit : 11.2 %(V)
Oxidizing properties : no

Autoignition temperature : No data available
Molecular formula : (C₂H₅)₂-N-OH
Molecular weight : 89.14 g/mol
pH : 10.2
Freezing point : No data available

pour point : No data available

Boiling point/boiling range : 95 - 132 °C (203 - 270 °F)
Vapor pressure : 32.25 MMHG
at 25 °C (77 °F)
Relative density : 0.89, 20 °C(68 °F)
Density : 0.9 G/ML
Water solubility : Soluble
Partition coefficient: n-octanol/water : No data available
Viscosity, kinematic : No data available
Relative vapor density : No data available
Evaporation rate : No data available

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products	: Diethylamine Carbon oxides
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**DEHA (N,N-Diethylhydroxylamine), 85%**

Acute oral toxicity : Acute toxicity estimate: 2,576 mg/kg
Method: Calculation method

DEHA (N,N-Diethylhydroxylamine), 85%

Acute inhalation toxicity : Acute toxicity estimate: 13.41 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

DEHA (N,N-Diethylhydroxylamine), 85%

Acute dermal toxicity : Acute toxicity estimate: 1,529 mg/kg
Method: Calculation method

Skin irritation

Diethylhydroxylamine : No skin irritation

Eye irritation

Diethylhydroxylamine : slight irritation.

Sensitization

Diethylhydroxylamine : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

Diethylhydroxylamine : Species: rat, male and female
Sex: male and female
Application Route: Inhalation
Dose: 15, 150, 1506 ppm
Exposure time: 28 d
Number of exposures: 6 h/d, 5d/wk
NOEL: 150 ppm
Lowest observable effect level: 1506 ppm
Method: OECD Guideline 412
Target Organs: Thymus, Liver

Reproductive toxicity

Diethylhydroxylamine : This information is not available.

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Developmental Toxicity

Diethylhydroxylamine : Species: rat
Application Route: oral gavage
Dose: 87.4, 393, 568 mg/kg
Number of exposures: daily
Test period: GD 6-15
Method: OECD Guideline 414
NOAEL Teratogenicity: \geq 568 mg/kg
NOAEL Maternal: 87.4 mg/kg
No adverse effects expected

CMR effects

Diethylhydroxylamine : Teratogenicity: Animal testing did not show any effects on fetal development.

DEHA (N,N-Diethylhydroxylamine), 85%

Further information : Solvents may degrease the skin.

SECTION 12: Ecological information**Toxicity to fish**

Diethylhydroxylamine : LC50: > 134 mg/l
Exposure time: 96 h
Species: Pimephales promelas (fathead minnow)
static test Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Diethylhydroxylamine : EC50: 8.2 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
static test Method: OECD Test Guideline 202

Toxicity to algae

Diethylhydroxylamine : ErC50: > 101 mg/l
Exposure time: 72 h
Species: Pseudokirchneriella subcapitata (green algae)
Growth inhibition Method: OECD Test Guideline 201

Biodegradability

Diethylhydroxylamine : Result: Not readily biodegradable.
11 %
Testing period: 28 d
Method: OECD Test Guideline 301

Ecotoxicology Assessment

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Acute aquatic toxicity Diethylhydroxylamine	: Toxic to aquatic life.
Chronic aquatic toxicity Diethylhydroxylamine	: Toxic to aquatic life with long lasting effects.
Results of PBT assessment Diethylhydroxylamine	: Non-classified PBT substance, Non-classified vPvB substance
Additional ecological information	: Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1993, FLAMMABLE LIQUIDS, N.O.S., (DIETHYLHYDROXYLAMINE), 3, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1993, FLAMMABLE LIQUID, N.O.S., (DIETHYLHYDROXYLAMINE), 3, III, (45 °C), MARINE POLLUTANT, (DIETHYLHYDROXYLAMINE)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1993, FLAMMABLE LIQUID, N.O.S., (DIETHYLHYDROXYLAMINE), 3, III

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1993, FLAMMABLE LIQUID, N.O.S., (DIETHYLHYDROXYLAMINE), 3, III, (D/E),
ENVIRONMENTALLY HAZARDOUS, (DIETHYLHYDROXYLAMINE)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN1993, FLAMMABLE LIQUID, N.O.S., (DIETHYLHYDROXYLAMINE), 3, III,
ENVIRONMENTALLY HAZARDOUS, (DIETHYLHYDROXYLAMINE)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1993, FLAMMABLE LIQUID, N.O.S., (DIETHYLHYDROXYLAMINE), 3, III,
ENVIRONMENTALLY HAZARDOUS, (DIETHYLHYDROXYLAMINE)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Ingredients : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

New Jersey Right To Know


California Prop. 65 Ingredients : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

Europe REACH	:	On the inventory, or in compliance with the inventory
United States of America TSCA	:	On the inventory, or in compliance with the inventory
Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0



DEHA (N,N-Diethylhydroxylamine), 85%

Version 2.0

Revision Date 2015-02-02

Further information

Legacy SDS Number : E020

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		