

Version 1.9 Revision Date 2014-06-12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product information** 

Trade name : AlphaPlus® 1-Hexadecene

Material : 1076762, 1037049, 1037048, 1036983

Company : Chevron Phillips Chemical Company LP

Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380

#### **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887

Asia: +800 CHEMCALL (+800 2436 2255)

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : MSDS@CPChem.com Website : www.CPChem.com

### **SECTION 2: Hazards identification**

## Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

### **Emergency Overview**

Danger

**Physical state**: Liquid **Color**: Clear, colorless OSHA Hazards : Aspiration hazard

Classification

: Aspiration hazard, Category 1

### Labeling

MSDS Number:100000065709 1/14

Version 1.9 Revision Date 2014-06-12

Symbol(s)

Signal Word : Danger

Hazard Statements : H304: May be fatal if swallowed and enters airways.

Precautionary Statements : Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician. P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

## **SECTION 3: Composition/information on ingredients**

Synonyms : NAO 16

1-Hexadecene (C16 H32)

Molecular formula : C16H32

Component	CAS-No.	Weight %	
1-Hexadecene	629-73-2	93	
2-Butyl-1-Dodecene	115146-98-0	2	
2-Ethyl-1-Tetradecene	56919-55-2	2	
2-Hexyl-1-Decene	13043-55-5	2	

## **SECTION 4: First aid measures**

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Symptoms of poisoning may

appear several hours later. Do not leave the victim

unattended.

MSDS Number:100000065709 2/14

## AlphaPlus® 1-Hexadecene

Version 1.9 Revision Date 2014-06-12

If inhaled : If unconscious place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well

with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. If

symptoms persist, call a physician. Take victim immediately to

hospital.

## **SECTION 5: Firefighting measures**

Flash point : 132 °C (270 °F)

Method: PMCC

Autoignition temperature : 240 °C (464 °F)

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self contained breathing apparatus for fire fighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Normal measures for preventive fire protection.

Hazardous decomposition

products

: No data available.

## **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

## **SECTION 7: Handling and storage**

## Handling

MSDS Number:100000065709 3/14

Version 1.9 Revision Date 2014-06-12

Advice on safe handling : Do not breathe vapors or spray mist. For personal protection

see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in

accordance with local and national regulations.

Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance

with local and national regulations.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

## **Storage**

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

## **SECTION 8: Exposure controls/personal protection**

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Eye protection

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye wash bottle with pure water. Tightly fitting safety goggles.

is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the

MSDS Number:100000065709 4/14

Version 1.9 Revision Date 2014-06-12

concentration and amount of dangerous substances, and to the

specific work-place. Wear as appropriate:. Lightweight

protective clothing.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid

Color : Clear, colorless

Safety data

Flash point : 132 °C (270 °F)

Method: PMCC

Lower explosion limit : 0.5 %(V)

Upper explosion limit : 5.8 %(V)

Oxidizing properties : no

Autoignition temperature : 240 °C (464 °F)

Molecular formula : C16H32

Molecular weight : 224.48 g/mol

pH : Not applicable

Melting point/range : 4 °C (39 °F)

Freezing point 4 °C (39 °F)

pour point No data available

Boiling point/boiling range : 285 °C (545 °F)

Vapor pressure : 0.00 MMHG

at 25 °C (77 °F)

< 0.01 kPa

at 65 °C (149 °F)

Relative density : 0.78, 15.6 °C(60.1 °F)

Density : 785 kg/m3

at 15 °C (59 °F)

780 kg/m3 at 20 °C (68 °F)

760 kg/m3 at 50 °C (122 °F)

MSDS Number:100000065709 5/14

# AlphaPlus® 1-Hexadecene

Version 1.9 Revision Date 2014-06-12

Water solubility : Soluble in hydrocarbons; insoluble in water

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : 3.83 cSt

at 20 °C (68 °F)

Relative vapor density : 7.72

(Air = 1.0)

Evaporation rate : No data available

## **SECTION 10: Stability and reactivity**

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

#### Possibility of hazardous reactions

Conditions to avoid : No data available.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Other data : No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## **Acute oral toxicity**

1-Hexadecene : LD50: 10 g/kg

Species: rat

Sex: male and female

Method: OECD Test Guideline 401

Test substance: yes

## Acute inhalation toxicity

1-Hexadecene : LC50: > 8.5 mg/lExposure time: 1 h

Species: rat Sex: male

Test atmosphere: dust/mist

#### Acute dermal toxicity

1-Hexadecene : LD50: > 2020 mg/kg

Species: rabbit Sex: male and female

Information given is based on data obtained from similar

substances.

## Skin irritation

MSDS Number:100000065709 6/14

# AlphaPlus® 1-Hexadecene

Version 1.9 Revision Date 2014-06-12

1-Hexadecene : Mild skin irritation

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of

the skin.

Eye irritation

1-Hexadecene : No eye irritation

Sensitization

1-Hexadecene : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Hexadecene : Species: rat, Male and female

Sex: Male and female

Application Route: oral gavage Dose: 100, 500, or 1000 mg/kg/day

Exposure time: 42- 51 days Number of exposures: Daily NOEL: 1000 mg/kg bw/day Method: OECD Guideline 422

Information given is based on data obtained from similar

substances.

MSDS Number:100000065709 7/14

Version 1.9 Revision Date 2014-06-12

Species: rat, male

Sex: male

Application Route: oral gavage Dose: 10, 101, 1010, 3365 mg/kg/day

Exposure time: 4 weeks

Number of exposures: 7 days/week

NOEL: 101 mg/kg bw/day Method: OECD Test Guideline 407

Target Organs: Stomach

Information given is based on data obtained from similar

substances.

Species: rat, female

Sex: female

Application Route: oral gavage Dose: 10, 101, 1010, 3365 mg/kg/day

Exposure time: 4 weeks

Number of exposures: 7 days/week NOEL: 1010 mg/kg bw/day Method: OECD Test Guideline 407

Information given is based on data obtained from similar

substances.

Species: rat, Male and female

Sex: Male and female

Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day

Exposure time: 13 weeks

Number of exposures: 7 days/week NOEL: 1000 mg/kg bw/day

Information given is based on data obtained from similar

substances.

Species: rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 300, 1000, 3000 ppm Exposure time: 13 weeks

Number of exposures: 6 hrs/day, 5 days/week

NOEL: 3000 ppm

Information given is based on data obtained from similar

substances.

#### Reproductive toxicity

1-Hexadecene : Species: rat

Sex: female

Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Number of exposures: Daily Test period: 41 to 55 days Method: OECD Guideline 421 NOAEL Parent: 1000 mg/kg bw/day NOAEL F1: 1000 mg/kg bw/day

Information given is based on data obtained from similar

substances.

Version 1.9 Revision Date 2014-06-12

Species: rat

Sex: male and female

Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Number of exposures: Daily Test period: 42- 51days Method: OECD Guideline 422 NOAEL Parent: 1000 mg/kg bw/day NOAEL F1: 1000 mg/kg bw/day

Information given is based on data obtained from similar

substances.

AlphaPlus® 1-Hexadecene

**Aspiration toxicity** : May be fatal if swallowed and enters airways.

Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity

hazard.

**CMR** effects

1-Hexadecene : Carcinogenicity: Not classifiable as a human carcinogen.

Mutagenicity: Did not show mutagenic effects in animal

experiments.

Teratogenicity: Did not show teratogenic effects in animal

experiments.

Reproductive toxicity: No toxicity to reproduction

AlphaPlus® 1-Hexadecene

**Further information** : Solvents may degrease the skin.

#### **SECTION 12: Ecological information**

#### Toxicity to fish

1-Hexadecene : LL50: > 1000 mg/L

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 203

The product has low solubility in the test medium. An aqueous

dispersion was tested.

#### Toxicity to daphnia and other aquatic invertebrates

1-Hexadecene : EL50: < 1000 mg/L

Exposure time: 48 h

Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202

The product has low solubility in the test medium. An aqueous

dispersion was tested.

Toxicity to algae

1-Hexadecene : EC50: > 1000 mg/L

Exposure time: 72 h

Species: Selenastrum capricornutum (algae)

MSDS Number:100000065709 9/14

## AlphaPlus® 1-Hexadecene

Version 1.9 Revision Date 2014-06-12

static test Method: OECD Test Guideline 201

The product has low solubility in the test medium. An aqueous

dispersion was tested.

Bioaccumulation

1-Hexadecene : Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Biodegradability

1-Hexadecene : According to the results of tests of biodegradability this

product is considered as being readily biodegradable.

**Ecotoxicology Assessment** 

Results of PBT assessment

1-Hexadecene : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: This material is not expected to be harmful to aquatic

organisms.

## **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

## **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the MSDS and the bill of lading.

## **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

MSDS Number:100000065709 10/14

Version 1.9 Revision Date 2014-06-12

TRANSPORTATION BY THIS AGENCY.

### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## **SECTION 15: Regulatory information**

**National legislation** 

SARA 311/312 Hazards : Acute Health Hazard

No SARA Hazards

## **EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO - KNOW**

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold Planning Quantity

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

MSDS Number:100000065709 11/14

Version 1.9 Revision Date 2014-06-12

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Ingredients : SARA 313: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

#### Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

## **US State Regulations**

Pennsylvania Right To Know

: No components are subject to the Pennsylvania Right to Know

Act.

New Jersey Right To Know

: No components are subject to the New Jersey Right to Know

Act.

California Prop. 65

Ingredients

: This product does not contain any chemicals known to the State

of California to cause cancer, birth, or any other reproductive

defects.

#### **Notification status**

Europe REACH On the inventory, or in compliance with the inventory United States of America TSCA On the inventory, or in compliance with the inventory Canada DSL On the inventory, or in compliance with the inventory Australia AICS On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory New Zealand NZIoC Japan ENCS On the inventory, or in compliance with the inventory Korea KECI On the inventory, or in compliance with the inventory Philippines PICCS On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

MSDS Number:100000065709 12/14


# AlphaPlus® 1-Hexadecene

Version 1.9 Revision Date 2014-06-12

### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 0

Fire Hazard: 1 Reactivity Hazard: 0



### **Further information**

Legacy SDS Number : PE0021

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect	
	Substances		Level	
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency	
	List			
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
	Substances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of	
			Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect	
			Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health	
	Scenario Tool		Administration	
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit	
	Chemicals Association			
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of	
	Chemical Substances		Commercial Chemical Substances	
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic	
	Values			
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery	
			Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
			Reauthorization Act.	
IARC	International Agency for Research	TLV	Threshold Limit Value	
	on Cancer			
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average	

MSDS Number:100000065709 13/14

# AlphaPlus® 1-Hexadecene

Version 1.9 Revision Date 2014-06-12

	Substances in China		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

MSDS Number:100000065709 14/14