

PAO 8FG

Version 1.3 Revision Date 2016-05-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : PAO 8FG Material : 1111731

EC-No.Registration number

Chemical name	CAS-No.	Legal Entity
	EC-No.	Registration number
	Index No.	
1-Decene Homopolymer	68037-01-4	Chevron Phillips Chemical Company LP
Hydrogenated	500-183-1	01-2119486452-34-0000
1-Decene Homopolymer Hydrogenated	68037-01-4 500-183-1	Chevron Phillips Chemicals International NV 01-2119486452-34-0006

Relevant Identified Uses :

Supported

: Manufacture

Distribution

Use as an intermediate

Formulation

Use in coatings – industrial
Use in coatings – professional
Use in Coatings - Consumer
Lubricants - Industrial
Lubricants - Professional
Lubricants - Consumer

Metal working fluids / rolling oils - Industrial Metal working fluids / rolling oils - Professional

Functional Fluids - Industrial Functional Fluids - Professional Functional Fluids - Consumer

Use in polymer production - industrial

Agrochemical uses Agrochemical uses Other consumer uses

Company : Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.

SDS Number:100000101307 1/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Airport Plaza (Stockholm Building)

Leonardo Da Vincilaan 19

1831 Diegem Belgium

SDS Requests: (800) 852-5530 Technical Information: (832) 813-4862 Responsible Party: Product Safety Group

Email:sds@cpchem.com

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

SECTION 3: Composition/information on ingredients

Synonyms : Polyalphaolefin

PAO

1-Decene, homopolymer, hydrogenated

Molecular formula : UVCB

Mixtures

Hazardous ingredients

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION (EC) No	[wt%]
	Index No.	1272/2008)	

SDS Number:100000101307 2/36

		SAFETY DATA SHEET
PAO 8FG		
Version 1.3		Revision Date 2016-05-30
1-Decene Homopolymer Hydrogenated	68037-01-4 500-183-1	100
Contains no hazardous ing	redients according to GHS	5. :

SECTION 4: First aid measures

General advice : Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye

irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Normal measures for preventive fire protection.

Hazardous decomposition

products

Carbon oxides.

SECTION 6: Accidental release measures

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in

suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

SDS Number:100000101307 3/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Requirements for storage areas and containers

Electrical installations / working materials must comply with the

technological safety standards.

SECTION 8: Exposure controls/personal protection

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under

normal atmospheric pressure.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the

specific work-place. Wear as appropriate:. Lightweight

protective clothing. Safety shoes.

Hygiene measures : Wash hands before breaks and at the end of workday.

For additional details, see the Exposure Scenario in the Annex portion

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state : Liquid

Color : Clear, Colorless Odor : Odorless

Safety data

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Oxidizing properties : no

SDS Number:100000101307 4/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Molecular formula : UVCB

Molecular weight : Varies

Hq : Not applicable

Melting point/range : Not applicable

: 0,83 Relative density

at 15,6 °C (60,1 °F)

Water solubility : Soluble in hydrocarbon solvents; insoluble in water.

Partition coefficient: n-

octanol/water

: No data available

Relative vapor density : 10

(Air = 1.0)

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

PAO 8FG

Acute oral toxicity : LD50: > 5.000 mg/kg

Species: Rat

Information given is based on data obtained from similar

substances.

PAO 8FG

Acute inhalation toxicity : LC50: > 5,2 mg/l

Exposure time: 4 h

Species: Rat

Test atmosphere: dust/mist

Information given is based on data obtained from similar

SDS Number:100000101307 5/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

substances.

PAO 8FG

Acute dermal toxicity : LD50 Dermal: > 2.000 mg/kg

Species: Rat

Information given is based on data obtained from similar

substances.

PAO 8FG

Skin irritation : No skin irritation

PAO 8FG

Eye irritation : No eye irritation

PAO 8FG

Sensitization : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Decene Homopolymer

Hydrogenated

Species: Rat

Application Route: Oral

Dose: 0, 8000, 20000, 50000 ppm

Exposure time: 28 day Number of exposures: daily NOEL: 6.245 mg/kg

Method: OECD Test Guideline 407

Species: Rat

Application Route: oral gavage Dose: 0, 1000, 7000, 50000 ppm Exposure time: 13 weeks Number of exposures: daily NOEL: 4.159,4 mg/kg

Method: OCED Guideline 408

Carcinogenicity

1-Decene Homopolymer

Hydrogenated

: Remarks: This information is not available.

Reproductive toxicity

1-Decene Homopolymer

Hydrogenated

: Species: Rat

Sex: male and female

Application Route: oral gavage Dose: 0, 100, 500, 1000 mg/kg Number of exposures: daily Test period: 10 weeks

Method: OECD Test Guideline 415 NOAEL Parent: 1.000 mg/kg

PAO 8FG

Developmental Toxicity: This information is not available.

SDS Number:100000101307 6/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

PAO 8FG

Aspiration toxicity : No aspiration toxicity classification.

CMR effects

1-Decene Homopolymer

Hydrogenated

Carcinogenicity: Not classifiable as a human carcinogen.
 Mutagenicity: Animal testing did not show any mutagenic

effects.

Teratogenicity: Not available

Reproductive toxicity: No toxicity to reproduction

SECTION 12: Ecological information

Toxicity to fish

1-Decene Homopolymer

Hydrogenated

: LL50: > 1.000 mg/l Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates

1-Decene Homopolymer

Hydrogenated

: EL50: > 1.000 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

static test Method: OECD Test Guideline 202

Toxicity to algae

1-Decene Homopolymer

Hydrogenated

: NOELR: 1.000 mg/l Exposure time: 72 h

Species: Scenedesmus capricornutum (fresh water algae)

static test Method: OECD Test Guideline 201

Elimination information (persistence and degradability)

Bioaccumulation

1-Decene Homopolymer

Hydrogenated

: This material is not expected to bioaccumulate.

Biodegradability : This material is not expected to be readily biodegradable.

Expected to be inherently biodegradable.

Ecotoxicology Assessment

Results of PBT assessment

1-Decene Homopolymer

Hydrogenated

: Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: This material is not expected to be harmful to aquatic

7/36

organisms.

SDS Number:100000101307

PAO 8FG

Version 1.3 Revision Date 2016-05-30

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

For additional details, see the Exposure Scenario in the Annex portion

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000101307 8/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

Chemical Safety Assessment

Ingredients : 1-Decene A Chemical Safety Assessment

Homopolymer has been carried out for this

Hydrogenated substance.

Major Accident Hazard

Legislation

: 96/82/EC Update: 2003 Directive 96/82/EC does not apply

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Description of the classification procedure for all materials, which are not named in the appendices 1 and 2, on the basis of R-sentence-classifications of the European dangerous

materials

Notification status

Europe REACH : On the inventory, or in compliance with the inventory United States of America TSCA : On the inventory, or in compliance with the inventory Canada DSL : On the inventory, or in compliance with the inventory Australia AICS : On the inventory, or in compliance with the inventory New Zealand NZIoC : On the inventory, or in compliance with the inventory


Notification number: HSR002606

Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : On the inventory, or in compliance with the inventory Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 0

Fire Hazard: 1 Reactivity Hazard: 0



Further information

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

SDS Number:100000101307 9/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

	ey or legend to abbreviations and a	cronyms used ir	the safety data sheet
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:100000101307 10/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Annex

1. Short title of Exposure Scenario: Manufacture

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU8, SU9: Industrial Manufacturing (all), Manufacture of

bulk, large scale chemicals (including petroleum products),

Manufacture of fine chemicals

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC15: Use as laboratory reagent

Environmental release category : ERC1, ERC4: Manufacture of substances, Industrial use of

processing aids in processes and products, not becoming part

of articles

Further information

Manufacture of the substance or use as a process chemical or

extraction agent. Includes recycling/ recovery, material

transfers, storage, maintenance and loading (including marine vessel/barge, road/rail car and bulk container), sampling and

associated laboratory activities

2.1 Contributing scenario controlling environmental exposure for:ERC1, ERC4: Manufacture of substances, Industrial use of processing aids in processes and products, not becoming part of articles

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities,

SDS Number:100000101307 11/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Distribution

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3: Industrial Manufacturing (all)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC15: Use as laboratory reagent

Environmental release category : ERC1, ERC2, ERC3, ERC4, ERC5, ERC6a, ERC6b, ERC6c,

ERC6d, ERC7: Manufacture of substances, Formulation of preparations, Formulation in materials, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in inclusion into or onto a matrix, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids, Industrial use of monomers for manufacture of thermoplastics, Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers, Industrial use of substances in closed systems

Further information

Loading (including marine vessel/barge, rail/road car and IBC loading) and repacking (including drums and small packs) of substance, including its sampling, storage, unloading

SDS Number:100000101307 12/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

distribution and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for:ERC1, ERC2, ERC3, ERC4, ERC5, ERC6a, ERC6b, ERC6c, ERC6d, ERC7: Manufacture of substances, Formulation of preparations, Formulation in materials, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in inclusion into or onto a matrix, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids, Industrial use of monomers for manufacture of thermoplastics, Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers, Industrial use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use as an intermediate

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : Su3, Su8, Su9: Industrial Manufacturing (all), Manufacture of

bulk, large scale chemicals (including petroleum products),

SDS Number:100000101307 13/36

SAFETY DATA SHEET PAO 8FG Version 1.3 Revision Date 2016-05-30 Manufacture of fine chemicals Process category : **PROC1:** Use in closed process, no likelihood of exposure PROC2: Use in closed, continuous process with occasional controlled exposure PROC3: Use in closed batch process (synthesis or formulation) PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC8b: Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated PROC15: Use as laboratory reagent Environmental release category : **ERC6a:** Industrial use resulting in manufacture of another substance (use of intermediates) Further information Use as an isolated intermediate under strictly controlled conditions 2.1 Contributing scenario controlling environmental exposure for: ERC6a: Industrial use resulting in manufacture of another substance (use of intermediates) Technical conditions and measures / Organizational measures Remarks : Not applicable 2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent Amount used : Not applicable Remarks

14/36

3. Exposure estimation and reference to its source

Not applicable

Remarks:

SDS Number: 100000101307

PAO 8FG

Version 1.3 Revision Date 2016-05-30

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Formulation

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU 10: Industrial Manufacturing (all), Formulation

[mixing] of preparations and/ or re-packaging (excluding

alloys)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting:

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing) **PROC14:** Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;

PROC15: Use as laboratory reagent

Environmental release category : ERC2: Formulation of preparations

Further information

Formulation, packing and re-packing of the substance and its mixtures in batch or continuous operations, including storage,

materials transfers, mixing, tabletting, compression, pelletisation, extrusion, large and small scale packing, sampling, maintenance and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for:ERC2: Formulation of preparations

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3,

SDS Number:100000101307 15/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

PROC4,, PROC8, PROC8b, PROC9, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Transfer of substance or mixture (charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting;, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;, Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in coatings - industrial

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3: Industrial Manufacturing (all)

Process category : PROC1: Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting:

PROC7: Industrial spraving

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC14:** Production of mixtures or articles by tabletting,

16/36

SDS Number:100000101307

PAO 8FG

Version 1.3 Revision Date 2016-05-30

compression, extrusion, pelletization; Industrial setting;

PROC15: Use as laboratory reagent

Environmental release category : ERC4: Industrial use of processing aids in processes and

products, not becoming part of articles

Further information

Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, spreader, dip, flow, fluidised bed on production lines and film formation) and equipment cleaning, maintenance and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for: ERC4: Industrial use of processing aids in processes and products, not becoming part of articles

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;, Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set

SDS Number:100000101307 17/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in coatings - professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : **SU22:** Public domain (administration, education,

entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting:

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC10: Roller application or brushing **PROC11:** Non industrial spraying

PROC13: Treatment of articles by dipping and pouring

PROC15: Use as laboratory reagent

PROC19: Hand-mixing with intimate contact and only PPE

available

Environmental release category : ERC8a, ERC8d: Wide dispersive indoor use of processing

aids in open systems, Wide dispersive outdoor use of

processing aids in open systems

Further information

Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, brush, spreader by hand or similar methods, and film formation), and equipment cleaning,

maintenance and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

SDS Number:100000101307 18/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC13, PROC15, PROC19: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Use as laboratory reagent, Handmixing with intimate contact and only PPE available

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in Coatings - Consumer

Main User Groups : **SU 21:** Consumer uses: Private households (= general public

= consumers)

Sector of use : **SU 21:** Consumer uses: Private households (= general public

= consumers)

Product category : **PC1:** Adhesives, sealants

PC4: Anti-Freeze and de-icing products

PC8: Biocidal products (e.g. Disinfectants, pest control) PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay

PC9c: Finger paints

PC15: Non-metal-surface treatment products

PC18: Ink and toners

PC23: Leather tanning, dye, finishing, impregnation and care

products

PC24: Lubricants, greases, release products

PC31: Polishes and wax blends

PC34: Textile dyes, finishing and impregnating products;

including bleaches and other processing aids

: ERC8a, ERC8d: Wide dispersive indoor use of processing Environmental release category

aids in open systems, Wide dispersive outdoor use of

processing aids in open systems

Further information

SDS Number: 100000101307 19/36

PAO 8FG	
Version 1.3	Revision Date 2016-05-30
	Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including product transfer and preparation, application by brush, spray by hand or similar methods) and equipment cleaning.
	lling environmental exposure for:ERC8a, ERC8d: Wide in open systems, Wide dispersive outdoor use ms
Technical conditions and measures Remarks	/ Organizational measures : Not applicable
PC9b, PC9c, PC15, PC18, PC23, F de-icing products, Biocidal produ paints, thinners, paint removers, Non-metal-surface treatment prod impregnation and care products,	lling consumer exposure for: PC1, PC4, PC8, PC9a, PC24, PC31, PC34: Adhesives, sealants, Anti-Freeze and acts (e.g. Disinfectants, pest control), Coatings and Fillers, putties, plasters, modelling clay, Finger paints, ducts, Ink and toners, Leather tanning, dye, finishing, Lubricants, greases, release products, Polishes and ag and impregnating products; including bleaches and
Amount used	
Remarks	: Not applicable
3. Exposure estimation and reference Remarks: Not applicable 4. Guidance to Downstream User	
3. Exposure estimation and reference Remarks: Not applicable	ence to its source to evaluate whether he works inside the boundaries set
3. Exposure estimation and reference Remarks: Not applicable 4. Guidance to Downstream User by the Exposure Scenario Not applicable	ence to its source to evaluate whether he works inside the boundaries set

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises **PROC7:** Industrial spraying

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

PROC18: Greasing at high energy conditions

Environmental release category : **ERC4**, **ERC7**: Industrial use of processing aids in processes

and products, not becoming part of articles, Industrial use of

substances in closed systems

Further information

Covers the use of formulated lubricants in closed and open

systems including transfer operations, operation of

machinery/engines and similar articles, reworking on reject articles, equipment maintenance and disposal of wastes.

2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC7: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17, PROC18: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high

SDS Number:100000101307 21/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

energy conditions

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Lubricants - Professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC11: Non industrial spraying

PROC13: Treatment of articles by dipping and pouring

PROC17: Lubrication at high energy conditions and in partly

open process

PROC18: Greasing at high energy conditions

PROC20: Heat and pressure transfer fluids in dispersive,

professional use but closed systems

Environmental release category : ERC8a, ERC9a, ERC9b: Wide dispersive indoor use

of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive

outdoor use of substances in closed systems

Further information

Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines

SDS Number:100000101307 22/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.

2.1 Contributing scenario controlling environmental exposure for: ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high energy conditions, Heat and pressure transfer fluids in dispersive, professional use but closed systems

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Lubricants - Consumer

Main User Groups : SU 21: Consumer uses: Private households (= general public

= consumers)

Sector of use : **SU 21:** Consumer uses: Private households (= general public

SDS Number:100000101307 23/36

	SAFETY DATA SHEET
PAO 8FG	
Version 1.3	Revision Date 2016-05-30
Product category :	 = consumers) PC1: Adhesives, sealants PC24: Lubricants, greases, release products PC31: Polishes and wax blends
Environmental release category :	ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information :	Covers the consumer use of formulated lubricants in closed and open systems including transfer operations, application, operation of engines and similar articles, equipment maintenance and disposal of waste oil.
ERC9a, ERC9b: Wide dispersive in dispersive outdoor use of process	ng environmental exposure for:ERC8a, ERC8d, door use of processing aids in open systems, Wide ing aids in open systems, Wide dispersive indoor use Wide dispersive outdoor use of substances in closed
Technical conditions and measures / C Remarks :	Organizational measures Not applicable
	ng consumer exposure for: PC1, PC24, PC31: reases, release products, Polishes and wax blends
Amount used Remarks :	Not applicable
3. Exposure estimation and referer	nce to its source
Remarks: Not applicable	
4. Guidance to Downstream User to by the Exposure Scenario	o evaluate whether he works inside the boundaries set
SDS Number:100000101307	24/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Not applicable

1. Short title of Exposure Scenario: Metal working fluids / rolling oils - Industrial

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3: Industrial Manufacturing (all)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting;

PROC7: Industrial spraying

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

Environmental release category : ERC4: Industrial use of processing aids in processes and

products, not becoming part of articles

Further information

Covers the use in formulated MWFs/rolling oils including transfer operations, rolling and annealing activities, cutting/machining activities, automated and manual application of corrosion protections (including brushing, dipping and spraying), equipment maintenance, draining and

disposal of waste oils.

2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17: Use in

SDS Number:100000101307 25/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Metal working fluids / rolling oils - Professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing **PROC11:** Non industrial spraying

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

Environmental release category : ERC8a, ERC9d, ERC9b: Wide dispersive indoor use

of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive

SDS Number:100000101307 26/36

DAO 050	SAFETY DATA SHEET
PAO 8FG	
Version 1.3	Revision Date 2016-05-30
	indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information :	Covers the use in formulated MWFs including transfer operations, open and contained cutting/machining activities, automated and manual application of corrosion protections, draining and working on contaminated/ reject articles, and disposal of waste oils.
ERC9a, ERC9b: Wide dispersive in dispersive outdoor use of process	ng environmental exposure for:ERC8a, ERC8d, door use of processing aids in open systems, Wide ing aids in open systems, Wide dispersive indoor use Wide dispersive outdoor use of substances in closed
Technical conditions and measures / GRemarks	Organizational measures Not applicable
PROC8a, PROC8b, PROC9, PROC1 no likelihood of exposure, Use in closed batch procor preparation (charging/dischargi facilities, Transfer of substance or large containers at dedicated facili containers (dedicated filling line, in	ng worker exposure for: PROC1, PROC2, PROC3, 10, PROC11, PROC13, PROC17: Use in closed process, closed, continuous process with occasional controlled cess (synthesis or formulation), Transfer of substance ng) from/to vessels/large containers at non-dedicated preparation (charging/ discharging) from/ to vessels/ties, Transfer of substance or preparation into small including weighing), Roller application or brushing, a of articles by dipping and pouring, Lubrication at ly open process
	· · ·
Amount used Remarks :	Not applicable
3. Exposure estimation and referer	nce to its source
-	
Remarks: Not applicable	
4. Guidance to Downstream User to by the Exposure Scenario	o evaluate whether he works inside the boundaries set
Not applicable 1. Short title of Exposure Scenario: Func	ctional Fluids - Industrial
SDS Number:100000101307	27/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use **SU3:** Industrial Manufacturing (all)

: **PROC1:** Use in closed process, no likelihood of exposure Process category PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

: ERC7: Industrial use of substances in closed systems Environmental release category

Further information

Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in industrial equipment

including maintenance and related material transfers.

2.1 Contributing scenario controlling environmental exposure for: ERC7: Industrial use of substances in closed systems

Technical conditions and measures / Organizational measures

: Not applicable Remarks

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9; Use in closed process, no likelihood of exposure. Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

Amount used

: Not applicable Remarks

SDS Number: 100000101307 28/36

PAO 8FG

Version 1.3 Revision Date 2016-05-30

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Functional Fluids - Professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

Environmental release category : ERC9a, ERC9b: Wide dispersive indoor use of substances in

closed systems, Wide dispersive outdoor use of substances in

closed systems

Further information :

Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in professional equipment including maintenance and related material

transfers.

2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8, PROC8a, PROC9: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Transfer of substance or mixture (charging/discharging) from/to vessels(large containers at non dedicated facilities;

SDS Number:100000101307 29/36

	SAFETY DATA SHEET
PAO 8FG	
Version 1.3	Revision Date 2016-05-30
(charging/discharging) from/to	ing;, Transfer of substance or preparation vessels/large containers at non-dedicated facilities, ration into small containers (dedicated filling line,
Amount used Remarks	: Not applicable
3. Exposure estimation and refe	erence to its source
Remarks: Not applicable	
4. Guidance to Downstream Use by the Exposure Scenario	er to evaluate whether he works inside the boundaries set
Not applicable 1. Short title of Exposure Scenario: F	unctional Fluids - Consumer
Main User Groups	: SU 21: Consumer uses: Private households (= general public
Sector of use	= consumers) : SU 21: Consumer uses: Private households (= general public
Product category	= consumers) : PC16: Heat transfer fluids PC17: Hydraulic fluids
Environmental release category	: ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	: Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants.
	olling environmental exposure for:ERC9a, ERC9b: Wide inces in closed systems, Wide dispersive outdoor use of
Technical conditions and measures Remarks	s / Organizational measures : Not applicable
SDS Number:100000101307	30/36
0D0 Nulliber.100000101307	30/30

PAO 8FG

Version 1.3 Revision Date 2016-05-30

2.2 Contributing scenario controlling consumer exposure for: PC16, PC17: Heat transfer fluids, Hydraulic fluids

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in polymer production - industrial

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU 10: Industrial Manufacturing (all), Formulation

[mixing] of preparations and/ or re-packaging (excluding

alloys)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting;

PROC6: Calendering operations

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC15: Use as laboratory reagent

PROC14: Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;

Environmental release category : **ERC4**, **ERC6c**: Industrial use of processing aids in processes

and products, not becoming part of articles, Industrial use of

monomers for manufacture of thermoplastics

Further information

Manufacture of polymers from monomers in continuous and

SDS Number:100000101307 31/36

SAFETY DATA SHEET
PAO 8FG
Version 1.3 Revision Date 2016-05-30
batch processes, include sparging, discharging, and reactor maintenance and immediate polymer product formation (i.e. compounding, pelletisation, product off-gassing).
2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC6c: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of monomers for manufacture of thermoplastics
Technical conditions and measures / Organizational measures Remarks : Not applicable
2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC6, PROC5, PROC8a, PROC8b, PROC15, PROC14: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Calendering operations, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/large containers at dedicated facilities, Use as laboratory reagent, Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;
Amount used Remarks : Not applicable
3. Exposure estimation and reference to its source
Remarks: Not applicable
4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: **Agrochemical uses**

Main User Groups : **SU 22:** Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

SDS Number:100000101307 32/36

	SAFETY DATA SHEET
PAO 8FG	
Version 1.3	Revision Date 2016-05-30
	PROC2: Use in closed, continuous process with occasional controlled exposure
	PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities PROC11: Non industrial spraying
	PROC13: Treatment of articles by dipping and pouring
Environmental release category	: ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	: Covers the use as binders and release agents including material transfers, mixing, application by spraying, brushing, and handling of waste.
	lling environmental exposure for:ERC8a, ERC8d: Wide
	ing aids in open systems, Wide dispersive outdoor use ms
dispersive indoor use of process of processing aids in open syster Technical conditions and measures	ing aids in open systems, Wide dispersive outdoor use ms / Organizational measures
dispersive indoor use of process of processing aids in open system of processing and measures are also control of processing of processing of the process (synthesis) which is a control of processing of preparation (charging non-dedicated facilities, Transfer	ling aids in open systems, Wide dispersive outdoor use ms / Organizational measures : Not applicable lling worker exposure for: PROC1, PROC2, PROC4, OC13: Use in closed process, no likelihood of exposure, as with occasional controlled exposure, Use in batch here opportunity for exposure arises, Transfer of ng/discharging) from/to vessels/large containers at of substance or preparation (charging/ discharging) at dedicated facilities, Non industrial spraying,
dispersive indoor use of process of processing aids in open system of processing and measures of processing and other processing of the processi	ling aids in open systems, Wide dispersive outdoor use ms / Organizational measures : Not applicable lling worker exposure for: PROC1, PROC2, PROC4, OC13: Use in closed process, no likelihood of exposure, as with occasional controlled exposure, Use in batch here opportunity for exposure arises, Transfer of ng/discharging) from/to vessels/large containers at of substance or preparation (charging/ discharging) at dedicated facilities, Non industrial spraying,

SDS Number:100000101307 33/36

Not applicable

Remarks:

	SAFETY DATA SHEET
PAO 8FG	
Version 1.3	Revision Date 2016-05-30
4. Guidance to Downstream Use by the Exposure Scenario	r to evaluate whether he works inside the boundaries set
Not applicable 1. Short title of Exposure Scenario: Aç	grochemical uses
Main User Groups	: SU 21: Consumer uses: Private households (= general public
Sector of use	= consumers): SU 21: Consumer uses: Private households (= general public
Product category	= consumers) : PC12: Fertilizers PC27: Plant protection products
Environmental release category	: ERC8d: Wide dispersive outdoor use of processing aids in open systems
Further information	: Covers the consumer use in agrochemicals in liquid and solid forms.
dispersive outdoor use of proces Technical conditions and measures Remarks	/ Organizational measures : Not applicable
2.2 Contributing scenario contro Plant protection products	Illing consumer exposure for: PC12, PC27: Fertilizers,
Amount used Remarks	: Not applicable
3. Exposure estimation and refer	rence to its source
Remarks: Not applicable	
SDS Number:100000101307	34/36

	SAFETY DATA SHEE
PAO 8FG	
Version 1.3	Revision Date 2016-05-3
4. Guidance to Downstream Use by the Exposure Scenario	er to evaluate whether he works inside the boundaries se
N. C. P. LI	
Not applicable 1. Short title of Exposure Scenario: C	Other consumer uses
Main User Groups	: SU 21: Consumer uses: Private households (= general public
Sector of use	= consumers) : SU 21: Consumer uses: Private households (= general public
Product category	= consumers): PC28: Perfumes, fragrances
3 ,	PC31: Polishes and wax blends
	PC39: Cosmetics, personal care products
Environmental release category	: ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	:
Further information	Consumer uses e.g. as a carrier in cosmetics/personal care
	products, perfumes and fragrances. Note: For cosmetic and personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation.
	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. olling environmental exposure for:ERC8a, ERC8d: Widessing aids in open systems, Wide dispersive outdoor use
dispersive indoor use of proces of processing aids in open syst	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. olling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use tems
dispersive indoor use of proces	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. olling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use tems
dispersive indoor use of proces of processing aids in open syst Technical conditions and measure Remarks	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. colling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use tems
dispersive indoor use of proces of processing aids in open syst Technical conditions and measure Remarks 2.2 Contributing scenario contriblends	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. Olling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use tems s / Organizational measures : Not applicable
dispersive indoor use of proces of processing aids in open syst Technical conditions and measure Remarks 2.2 Contributing scenario contr	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. Olling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use tems s / Organizational measures : Not applicable
dispersive indoor use of proces of processing aids in open syst Technical conditions and measure Remarks 2.2 Contributing scenario contriblends Amount used	personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation. Olling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use tems s / Organizational measures : Not applicable olling consumer exposure for: PC31: Polishes and wax

2.2 Contributing scenario controlling consumer exposure for: PC28, PC39: Perfumes, fragrances, Cosmetics, personal care products

SDS Number:100000101307 35/36

			SAFE	TY DATA SHEET
PAO 8FG				
Version 1.3			Revision	Date 2016-05-30
Amount used Remarks	:	Not applicable		
3. Exposure estimation and reference to its source				
Remarks: Not	applicable			
4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario				
Not applicable				
SDS Number:100000	101307		36/36	