

CO2 4 %;N2 26 %;He 70 %

 Issue Date:
 16.10.2013

 Last revised date:
 16.05.2016

Version: 1.0

SDS No.: 000010022187 1/13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name:

CO2 4 %;N2 26 %;He 70 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:Industrial and professional. Perform risk assessment prior to use.Uses advised againstConsumer use.

1.3 Details of the supplier of the safety data sheet

Supplier	
BOC	Telephone: 0800 111 333
Priestley Road, Worsley M28 2UT Manchester	

E-mail: ReachSDS@boc.com

1.4 Emergency telephone number: 0800 111 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended.

Not classified

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Gases under pressure

Compressed gas H280: Contains gas under pressure; may explode if heated.

2.2 Label Elements



Signal Words:	Warning
Hazard Statement(s):	H280: Contains gas under pressure; may explode if heated.
Precautionary Statement	
Prevention:	None.
Response:	None.



CO2 4 %;N2 26 %;He 70 %

Issue Date: Last revised date:	16.10.2013 16.05.2016	Version: 1.0	SDS No.: 000010022187 2/13
Storage:		P403: Store in a well-ventilated place.	
Disposal:		None.	
Suppleme	ental label inform	ation EIGA-As: Asphyxiant in high concentrations.	
2.3 Other hazards:		None.	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	Chemical formula	Concentration	CAS-No.	EC No.	REACH Registration No.	Notes
Carbon dioxide	CO2	4%	124-38-9	204-696-9	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.	#
Helium	He	70%	7440-59-7	231-168-5	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.	
Nitrogen	N2	26%	7727-37-9	231-783-9	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.	

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classificati	Classification	
Carbon dioxide	DSD:	none	
	CLP:	Press. Gas Liquef. Gas;H280	
Helium	DSD:	none	
	CLP:	Press. Gas Compr. Gas;H280	
Nitrogen	DSD:	none	
	CLP:	Press. Gas Compr. Gas;H280	

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

The full text for all R-phrases and H-statements is displayed in section 16.



CO2 4 %;N2 26 %;He 70 %

		CO2 4 %;N2 26 %;He 70 %	
	16.10.2013 16.05.2016	Version: 1.0	SDS No.: 000010022187 3/13
SECTION 4: First Aid N	Neasures		
General:		In high concentrations may cause asphyxiation. Sy mobility/consciousness. Victim may not be aware to uncontaminated area wearing self contained br warm and rested. Call a doctor. Apply artificial resp	of asphyxiation. Remove victim eathing apparatus. Keep victim
4.1 Description of firs	t aid measures		
Inhalation:		Low concentrations of CO2 cause increased respirations concentrations may cause asphyxiation. Symptom mobility/consciousness. Victim may not be aware to uncontaminated area wearing self contained br warm and rested. Call a doctor. Apply artificial resp	s may include loss of of asphyxiation. Remove victim reathing apparatus. Keep victim
Eye contact:		Adverse effects not expected from this product.	
Skin Contact:		Adverse effects not expected from this product.	
Ingestion:		Ingestion is not considered a potential route of ex	posure.
4.2 Most important sy effects, both acut delayed:		Respiratory arrest.	
4.3 Indication of any Hazards:	immediate med	lical attention and special treatment needed None.	
		NONA	
Treatment:		None.	
	ng Measures	None.	
SECTION 5: Firefightin General Fire Haza	-	Heat may cause the containers to explode.	
SECTION 5: Firefighti	ırds: dia		ndings: use appropriate
SECTION 5: Firefightin General Fire Haza 5.1 Extinguishing me	urds: dia shing media:	Heat may cause the containers to explode. Material will not burn. In case of fire in the surrour	ndings: use appropriate
SECTION 5: Firefightin General Fire Haza 5.1 Extinguishing me Suitable extingui Unsuitable extingui	irds: dia shing media: guishing rising from the	Heat may cause the containers to explode. Material will not burn. In case of fire in the surrour extinguishing agent.	ndings: use appropriate
SECTION 5: Firefightin General Fire Haza 5.1 Extinguishing me Suitable extingui Unsuitable exting media: 5.2 Special hazards ar	ards: dia shing media: guishing rising from the ture:	Heat may cause the containers to explode. Material will not burn. In case of fire in the surrour extinguishing agent. None.	ndings: use appropriate



CO2 4 %;N2 26 %;He 70 %

Issue Date: Last revised date:	16.10.2013 16.05.2016	Version: 1.0	SDS No.: 000010022187 4/13	
Special protective equipment for firefighters: Firefighters must use standard protective equipment include coat, helmet with face shield, gloves, rubber boots, and in e Guideline: EN 469 Protective clothing for firefighters. Perfor for protective clothing for firefighting. EN 15090 Footwear f Protective gloves for firefighters. EN 443 Helmets for fire fig other structures. EN 137 Respiratory protective devices - Se circuit compressed air breathing apparatus with full face ma testing, marking.			boots, and in enclosed spaces, SCBA. Fighters. Performance requirements 090 Footwear for firefighters. EN 659 Imets for fire fighting in buildings and twe devices - Self-contained open-	
SECTION 6: Accide	ntal Release Me	asures		
6.1 Personal preca protective equ emergency pro	ipment and	Evacuate area. Provide adequate ventilation basements and workpits, or any place where Wear self-contained breathing apparatus wh is proved to be safe. Guideline EN 137 Respin contained open-circuit compressed air breat Requirements, testing, marking.	e its accumulation can be dangerous. hen entering area unless atmosphere ratory protective devices - Self-	
6.2 Environmental	Precautions:	Prevent further leakage or spillage if safe to	do so.	
6.3 Methods and n containment a	naterial for Ind cleaning up:	Provide adequate ventilation.		
6.4 Reference to o	ther sections:	Refer to sections 8 and 13.		



CO2 4 %;N2 26 %;He 70 %

 Issue Date:
 16.10.2013

 Last revised date:
 16.05.2016

Version: 1.0

SDS No.: 000010022187 5/13

SECTION 7: Handling and Storage:

7.1 Precautions for safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.
7.2 Conditions for safe storage, including any incompatibilities:	Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.

7.3 Specific end use(s):

None.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	type	Exposure Limi	t Values	Source
Carbon dioxide	TWA	5,000 ppm	9,150	UK. EH40 Workplace Exposure Limits
			mg/m3	(WELs) (12 2011)
	STEL	15,000 ppm	27,400	UK. EH40 Workplace Exposure Limits
			mg/m3	(WELs) (12 2011)
	TWA	5,000 ppm	9,000	EU. Indicative Exposure Limit Values in
			mg/m3	Directives 91/322/EEC, 2000/39/EC,
				2006/15/EC, 2009/161/EU (12 2009)



CO2 4 %;N2 26 %;He 70 %

		CUZ 4 %;NZ ZO %;HE /U %	
Issue Date: Last revised date:	16.10.2013 16.05.2016	Version: 1.0	SDS No.: 000010022187 6/13
8.2 Exposure contr	ols		
Appropriate en controls:		Consider a work permit system e.g. for mainter air ventilation. Provide adequate ventilation, in extraction, to ensure that the defined occupati exceeded. Oxygen detectors should be used w released. Systems under pressure should be re Preferably use permanent leak tight connectio drink or smoke when using the product.	ncluding appropriate local onal exposure limit is not rhen asphyxiating gases may be gularly checked for leakages.
individual prot	ection measures,	such as personal protective equipment	
General infor	mation:	A risk assessment should be conducted and do assess the risks related to the use of the produ matches the relevant risk. The following recom Keep self contained breathing apparatus readi Personal protective equipment for the body sh being performed and the risks involved.	ct and to select the PPE that mendations should be considered. Iy available for emergency use.
Eye/face prot	ection:	Wear eye protection to EN 166 when using gas Guideline: EN 166 Personal Eye Protection.	ies.
Skin protectio	n		
Hand Prote		Wear working gloves while handling container Guideline: EN 388 Protective gloves against me	
Body prote	ction:	No special precautions.	
Other:		Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equip	oment - Safety footwear.
Respiratory P	rotection:	Not required.	
Thermal haza	rds:	No precautionary measures are necessary.	
Hygiene meas	sures:	Specific risk management measures are not rea hygiene and safety procedures. Do not eat, dri product.	
Environmental controls:	exposure	For waste disposal, see section 13.	

SECTION 9: Physical And Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	Gas
Form:	Compressed gas
Colour:	CO2: Colorless He: Colorless
	N2: Colorless
Odour:	CO2: Odorless



CO2 4 %;N2 26 %;He 70 %

Issue Date:	16.10.2013	Version: 1.0	SDS No.: 000010022187
Last revised date:	16.05.2016		7/13

	He: Odorless N2: Odorless gas
Odour Threshold:	Odour threshold is subjective and is inadequate to warn of over exposure.
pH:	not applicable.
Melting Point:	No data available.
Boiling Point:	No data available.
Sublimation Point:	not applicable.
Critical Temp. (°C):	No data available.
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability limit - upper (%):	not applicable.
Flammability limit - lower(%):	not applicable.
Vapour pressure:	No reliable data available.
Vapour density (air=1):	0.42 (calculated) (15 °C)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	No data available.
Partition coefficient (n-octanol/water):	Not known.
Autoignition Temperature:	not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	Not applicable.
Oxidising Properties:	not applicable.
9.2 Other information:	None.

SECTION 10: Stability and Reactivity

10.1 Reactivity:	No reactivity hazard other than the effects described in sub-section below.		
10.2 Chemical Stability:	Stable under normal conditions.		
10.3 Possibility of Hazardous Reactions:	None.		
10.4 Conditions to Avoid:	None.		
10.5 Incompatible Materials:	No reaction with any common materials in dry or wet conditions.		
10.6 Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		



CO2 4 %;N2 26 %;He 70 %

ue Date: it revised date:	16.10.2013 16.05.2016	Version: 1.0	SDS No.: 0000100221 8/
TION 11: Toxico	ological Informa	ition	
General inform	nation:	None.	
1 Information o	n toxicological ef	fects	
Acute toxicity Product	- Oral	Based on available data, the classification criteria ar	e not met.
Acute toxicity Product	- Dermal	Based on available data, the classification criteria ar	e not met.
Acute toxicity Product	- Inhalation	Based on available data, the classification criteria ar	e not met.
Skin Corrosion Product	/Irritation	Based on available data, the classification criteria are	e not met.
Serious Eye Da Product	amage/Eye Irrita	tion Based on available data, the classification criteria are	e not met.
Respiratory or Product	Skin Sensitisatio	on Based on available data, the classification criteria are	e not met.
Germ Cell Mut Product	agenicity	Based on available data, the classification criteria are	e not met.
Carcinogenici Product	ty	Based on available data, the classification criteria are	e not met.
Reproductive Product	toxicity	Based on available data, the classification criteria are	e not met.
Specific Targe Product	t Organ Toxicity	- Single Exposure Based on available data, the classification criteria are	e not met.
Specific Targe Product	t Organ Toxicity	- Repeated Exposure Based on available data, the classification criteria are	e not met.
Aspiration Ha Product	zard	Not applicable to gases and gas mixtures	

12.1 Toxicity

Acute toxicity Product

No ecological damage caused by this product.



CO2 4 %;N2 26 %;He 70 %

Issue Date: 16.10.2013 Last revised date: 16.05.2016		Version: 1. 0 SDS No.: 0000			
12.2 Persistence a Product	nd Degradability	Not applicable to gases and gas mixtures			
12.3 Bioaccumulative Potential Product		The product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment.			
12.4 Mobility in Soi Product	il	Because of its high volatility, the product is unlikely to cause ground or water pollution.			
12.5 Results of PBT assessment Product	and vPvB	Not classified as PBT or vPvB.			
12.6 Other Adverse	e Effects:				
Global Warmin	ng Potential	Global warming potential: 0.1 When discharged in large quantities may contri	bute to the greenhouse effect.		
Component information Carbon dioxide		<u>UN / IPCC. Greenhouse Gas Global Warming Pot</u> <u>Report, Climate Change, Table TS.2</u> - Global warming potential: 1 100-yr	tentials (IPCC Fourth Assessment		

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

General information:	Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well ventilated place.		
Disposal methods:	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.		
<u>European Waste Codes</u> Container:	16 05 05: Gases in pressure containers other than those mentioned in 16 05 04.		



CO2 4 %;N2 26 %;He 70 %

 Issue Date:
 16.10.2013

 Last revised date:
 16.05.2016

Version: 1.0

SDS No.: 000010022187 10/13

SECTION 14: Transport Information

ADR	
14.1 UN Number:	UN 1956
14.2 UN Proper Shipping Name:	COMPRESSED GAS, N.O.S. (Helium, Nitrogen)
14.3 Transport Hazard Class(es)	• • • •
Class:	2
Label(s):	2.2
Hazard No. (ADR):	20
Tunnel restriction code:	(E)
Emergency Action Code:	2TE
14.4 Packing Group:	_
14.5 Environmental hazards:	not applicable
14.6 Special precautions for user:	
14.0 Special precautions for user.	
RID	
14.1 UN Number:	UN 1956
14.2 UN Proper Shipping Name	COMPRESSED GAS, N.O.S. (Helium, Nitrogen)
14.3 Transport Hazard Class(es)	······································
Class:	2
Label(s):	2.2
14.4 Packing Group:	
14.5 Environmental hazards:	- not applicable
14.6 Special precautions for user:	not applicable
14.0 Special precautions for user.	-
IMDG	
14.1 UN Number:	UN 1956
14.2 UN Proper Shipping Name:	COMPRESSED GAS, N.O.S. (Helium, Nitrogen)
14.3 Transport Hazard Class(es)	com Ressed 6/15, N.O.S. (Hendin, Mitogen)
Class:	2.2
Label (s):	2.2
EmS No.:	F-C, S-V
14.3 Packing Group:	
14.5 Environmental hazards:	- not applicable
14.5 Special precautions for user:	not applicable
14.0 Special precautions for user.	-
ΙΑΤΑ	
14.1 UN Number:	UN 1956
14.2 Proper Shipping Name:	Compressed gas, n.o.s.(Helium, Nitrogen)
14.3 Transport Hazard Class(es):	compressed gas, n.o.s. (nenam, ninogen)
Class:	2.2
Label(s):	2.2
14.4 Packing Group: 14.5 Environmental hazards:	- nat annliaghla
	not applicable
14.6 Special precautions for user: Other information	-
Passenger and cargo aircraft:	Allowed.
Cargo aircraft only:	Allowed.
	Allowood

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable



CO2 4 %;N2 26 %;He 70 %

Issue Date: 16.10.2013 Last revised date: 16.05.2016		Version: 1.0	SDS No.: 000010022187 11/13
Additiona	al identification:	the driver's compartment. Ensure hazards of the load and knows wh an emergency. Before transportin	e the load space is not separated from vehicle driver is aware of the potential hat to do in the event of an accident or ng product containers ensure that they e container valve is closed and not r caps should be in place. Ensure

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Directive 96/61/EC: concerning integrated pollution prevention and control (IPPC): Article 15, European Pollution Emission Registry (EPER):

Chemical name	CAS-No.	Concentration
Carbon dioxide	124-38-9	1.0 - 10%

National Regulations

	Management of Health and Safety at Work Regulations (1999 No. 3242). The Regulatory Reform (Fire Safety) Order 2005 (2005 No. 1541). Control of Substances Hazardous to Health Regulations (COSHH, 2002 No. 2677). Provision and Use of Work Equipment Regulations (PUWER, 1998 No. 2306). Personal Protective Equipment Regulations (1992 No. 2966). Control of Major Accident Hazards Regulations (COMAH, 2015 No. 483). Pressure Systems Safety Regulations (PSSR, 2000 No. 128). Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 453/2010.
15.2 Chemical safety assessment:	No Chemical Safety Assessment has been carried out.
SECTION 16: Other Information	

Revision Information:

Not relevant.



CO2 4 %;N2 26 %;He 70 %

		CO2	4 %;N2 26 %;He 70 %	
Issue Date: Last revised date:	16.10.2013 16.05.2016		Version: 1.0	SDS No.: 000010022187 12/13
Key literature refere sources for data:	ences and	 Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to: Agency for Toxic Substances and Diseases Registry (ATSDR) (http://www.atsdr.cdc.gov/). European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search European Industrial Gases Association (EIGA) Doc. 169 Classification and Labelling guide. International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets. Matheson Gas Data Book, 7th Edition. National Institute for Standards and Technology (NIST) Standard Reference Databa Number 69. The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/) The European Chemical Industry Council (CEFIC) ERICards. United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html) Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH). Substance specific information from suppliers. Details given in this document are believed to be correct at the time of publication EH40 (as amended) Workplace exposure limits. 		gistry (ATSDR) Compilation of Safety Data Sheets. egistered Substances istered-sub.aspx#search Doc. 169 Classification and Labelling (http://www.inchem.org/) etermination of fire potential and valve outlets. gy (NIST) Standard Reference Database formation System) platform of the G (http://ecb.jrc.ec.europa.eu/esis/). C) ERICards. Medicine's toxicology data network ml) an Conference of Governmental
Wording of the R-ph	nrases and H-st	atements in se H280	ctions 2 and 3 Contains gas under pressure; i	may explode if heated.
Training information	n:		nd must be stressed during oper	. The hazard of asphyxiation is often ator training. Ensure operators
Classification accord	ding to Regulat		72/2008 as amended. mpr. Gas, H280	
Other information:		compatibility Ensure all nat taken in the p from its use ca header the de drafting of int is two (to three	and safety study should be carri tional/local regulations are obse preparation of this document, no an be accepted. Note: When the ecimal sign and its position comp ternational standards, and is a co	or experiment, a thorough material ed out. Ensure adequate air ventilation. erved. Whilst proper care has been liability for injury or damage resulting Product Name appears in the SDS oly with rules for the structure and omma on the line. As an example 2,000 housand, whilst 1.000 is one thousand
Last revised date: Disclaimer:		correct. This i		r. The information is believed to be ake an independent determination of wironment.



CO2 4 %;N2 26 %;He 70 %

 Issue Date:
 16.10.2013

 Last revised date:
 16.05.2016

Version: 1.0

SDS No.: 000010022187 13/13