Safety Data Sheet

SECTION 1 – IDENTIFICATION

Name, Address, and Telephone of the Responsible Party

Dyno Nobel Inc.
2795 East Cottonwood Parkway, Suite 500
Salt Lake City, Utah 84121
Phone: 801-364-4800 Fax 801-321-6703
E-Mail: dnna.hse@am.dynonobel.com www.dynonobel.com

SDS #: 1025
Date: 08/14/2015
Supercedes: 04/28/2012

Product Identifier
Product Form: Substance
Product Name: Nitric Acid, Blended
Product Name: Nitric Acid, HNO3
CAS No: 7697-37-2
Formula: (HNO_3)

Other Means of Identification
Synonyms: Hydrogen Nitrate, Aqua Fortis

Intended Use of the Product
Industrial Applications

Emergency Telephone Number
FOR 24 HOUR EMERGENCY, CALL CHEMTREC (USA) 800-424-9300
CANUTEC (CANADA) 613-996-6666

SECTION 2 – HAZARD(S) IDENTIFICATION

Classification of the Substance or Mixture
Classification (GHS-US)

Ox. Liq. 3	H272
Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318

Label Elements
GHS-US Labeling
Hazard Pictograms (GHS-US) :

GHS03 GHS05

Signal Word (GHS-US) : Danger
Hazard Statements (GHS-US) : H272 - May intensify fire; oxidizer.
H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H318 - Causes serious eye damage.
Precautionary Statements (GHS-US) : P210 - Keep away from extremely high or low temperatures, ignition sources, and incompatible materials. - No smoking.
P220 - Keep/Store away from combustible material, oxidizable materials, and incompatible materials.
P221 - Take any precaution to avoid mixing with combustible material, oxidizable materials, and incompatible materials.
P234 - Keep only in original container.
P260 - Do not breathe vapors, mist, or spray.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P280 - Wear eye protection, protective clothing, protective gloves, face shield.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a poison center or doctor.
P321 - Specific treatment (see section 4 on this SDS).
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.
P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Hazards Not Otherwise Classified (HNOC): Not available

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. NEVER pour water into this substance; when dissolving or diluting always add it slowly to the water. Contact with water liberates highly flammable gases.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Name	Product Identifier	% (w/w)	Ingredient Classification (GHS-US)
Nitric acid	(CAS No) 7697-37-2	>70 - 85	Ox. Liq. 3, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Water	(CAS No) 7732-18-5	34 - 15	Not classified

Full text of H-phrases: see section 16

SECTION 4 - FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage.

Inhalation: Inhalation may cause immediate severe irritation progressing quickly to chemical burns. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin.

Skin Contact: Redness. Pain. Serious tissue burns.

Eye Contact: Ocular exposure can produce severe conjunctival irritation and chemosis, corneal epithelial defects, limbal ischemia, permanent visual loss and in severe cases perforation.

Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic Symptoms: Prolonged inhalation of fumes or mists may cause erosion of the teeth.
Indication of Any Immediate Medical Attention and Special Treatment Needed
If you feel unwell, seek medical advice (show the label where possible).

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing Media
Suitable Extinguishing Media: Alcohol-resistant foam. Dry chemical. Carbon dioxide. Sand.
Unsuitable Extinguishing Media: Reacts violently on contact with water. Do not use a heavy water stream.
Special Hazards Arising From the Substance or Mixture
Fire Hazard: Not flammable but will support combustion. May intensify fire; oxidizer.
Explosion Hazard: Risk of explosion in contact with reducing agents.
Reactivity: Corrosive to metals. Contact with metals may evolve flammable hydrogen gas. Violent exothermic reaction with water (moisture): release of corrosive gases/vapors. The substance is a strong oxidant and reacts with combustible and reducing materials.
Advice for Firefighters
Precautionary Measures Fire: Exercise caution when fighting any chemical fire.
Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.
Hazardous Combustion Products:
Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures
General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (dust, vapor, mist, gas). Keep away from heat, sparks, open flames, hot surfaces. – No smoking. Do not allow contact with metals. Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
For Non-Emergency Personnel
Protective Equipment: Use appropriate personal protection equipment (PPE).
Emergency Procedures: Evacuate unnecessary personnel.
For Emergency Personnel
Protective Equipment: Equip cleanup crew with proper protection.
Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up
For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Absorb spillage to prevent material damage. Do not use combustible absorbents such as: saw dust or cellulosic materials.
Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Cautiously neutralize spilled liquid. Contact competent authorities after a spill.
Reference to Other Sections
See heading 8, Exposure Controls and Personal Protection

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling
Additional Hazards When Processed: May form explosive hydrogen on contact with metals. May form corrosive vapors

in contact with water. NEVER pour water into this substance; when dissolving or diluting always add it slowly to the water.
Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Conditions for Safe Storage, Including Any Incompatibilities
Technical Measures: Comply with applicable regulations.
Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials: Strong bases. Reducing agents. Organic compounds. Combustible materials. Metals.
Special Rules on Packaging: Store in original container or corrosive resistant and/or lined container.
Specific End Use(s)
For professional use only.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters
For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Nitric acid (7697-37-2)		
Mexico	OEL TWA (mg/m³)	5 mg/m³
Mexico	OEL TWA (ppm)	2 ppm
Mexico	OEL STEL (mg/m³)	10 mg/m³
Mexico	OEL STEL (ppm)	4 ppm
USA ACGIH	ACGIH TWA (ppm)	2 ppm
USA ACGIH	ACGIH STEL (ppm)	4 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	2 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	2 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	10 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	4 ppm
USA IDLH	US IDLH (ppm)	25 ppm
Alberta	OEL STEL (mg/m³)	10 mg/m³
Alberta	OEL STEL (ppm)	4 ppm
Alberta	OEL TWA (mg/m³)	5.2 mg/m³
Alberta	OEL TWA (ppm)	2 ppm
British Columbia	OEL STEL (ppm)	4 ppm
British Columbia	OEL TWA (ppm)	2 ppm
Manitoba	OEL STEL (ppm)	4 ppm
Manitoba	OEL TWA (ppm)	2 ppm
New Brunswick	OEL STEL (mg/m³)	10 mg/m³
New Brunswick	OEL STEL (ppm)	4 ppm
New Brunswick	OEL TWA (mg/m³)	5.2 mg/m³
New Brunswick	OEL TWA (ppm)	2 ppm
Newfoundland & Labrador	OEL STEL (ppm)	4 ppm
Newfoundland & Labrador	OEL TWA (ppm)	2 ppm
Nova Scotia	OEL STEL (ppm)	4 ppm
Nova Scotia	OEL TWA (ppm)	2 ppm
Nunavut	OEL STEL (mg/m³)	10 mg/m³
Nunavut	OEL STEL (ppm)	4 ppm
Nunavut	OEL TWA (mg/m³)	5.2 mg/m³

Nunavut	OEL TWA (ppm)	2 ppm
Northwest Territories	OEL STEL (mg/m³)	10 mg/m³
Northwest Territories	OEL STEL (ppm)	4 ppm
Northwest Territories	OEL TWA (mg/m³)	5.2 mg/m³
Northwest Territories	OEL TWA (ppm)	2 ppm
Ontario	OEL STEL (ppm)	4 ppm
Ontario	OEL TWA (ppm)	2 ppm
Prince Edward Island	OEL STEL (ppm)	4 ppm
Prince Edward Island	OEL TWA (ppm)	2 ppm
Québec	VECD (mg/m³)	10 mg/m³
Québec	VECD (ppm)	4 ppm
Québec	VEMP (mg/m³)	5.2 mg/m³
Québec	VEMP (ppm)	2 ppm
Saskatchewan	OEL STEL (ppm)	4 ppm
Saskatchewan	OEL TWA (ppm)	2 ppm
Yukon	OEL STEL (mg/m³)	10 mg/m³
Yukon	OEL STEL (ppm)	4 ppm
Yukon	OEL TWA (mg/m³)	5 mg/m³
Yukon	OEL TWA (ppm)	2 ppm

Exposure Controls

Appropriate Engineering Controls: Product to be handled in a closed system and under strictly controlled conditions. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Protective clothing. Face shield. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles and face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	:	Liquid
Appearance	:	Clear to yellowish~~/brown fuming liquid~~
Odor	:	Acrid; Pungent
Odor Threshold	:	Not available
pH	:	Not available
Evaporation Rate	:	> 1
Melting Point	:	-30 - -45 °C (-22 - -49 °F)
Freezing Point	:	Not available
Boiling Point	:	116 - 121 °C (240.8 - 249.8 °F)

Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	6.7 - 14.2 mm Hg @ 20 °C
Relative Vapor Density at 20 °C	:	Not available
Relative Density	:	Not available
Specific gravity / density	:	1.40 - 1.47 g/cc at 20°C
Specific Gravity	:	Not available
Solubility	:	Water: Complete
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Corrosive to metals. Contact with metals may evolve flammable hydrogen gas. Violent exothermic reaction with water (moisture): release of corrosive gases/vapors. The substance is a strong oxidant and reacts with combustible and reducing materials.
Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.
Incompatible Materials: Strong bases. Reducing agents. Combustible materials. Organic materials. Metals.
Hazardous Decomposition Products: Nitrogen oxides. Toxic fumes.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product
Acute Toxicity: Not classified
LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.
Serious Eye Damage/Irritation: Causes serious eye damage.
Respiratory or Skin Sensitization: Not classified
Germ Cell Mutagenicity: Not classified
Teratogenicity: Not available
Carcinogenicity: Not classified
Specific Target Organ Toxicity (Repeated Exposure): Not classified
Reproductive Toxicity: Not classified
Specific Target Organ Toxicity (Single Exposure): Not classified
Aspiration Hazard: Not classified
Symptoms/Injuries After Inhalation: Inhalation may cause immediate severe irritation progressing quickly to chemical burns. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin.
Symptoms/Injuries After Skin Contact: Redness. Pain. Serious skin burns. Blisters.
Symptoms/Injuries After Eye Contact: Ocular exposure can produce severe conjunctival irritation and chemosis, corneal epithelial defects, limbal ischemia, permanent visual loss and in severe cases perforation.

Symptoms/Injuries After Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic Symptoms: Prolonged inhalation of fumes or mists may cause erosion of the teeth.
Information on Toxicological Effects - Ingredient(s)
LD50 and LC50 Data:

Nitric acid (7697-37-2)	
LC50 Inhalation Rat	67 ppm/4h
ATE US (gases)	67.00 ppmV/4h
ATE US (dust, mist)	130.00 mg/l/4h

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified

Persistence and Degradability Not available
Bioaccumulative Potential

Nitric acid (7697-37-2)	
Log Pow	-2.3 (at 25 °C)

Mobility in Soil Not available
Other Adverse Effects
Other Information: Avoid release to the environment.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14 - TRANSPORT INFORMATION

In Accordance with DOT
Proper Shipping Name : NITRIC ACID other than red fuming, with more than 70 percent nitric acid
Hazard Class : 8
Identification Number : UN2031
Label Codes : 8,5.1

Packing Group : I
ERG Number : 157

In Accordance with IMDG
Proper Shipping Name : NITRIC ACID
Hazard Class : 8
Identification Number : UN2031
Packing Group : I
Label Codes : 8,5.1
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-Q

In Accordance with IATA
Proper Shipping Name : NITRIC ACID
Packing Group : I
Identification Number : UN2031
Hazard Class : 8
Label Codes : 8,5.1

ERG Code (IATA) : 8X

In Accordance with TDG	Not regulated for transport

SECTION 15 - REGULATORY INFORMATION

US Federal Regulations

Nitric Acid, Blended (7697-37-2)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard
Nitric acid (7697-37-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302 Listed on United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000
SARA Section 313 - Emission Reporting	1.0 %
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

US State Regulations

Water (7732-18-5)
Nitric acid (7697-37-2)
U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute
U.S. - California - SCAQMD - Toxic Air Contaminants With Proposed Risk Values
U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)
U.S. - Delaware - Accidental Release Prevention Regulations - Sufficient Quantities
U.S. - Delaware - Accidental Release Prevention Regulations - Threshold Quantities
U.S. - Delaware - Accidental Release Prevention Regulations - Toxic Endpoints
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)
U.S. - Idaho - Occupational Exposure Limits - TWAs
U.S. - Illinois - Toxic Air Contaminants
U.S. - Louisiana - Reportable Quantity List for Pollutants
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2
U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Massachusetts - Toxics Use Reduction Act
U.S. - Michigan - Occupational Exposure Limits - STELs
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Michigan - Polluting Materials List
U.S. - Michigan - Process Safety Management Highly Hazardous Chemicals
U.S. - Minnesota - Chemicals of High Concern
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - STELs
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances

U.S. - New Jersey - Environmental Hazardous Substances List
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS)
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances
U.S. - North Carolina - Control of Toxic Air Pollutants
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - Ohio - Accidental Release Prevention - Threshold Quantities
U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities
U.S. - Oregon - Permissible Exposure Limits - TWAs
RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour
U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations
U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories
U.S. - Tennessee - Occupational Exposure Limits - STELs
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - STELs
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet
U.S. - Wyoming - Process Safety Management - Highly Hazardous Chemicals

Nitric acid (7697-37-2)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations

Nitric acid (7697-37-2)

Listed on the Canadian DSL (Domestic Substances List)
Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification

WHMIS Classification	Class C - Oxidizing Material Class E - Corrosive Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.	

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 08/14/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Met. Corr. 1	Corrosive to metals Category 1
Ox. Liq. 3	Oxidizing liquids Category 3
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS