

KEM CANADA MFG.
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: D1B, D2A, D2B

MATERIAL REFERENCE NO: 104300

SECTION I - MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/I.D.: A.R. 69 (BULK)	
CHEMICAL NAME: NOT APPLICABLE	CHEMICAL FAMILY: SOLVENT BLEND
CHEMICAL FORMULA: MIXTURE	MOLECULAR WEIGHT: NOT APPLICABLE
SYNONYMS: NONE	
MATERIAL USE: SILICONE LUBRICANT	

SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL

HAZARDOUS INGREDIENTS	APPROX. % CONCENT.	TLV PPM	C.A.S. NUMBERS	LD 50 ORAL, RAT	
METHYLENE CHLORIDE	60.0-100.0	50	75-09-2	1600 MG/KG	-
 MINERAL SPIRITS 	5.0-10.0	300	64741-65-7	 >8000 MG/KG 	

SECTION III - PHYSICAL DATA FOR MATERIAL

PHYSICAL STATE: LIQUID					
ODOUR AND APPEARANCE: CLEAR, COLOURLESS LIQUID; SOLVENT ODOUR.					
ODOUR THRESHOLD (PPM) SPECIFIC GRAVITY VAPOUR PRESSURE APPROXIMATELY 200 1.226 NOT AVAILABLE					
VAPOUR DENSITY (AIR=1) > 1	EVAPORATION RATE (WATER = 1) < 1	SOLUBILITY IN WATER (20øC) INSOLUBLE			
BOILING POINT (C) 40.6	FREEZING POINT (C) NOT AVAILABLE	% VOLATILE (BY WEIGHT) 93			
ph (10% SOLUTION) NOT APPLICABLE	DENSITY (G/ML) NOT APPLICABLE	COEF.OF WATER/OIL DISTR NOT AVAILABLE			



MATERIAL REFERENCE NO: 104300

SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL ______ |FLAMMABILITY: NON-FLAMMABLE IF YES, UNDER WHICH CONDITIONS: ______ MEANS OF EXTINCTION: CHEMICAL FOAM, CARBON DIOXIDE ______ SPECIAL PROCEDURES: WEAR FULL PROTECTIVE GEAR INCLUDING SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH | FLASH POINT (C) AND METHOD: MINIMUM 100 TCC | HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN CHLORIDE, TRACES OF PHOSGENE. ______ UPPER EXPLOSION LIMIT | LOWER EXPLOSION LIMIT | AUTOIGNITION TEMP(C) NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE ______ EXPLOSION DATA SENSITIVITY RATE OF BURNING EXPLOSIVE POWER TO CHEMICAL IMPACT NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE ._____ SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE SECTION V - REACTIVITY DATA ______ CHEMICAL STABILITY: NORMALLY STABLE IF NO, UNDER WHICH CONDITIONS: HIGH TEMPERATURES INCOMPATIBILITY TO OTHER SUBSTANCES: YES IF SO, WHICH ONES: STRONG OXIDIZING AGENTS OR OTHER REACTIVE REACTIVITY AND UNDER WHAT CONDITIONS: NOT ESTABLISHED HAZARDOUS POLYMERIZATION WILL NOT OCCUR. | HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION WILL GIVE CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN CHLORIDE, PHOSGENE. SECTION VI - HEALTH HAZARD DATA ROUTE OF ENTRY: ______ | SKIN CONTACT: YES | SKIN ABSORPTION: YES | EYE CONTACT: YES | INHALATION: YES | INGESTION: YES |



MATERIAL REFERENCE NO: 104300

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES-CONTACT MAY CAUSE IRRITATION.

SKIN-CONTACT MAY CAUSE DRYING OF SKIN, CRACKING WITH IRRITATION.
INHALATION-MAY CAUSE IRRITATION OF NOSE, EYES AND THROAT, COUGHING,

DIZZINESS, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS.

METHYLENE CHLORIDE MAY AFFECT THOSE WITH HEART CONDITIONS.

|INGESTION-MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING | DIARRHEA.

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL:

INHALATION-MAY CAUSE CHEMICAL BRONCHITIS, ASPHYXIA.

SKIN-PROLONGED OR REPEATED CONTACT CAN CAUSE DEFATTING AND DRYING OF SKIN RESULTING IN IRRITATION AND DERMATITIS.

NOTE-PREXISITING EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXESSIVE EXPOSURE.

|LD 50 OF MATL. |LC 50 OF MATL. |EXPOSURE LIMIT(S)|IRRITANCY OF MATL | NOT AVAILABLE | NOT AVAILABLE | TOXIC

NOT AVAIDABBE | NOT AVAIDABBE | NOT AVAIDABBE | TOATC

|SENSITIZATION OF MATERIAL | NOT AVAILABLE SYNERGISTIC MATERIALS
NOT AVAILABLE

|CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY: |CONTAINS METHYLENE CHLORIDE WHICH HAS BEEN SHOWN TO CAUSE CANCER IN |CERTAIN LABORATORY ANIMALS. MAY ALSO AFFECT THOSE WITH HEART |CONDITIONS. USE IN WELL VENTILATED AREAS ONLY.

SECTION VII - PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: RUBBER OR VINYL

RESPIRATORY: NOT NORMALLY REQUIRED. FOR PROLONGED EXPOSURES OR WHEN

TLV IS EXCEEDED, USE APPROVED ORGANIC CANISTER OR SELF

CONTAINED BREATHING APPARATUS.

EYE: FACE SHIELD OR SAFETY GOGGLES

FOOTWEAR: NO SPECIAL REQUIREMENTS.

CLOTHING: NO SPECIAL REQUIREMENTS. COVER EXPOSED SKIN.

OTHER: EYE WASH AND SAFETY SHOWER

ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): MECHANICAL

VENTILATION IN CONFINED AREAS OR WHEN TLV IS EXCEEDED.

|LEAK AND SPILL PROCEDURE: PROVIDE MAXIMUM VENTILATION. DYKE AREA AND |PUMP SPILLED MATERIAL INTO METAL CONTAINERS FOR DISPOSAL OR RECLAIM. |ABSORB REMAINING MATERIAL ONTO SAWDUST OR VERMICULITE AND PLACE |IN METAL CONTAINERS FOR DISPOSAL.

|WASTE DISPOSAL: DISPOSE IN ACCORDANCE WITH LOCAL, PROVINCIAL AND |FEDERAL REGULATIONS

<u>'</u>



MATERIAL REFERENCE NO: 104300

SECTION VIII - FIRST AID MEASURES

PROCEDURES: EYES-IMMEDIATELY FLUSH EYES WITH RUNNING WATER FOR 15 MINUTES. IF PAIN OR IRRITATION PERSIST, SEEK MEDICAL ASSISTANCE. SKIN-REMOVE CONTAMINATED CLOTHING AND FLUSH AFFECTED AREA WITH WATER FOR 15 MINUTES. IF PAIN OR IRRITATION PERSIST, SEEK MEDICAL ASSISTANCE. LAUNDER CLOTHING BEFORE REUSE.

INHALATION-MOVE VICTIM TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, ADMINISTER ARTIFICIAL RESPIRATION AND THEN GIVE OXYGEN. GET MEDICAL ATTENTION.

|INGESTION-IF SWALLOWED DO NOT INDUCE VOMITING. ASPIRATION OF |MATERIAL INTO LUNGS CAN CAUSE SEVERE INFLAMMATION OF THE LUNGS. |GET IMMEDIATE MEDICAL ATTENTION.

|SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS

ADDITIONAL INFORMATION: NONE

SECTION IX - TDG SHIPPING INFORMATION

SHIPPING NAME CLASS | UN NO. | PG |
TOXIC LIQUIDS, ORGANIC, N.O.S. | 6.1 | 2810 | III |
(DICHLOROMETHANE)

|HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH EYES AND SKIN.|
|AVOID BREATHING VAPOURS. USE IN WELL-VENTILATED AREAS ONLY. WASH |
|THOROUGHLY AFTER HANDLING. |

STORAGE REQUIREMENTS: STORE IN A COOL, DRY AREA IN TIGHTLY SEALED CONTAINERS. DO NOT STORE NEAR STRONG OXIDIZING AGENTS. KEEP CONTAINER CLOSED WHEN NOT IN USE.

|SPECIAL SHIPPING INFORMATION: NONE |

SECTION X - HMIS HAZARD RATING INFORMATION

SECTION XI - PREPARATION DATE OF MSDS

PREPARED BY: TECHNICAL DEPARTMENT TELEPHONE # (905) 456-9444

REVIEWED: OCTOBER 3, 2003

DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILTY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.