SECTION 1: IDENTIFICATIO)N
--------------------------	----

Product Name:	Acclean Dental Prophylaxis Paste with Fluoride
Catalog Numbers:	101-0353, 101-1782, 101-3422, 101-3642, 101-6147, 101-6366, 101-6571, 101-7106, 102-8016, 104-3524, 104-3525, 104-5811,
	104-7243, 104-9308, 112-5026, 112-5027, 112-5028, 112-5029,
	112-5518, 112-5519, 112-5520, 112-5521, 112-5522, 112-5523, 112-5524, 112-5525
Product Classification:	Prophylaxis Paste
Active Ingredient:	Sodium Fluoride
Manufactured By:	Henry Schein, Inc. 135 Duryea Road Melville, NY 11747
Telephone:	1-800-472-4346
Emergency Number:	Chemtrec 1-800-424-9300
Date Prepared:	January 27, 2015
Supersedes Date:	December 5, 2014
Product Use:	For cleaning and polishing procedures as a part of a professionally administered prophylaxis treatment.

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This information is based on findings from related and/or similar materials

- Will cause eye irritation
- May cause skin irritation
- Prolonged exposure may cause respiratory system irritation
- Ingestion may cause nausea, vomiting, headache, or dizziness
- Please read entire SDS for additional information



Potential Health Effects, Signs, and Symptoms of Exposure:

Eye:	Splashing into eye may cause redness of the eye.
Skin:	Repeated/prolonged contact with skin may cause irritation of the skin. Symptoms include: redness, burning, itching.
Inhalation:	Fine/small particles, if inhaled, may lead to respiratory irritation. Symptoms include: a feeling of tightness of the chest.
Ingestion	Ingesting small amounts during normal handling and use is not likely to cause harmful effects. Symptoms include: nausea, vomiting, headache, or dizziness.

Please refer to Section 11, Toxicological Information for details

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS								
Chemical ID	CAS #	EINECS #	INCI Name	Exposure OSHA (TWA/STEL)			% (By Weight)	
Sodium Fluoride	7681-49-4	231-667-8	Sodium Fluoride	3ppm/6ppm	2.5mg/m ³	Not Listed	2 – 3	
Glycerol	56-81-5	200-289-5	Glycerin	erin (as respirable, mist) (as mist) TWA=5mg/m ³ TWA=5mg/m		Not Listed	20 - 40	
Sodium Fluoride:Danger Symbol:GHS06 (T), GHS07 (Xi)Hazard Statement:H301 (R25), EUH032 (RPrecautionary Statement:P102 (S2), P260 (S23), I(S45)					(R32), H315	· /· ·		
Glycerin :		Danger Sy Hazard St Precautior	atement	: H315 (R	GHS07 (Xi) H315 (R38), H319 (R36) ent: P404 (S7), P403+235 (S3/9)			

Please refer to Section 16 for Hazard and Precautionary Statement Key

SECTION 4: FIRST AID MEASURES

The following first aid recommendations are based on an assumption that appropriate personal hygiene and industrial hygiene practices are followed.

Eye Contact:	Flush eyes with large amounts of water, including under eyelids. If signs/symptoms persist, seek medical attention.
Skin Contact:	Wash thoroughly with soap and water. Remove contaminated clothing. If signs/symptoms persist, seek medical attention.
Inhalation	Move into fresh air. If having difficulty breathing, administer oxygen. If signs/symptoms persist, seek medical attention.
Ingestion:	Induce vomiting and seek medical attention. In the case of a child who has swallowed approximately 10g of paste, seek immediate medical attention. In the case of an adult who has swallowed approximately 100g of paste, seek immediate medical attention.

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
N/A	N/A	N/A
Extinguishing Media:	Suitable extinguishing mat	erial for the surrounding fire should be used.
Firing Fighting Instructi	thermal decomposition. If	highly toxic gases may be generated by potential for exposure, wear complete nent, including: self-contained breathing a safe distance.
Unusual Hazards:	Evacuate all personnel.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Release Procedures

Minor Spills:Clean-up immediately, avoid contact with skin and eyes. Mop area and
clean with soapy water.Major Spills:Clear area of personnel. Restrict access to area. Avoid contact with skin
and eyes, mop/s. Collect contaminated water squeegee area with soapy
water and dispose of properly.

SECTION 7: HANDLING AND STORAGE

Handling:Limit all unnecessary contact. Avoid breathing dust/vapors. Wear appropriate PPE.Storage:Store in a cool, well ventilated area away from heat, sparks, and flame. Keep
containers closed when not in use. Keep in original container provided by

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

manufacturer.

Engineering Controls:	General exhaust is adequate under normal operating conditions.
General PPE:	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment done in accordance with OSHA PPE Standard (229CFR1910.132) or with European Standard EN166, be completed before using this product.
Eye/Face Protection:	Safety glasses/goggles, or splash shields, are required when handling. Ensure an eye-wash station is on-hand.
Skin Protection:	No special equipment for minor exposure (i.e. when handling small quantities), but, it is recommended that impermeable clothing (gloves, apron, boots, or whole body suit) to prevent any contact with this product.
Respiratory Protection :	In case of insufficient ventilation, wear suitable respiratory equipment.

PHYSICAL AN	ID CHEMICA	L PRO	PERT	IES			
Odor & Odor	Threshold	рН	Spec	ific Gravity	/ Viscosity	%\	/olatile
Odor of Stat	ed Flavor	6 – 8	(H2	0 = 1): N/A	N/A		N/A
Decomposition Temperature	Partitioning Coefficient	y Va Pre	•	Vapor Density	Evaporation Rate	Ignition	Solubility in Water (20°C)
N/DA	N/DA	Ν	J/A	N/A	N/A	N/A	N/A
Flash Point (°F/°C) Flammable Limit Auto-Ignition Temperature (vol%) N/A N/A N/A					/01%)		
	Odor & Odor Odor of Stat	Odor & Odor Threshold Odor of Stated Flavor Decomposition Temperature N/DA N/DA	Odor & Odor Threshold pH Odor of Stated Flavor 6 - 8 Decomposition Temperature Octanol/Water Partitioning (Log Po/w) Va Pre N/DA N/DA N/DA Flammable Limit	Odor & Odor Threshold pH Spect Odor of Stated Flavor 6 - 8 (H2 Decomposition Temperature Octanol/Water Partitioning Coefficient (Log Po/w) Vapor Pressure N/DA N/DA N/A t (°F/°C) Flammable Limit	Odor of Stated Flavor 6 - 8 (H2O = 1): N/A Decomposition Temperature Octanol/Water Partitioning Coefficient (Log Po/w) Vapor Pressure Vapor Density N/DA N/DA N/A N/A t (°F/°C) Flammable Limit Autor	Odor & Odor Threshold pH Specific Gravity Viscosity Odor of Stated Flavor 6 - 8 (H2O = 1): N/A N/A Decomposition Temperature Octanol/Water Partitioning Coefficient (Log Po/w) Vapor Pressure Vapor Density Evaporation Rate N/DA N/DA N/A N/A N/A	Odor & Odor Threshold pH Specific Gravity Viscosity % N Odor of Stated Flavor 6 - 8 (H2O = 1): N/A N/A N/A Decomposition Temperature Octanol/Water Partitioning Coefficient (Log Po/w) Vapor Pressure Vapor Density Evaporation Rate Ignition N/DA N/DA N/A N/A N/A N/A t (°F/°C) Flammable Limit Auto-Ignition Temperature (N

SECTION 10: STABILITY AND REACTIVITY			
Stability:	Stable.		
Materials and Conditions to Avoid:	Strong Acids. Heat.		
Hazardous Decomposition Products: Toxic Fumes (HF).			
Hazardous Polymerization:	Hazardous polymerization will not occur.		

SECTION 11: TOXICOLOGY INFORMATION

Active Oral Toxicity	Active Toxicity to Invertebrates		J		Irritation - Eye		
N/DA		N/DA N/DA		N/DA N/DA		N/DA	N/DA
Sensitization		Mutagenicity		Sub-Chronic	Toxicity		
N/DA			N/DA	N/DA			

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological Information: Not determined.

Chemical Fate Information: Not determined.

SECTION 13: DISPOSAL CONSIDERATION

Dispose of in compliance with governmental regulations.

Dispose of container and unused contents in accordance with local, state, and federal requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

SECTION 14: TRANSPORTATION INFORMATION

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
DOT	None	Not Regulated	None	None	Not applicable
ADR (road)	None	Not Regulated	None	None	Not applicable
RID (rail)	None	Not Regulated	None	None	Not applicable
IMDG (sea)	None	Not Regulated	None	None	Not applicable
IATA/ICAO (air)	None	Not Regulated	None	None	Not applicable

Other Information:

N/A

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

Clean Air Act HAP/ODS: This product contains the following HAPs or ODSs: NONE.

Clean Water Act: Priority Pollutant: This product contains the following chemicals listed under the US Clean Water Act Priority Pollutant and Hazardous Substance List: NONE.

FDA: Food Packaging Status:	This product has not been cleared by the USFDA for use in food packaging and/or other applications as an indirect food-packaging additive.
Occupational Safety and Health:	This product is considered to be hazardous under the Its hazards are: $\ensuremath{\textbf{NONE}}.$
RCRA:	This product contains the following chemicals which are considered to be hazardous waste under RCRA (40CFR261): NONE .
SARA Title III: Section 302 (RQ):	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 304 (TPQ):	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311- 312 (40CFR370). Its hazards are: SODIUM FLUORIDE (CAS # 7681-49-4, Corrosive).
SARA Title III: Section 311-312:	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification (CERCLA List): SODIUM FLUORIDE (CAS # 7681- 49-4, 1000 RQ #).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40CFR372: NONE .
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA Inventory, or otherwise complies with TSCA pre-manufacture notification requirements: SODIUM FLUORIDE (CAS # 7681-49-4).
TSCA Significant New Use Rule:	None of the chemicals in this material have an SNUR under TSCA.
State Regulations:	Contact E. C. Moore for more information
CDSL: Canadian Inventory:	Sodium Fluoride (CAS # 7681-49-4) Glycerol (CAS # 56-81-5)

Labeling According to EC Directives – 1272/2008 (CLP) and 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:



- DANGER SYMBOLS: GHS07 (X_i) Warning/Irritant
- HAZARD STATEMENTS: **H302**, Harmful if swallowed; **H315**, Causes skin irritation; **H319**, Causes serious eye irritation
- PRECAUTIONARY STATEMENTS: See Section 16


SECTION 16: OTHER INFORMATION

EU Classes and Risk/Safety Phases for Referenced Ingredients (See Section 2)

Danger Symbols:	GHS07 – Warning/Irritant
Hazard Statements:	 R25 – Harmful if swallowed R32 – Contact with acids liberates toxic gas R36/37/38 – Irritating to eyes, respiratory system, and skin
Precautionary Statements:	 P102 – Keep out of reach of children P264 – Wash hands after use, rinse oral cavity and expectorate fluid P270 – Do not eat, drink, or smoke while using this product P280 – Wear protective gloves/protective clothing/eye protection/face protection P330 – Rinse mouth P301+P312 – IF SWALLOWED: Call a POISON CENTER or a medical professional if you feel unwell P302+P352 – IF ON SKIN: Wash with plenty of water P332+P313 – If skin irritation occurs: Get medical advice/attention P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing P337+P313 – If eye irritation persists get medical advice/attention P309+314 (S45) – If exposed, or you feel unwell, seek medical advice/attention

Hazard Rating System (Pictograms)

NFPA:



HMIS:



The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, EC Moore assumes no responsibility and expressly disclaims liability for loss, damage, or expense arising out of any way connected with the handling, storage, use, or disposal of this product. This SDS was expressly prepared for this product. Use the materials only as directed. If the product is used as a component in another product, the information contained within this SDS may not be applicable.