

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 1 of 9

1. Product and company identification

Product identifier

Trade name: Citrus-Cleaner Spray

Relevant identified uses of the substance or mixture and uses advised against

General use: Technical aerosol

Details of the supplier of the safety data sheet

Company name: WEICON Inc.

Street/POB-No.: 20 Steckle Place, Unit 20 Postal Code, city: Kitchener, Ontario N2E 2C3, CA

 WWW:
 www.weicon.ca

 E-mail:
 info@weicon.ca

 Telephone:
 +1-519-896-5252

 Telefax:
 +1-519-896-5254

Dept. responsible for information:

Product-Safety-Department

Telephone: +49(0)251 / 9322 - 0, Email: msds@weicon.de

Emergency phone number

EMERGENCY CONTACT - USA (24h): Tel: ++1 202 464 2554

Transport:

TRANSPORT EMERGENCY CONTACT - USA (24h): Tel: ++1 202 464 2554

2. Hazards identification

Emergency overview

Appearance: Physical state at 68 °F and 101.3 kPa: liquid

Form: Aerosol Color: colorless, clear

Odor: fruity

Classification: Aerosol - Category 1; Eye Irritation - Category 2A; Sensitization - skin - Category 1;

Specific Target Organ Toxicity (Single Exposure) - Category 3;

Aquatic toxicity - chronic - Category 2;

Hazard symbols:







Signal word: Danger

Hazard statements: Extremely flammable aerosol.

Pressurised container: May burst if heated. May cause an allergic skin reaction. Causes serious eye irritation.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: Language: Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 2 of 9

Precautionary statements: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands and face thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water/soap.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see 'First aid 'on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Collect spillage.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container to hazardous or special waste collection point.

Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Potentially explosive mixtures may form if adequate ventilation is not provided. Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may have a narcotic effect.

see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterization: Preparation of active ingredients with propellant Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 67-63-0	Isopropyl alcohol	75 - 100 %	Flammable Liquid - Category 2. Eye Irritation - Category 2A. Specific Target Organ Toxicity (Single Exposure) - Category 3.
CAS 124-38-9	Carbon dioxide	< 3 %	Liquefied Gas.
CAS 5989-27-5	(R)-p-Mentha-1,8-diene	10 - 20 %	Flammable Liquid - Category 3. Skin Irritation - Category 2. Sensitization - skin - Category 1. Aquatic toxicity - acute - Category 1. Aquatic toxicity - chronic - Category 1.

Contents of perfumes: 15-30 % Additional information:



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 3 of 9

4. First aid measures

General information: First aider: Pay attention to self-protection!

Take off contaminated clothing and wash it before reuse.

In case of inhalation: Move victim to fresh air, put at rest and loosen restrictive clothing.

Seek medical attention.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing.

In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Consult an ophthalmologist.

After swallowing: Immediately get medical attention. Do not induce vomiting. Never give anything by

mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

May cause drowsiness or dizziness. May cause an allergic skin reaction. Causes serious eye irritation. Inhalation causes narcotic effects/intoxication. Further hazardous

properties cannot be excluded.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

55.4 °F

Auto-ignition temperature: not self-igniting

Suitable extinguishing media:

Alcohol resistant foam, dry chemical powder, carbon dioxide, water mist.

Extinguishing media which must not be used for safety reasons:

full water jet

Specific hazards arising from the chemical

Do not expose to high temperature. Danger of bursting and explosion. Cool exposed

containers with water spray.

May form dangerous gases and vapours in case of fire.

In case of fire may be liberated: Carbon monoxide and carbon dioxide.

Potentially explosive vapor/air mixtures may form.

Protective equipment and precautions for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting

protective clothing.

Additional information: You have to dispose of contaminated extinguishing water according to the regulations of

the authorities.

6. Accidental release measures

Personal precautions: Do not breathe gas/vapor/spray. Avoid contact with the substance.

In case of leakage, eliminate all ignition sources. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Do not open or incinerate, even when empty. Do not spray into flames or on

incandescent objects.

Environmental precautions:

Do not allow to enter into ground-water, surface water or drains. In case of release, notify competent authorities. Danger of explosion!



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170

Page: 4 of 9

Methods for clean-up: Isolate leaked material using non-flammable absorption agent (e.g. sand, earth,

vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in

accordance with the local regulations (see section 13). Beware of reignition. Thoroughly clean surrounding area.

Additional information: Use explosion-proof equipment and non-sparking tools/utensils.

7. Handling and storage

Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe

gas/vapor/spray.

Avoid contact with skin and eyes. Wear appropriate protective equipment. Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation. Take off contaminated clothing and wash it before reuse.

Precautions against fire and explosion:

Container under pressure. Do not open or incinerate, even when empty. Do not spray into flames or on incandescent objects. Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Use only explosion-protected equipment/instruments. Do not weld.

In partially filled containers explosive mixtures may form. Vapors may form explosive

mixtures with air.

Storage

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight.

Store containers in upright position. Explosion protection required. Store locked up.

Keep at temperature not exceeding 122 °F.

Hints on joint storage: Do not store together with combustible or self-igniting materials or any highly flammable

solids. Keep away from food, drink and animal feedingstuffs.

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
67-63-0	Isopropyl alcohol	USA: ACGIH: STEL USA: ACGIH: TWA USA: NIOSH: STEL USA: NIOSH: TWA USA: OSHA: TWA	984 mg/m³; 400 ppm 492 mg/m³; 200 ppm 1225 mg/m³; 500 ppm 980 mg/m³; 400 ppm 980 mg/m³; 400 ppm
124-38-9	Carbon dioxide	USA: ACGIH: STEL USA: ACGIH: TWA USA: NIOSH: STEL USA: NIOSH: TWA USA: OSHA: TWA	54000 mg/m³; 30000 ppm 9000 mg/m³; 5000 ppm 54000 mg/m³; 30000 ppm 9000 mg/m³; 5000 ppm 9000 mg/m³; 5000 ppm

Biological limit values:

CAS No.	Designation	Туре	Limit value	Parameter	Sampling
67-63-0 Is	sopropyl alcohol	USA: ACGIH-BEI, urine	40 mg/L	Acetone in urine	end of shift at end of workweek



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 5 of 9

Engineering controls

Provide for good ventilation or exhaust system or work with completely self-contained

equipment. Use only explosion-proof equipment.

See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI

Z87.1-2010.

Skin protection Flame retardant, antistatic and chemical resistant protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138 (Solvent resistant

protective gloves).

Glove material: Nitrile rubber - Layer thickness: 0.7 mm

Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough

time.

Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been

exceeded.

The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

General hygiene considerations:

Use non-sparking tools. Keep away from sources of heat (e.g. hot surfaces), sparks

and open flames.

Do not breathe gas/vapor/spray. Avoid contact with skin and eyes.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Wash hands before breaks and after work.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Physical state at 68 °F and 101.3 kPa: liquid

Form: Aerosol Color: colorless, clear

Odor: fruity

Odor threshold:

PH value:

No data available

No data available

Melting point/freezing point:

No data available

 $\begin{array}{ll} \mbox{Initial boiling point and boiling range:} & 179.6 \ ^{\circ}\mbox{F} \\ \mbox{Flash point/flash point range:} & 55.4 \ ^{\circ}\mbox{F} \end{array}$

Evaporation rate: No data available

Flammability: Extremely flammable aerosol.

Explosion limits: LEL (Lower Explosion Limit): 0.70 Vol-% UEL (Upper Explosive Limit): 12.00 Vol-%

Vapor pressure:at 68 °F: 43 hPaVapor density:No data availableDensity:at 68 °F: 0.82 g/mL

Water solubility: immiscible or slightly miscible

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Thermal decomposition:

No data available

No data available

Explosive properties: Product is not explosive. Potentially explosive vapor/air mixtures may form.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 6 of 9

10. Stability and reactivity

Reactivity: Extremely flammable aerosol. Vapors may form explosive mixtures with air.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

Container under pressure. Do not expose to high temperature. Danger of bursting and

explosion.

Conditions to avoid: Keep away from heat sources, sparks and open flames. Protect from direct exposure to

sunlight and temperatures exceeding 122 °F.

Incompatible materials: Do not store together with combustible or self-igniting materials or any highly flammable

solids.

Hazardous decomposition products:

May form dangerous gases and vapours in case of fire. carbon monoxide and carbon

dioxide

Thermal decomposition: No data available

11. Toxicological information

Toxicological tests

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): ATE > 5000 mg/kg.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix (calculated): ATE > 5000 mg/kg.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix (calculated): ATE > 50 mg/L.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Eye damage/irritation: Eye Irritation - Category 2A = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Sensitization - skin -

Category 1 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Specific Target Organ Toxicity (Single

Exposure) - Category 3 = May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 7 of 9

Other information: Information about Isopropyl alcohol: Carcinogen Status:

IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed

Acute oral toxicity: LD50, Rat: 5840 mg/kg

Acute inhalation toxicity: LC50, Rat: 25000 mg/m³/4h Acute dermal toxicity: LD50, Rabbit: 13900 mg/kg

Information about (R)-p-Mentha-1,8-diene: Carcinogen Status:

IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed

Acute oral toxicity: LD50, Rat: 4400 mg/kg Acute dermal toxicity: LD50, Rabbit: 2000 mg/kg

Symptoms

Inhalation causes narcotic effects/intoxication. Further hazardous properties cannot be

excluded.

12. Ecological information

Ecotoxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Information about Isopropyl alcohol:

Fish toxicity: LC50 Pimephales promelas (fathead minnow) 9640 mg/L/96h Daphnia toxicity: LC50 Daphnia magna (Big water flea): 9714 mg/L/24h

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

Volatile organic compounds (VOC):

96.7 % by weight = 792.9 g/L

General information: Avoid spills and leaks. Very small amounts contaminates drinking water.

Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Handle empty containers with care.

Incineration may cause explosion. Spray can must be completely empty for proper

waste disposal.

ШЕІСОП[®]

SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 8 of 9

14. Transport information

USA: Department of Transportation (DOT)

Identification number: UN1950

Proper shipping name: UN 1950, AEROSOLS

Hazard class or Division:

Labels:

Special provisions:

Packaging – Exceptions:

Packaging – Non-bulk:

Packaging – Bulk:

Quantity limitations – Passenger aircraft / rail:

75 kg

Quantity limitations – Cargo only: 150 kg
Vessel stowage – Location: A

Vessel stowage – Other: 25, 87, 126

Sea transport (IMDG)

UN number: UN 1950

Proper shipping name: UN 1950, AEROSOLS Class or division, Subsidary risk: Class 2.1, Subrisk-

Packing Group:

EmS: F-D, S-U

Special provisions: 63, 190, 277, 327, 344, 959

Limited quantities: 1000 mL

Excepted quantities: E0

Contaminated packaging - Instructions: P207, LP02
Contaminated packaging - Provisions: PP87, L2

 IBC - Instructions:

 IBC - Provisions:

 Tank instructions - IMO:

 Tank instructions - UN:

 Tank instructions - Provisions:

Stowage and handling: SW1 SW22
Segregation: SG69
Properties and observations: Marine pollutant: Yes

Segregation group:

Air transport (IATA)

UN/ID number: UN 1950

Proper shipping name: UN 1950, AEROSOLS, flammable

none

Class or division, Subsidary risk: Class 2.1 Hazard label: Flamm. gas

Excepted Quantity Code: E0

Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y203 - Max. Net Qty/Pkg. 30 kg G
Passenger and Cargo Aircraft: Pack.Instr. 203 - Max. Net Qty/Pkg. 75 kg
Cargo Aircraft only: Pack.Instr. 203 - Max. Net Qty/Pkg. 150 kg

Special provisions: A145 A167 A802

Emergency Response Guide-Code (ERG): 10L

2



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Aug/5/2016 Version: 2 Language: en-US Date of print: Aug/11/2016

Citrus-Cleaner Spray

Material number 112170 Page: 9 of 9

15. Regulatory information

National regulations - U.S. Federal Regulations

Isopropyl alcohol: TSCA Inventory: listed

TSCA HPVC: not listed
Carcinogen Status:
IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed
NIOSH Recommendations:

Occupational Health Guideline: 0359

Carbon dioxide: TSCA Inventory: listed

TSCA HPVC: not listed NIOSH Recommendations: Occupational Health Guideline:

0103*

(R)-p-Mentha-1,8-diene: TSCA Inventory: listed

TSCA HPVC: not listed
Carcinogen Status:
IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed
Other Environmental Laws:

Marine Pollutant: listed as pollutant.

National regulations - U.S. State Regulations

California Proposition 65: Not listed.

National regulations - Great Britain

Hazchem-Code:

16. Other information

Text for labeling: Contains 75 - 100 % Isopropyl alcohol, < 3 % Carbon dioxide, 10 - 20 %

(R)-p-Mentha-1,8-diene. Safety data sheet available on request.

Hazard rating systems: NFPA Hazard Rating:

2 2

Health: 2 (Moderate)
Fire: 4 (Severe)
Reactivity: 2 (Moderate)
HMIS Version III Rating:

Health: 2 (Moderate)
Flammability: 4 (Severe)
Physical Hazard: 2 (Moderate)

Personal Protection: X = Consult your supervisor

Reason of change: Changes in section 1: General revision

Date of first version: Jan/29/2016

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

HEALTH 2
FLAMMABILITY 4
PHYSICAL HAZARD 2
X