SECTION 1 – IDENTIFICATION

Name, Address, and Telephone of the Responsible Party

Dyno Nobel Inc.

2795 East Cottonwood Parkway, Suite 500

Salt Lake City, Utah 84121

Phone: 801-364-4800 Fax 801-321-6703

E-Mail: dnna.hse@am.dynonobel.com www.dynonobel.com

Product Identifier
Product Form: Mixture

Product Name: Aqua Ammonia
Other Means of Identification

Synonyms:

Ammonia Solutions Ammonium Hydroxide

High Strength Aqua Ammonia (30% NH₃) Regular Strength Aqua Ammonia (19% NH₃)

Intended Use of the Product

Professional industrial applications.

Emergency Telephone Number

FOR 24 HOUR EMERGENCY, CALL CHEMTREC (USA) 800-424-9300

CANUTEC (CANADA) 613-996-6666

SECTION 2 – HAZARD(S) IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

 Acute Tox. 4 (Oral)
 H302

 Skin Corr. 1B
 H314

 Eye Dam. 1
 H318

 Aquatic Acute 1
 H400

Label Elements GHS-US Labeling

Hazard Pictograms (GHS-US)







Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage. H400 - Very toxic to aquatic life.

Precautionary Statements (GHS-US) : P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after

handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated

SDS# Date: 05/19/2015 Page 1 of 8



SDS #: 1130

10/12/2015

Supersedes: 05/19/2012

Date:

clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see section 4 on this SDS).

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Hazards Not Otherwise Classified (HNOC): Not available

Other Hazards: Exposure may aggravate individuals with pre-existing skin, kidney, liver, and pulmonary disorders.

Flammable vapors can accumulate in head space of closed systems.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS Mixture				
Water	(CAS No) 7732-18-5	65 - 90	Not classified	
Ammonium hydroxide	(CAS No) 1336-21-6	10 - 35	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400	

Ingredients, other than those mentioned above, as used in this product are not hazardous as defined under current Department of Labor regulations, or are present in deminimus concentrations (less than 0.1% for carcinogens, less than 1.0% for other hazardous materials).

Full text of H-phrases: see section 16

SECTION 4 - FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 60 minutes. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

General: Corrosive to eyes, respiratory system and skin. Harmful if swallowed.

Inhalation: Corrosive to mucus membranes. The gas is extremely irritating to mucous membranes and lung tissue. Coughing, chest pain, and difficulty in breathing may result. Prolonged exposure may result in bronchitis, pulmonary edema, and chemical pneumonitis. Breathing high concentrations may result in death.

Skin Contact: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SDS# Date: 05/19/2015 Page 2 of 8



SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, alcohol-resistant foam.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

Do not use carbon dioxide, ammonia will react with carbon dioxide to form a dense white cloud.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: If exposed to elevated temperatures, Aqua Ammonia will release Ammonia gas. Although classified nonflammable, Ammonia does have an explosive range. Ammonia can be a dangerous fire and explosion hazard when mixed with air

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory

protection

Hazardous Combustion Products: Ammonia and oxides of Nitrogen (Nitrogen Dioxide, Nitric Oxide).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all eyes and skin contact and do not breathe vapor and mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep/Store away from extremely high or low temperatures, ignition sources, direct sunlight, and incompatible materials. Store in a well-ventilated place. Keep container tightly closed.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Chlorine, bromine, pentafluoride, nitrogen trifluoride, mercury, silver oxide, calcium, and chlorides of iron. Do not use copper, brass, bronze, or galvanized steel in Aqua Ammonia service.

SDS# Date: 05/19/2015 Page 3 of 8



SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Avoid all unnecessary exposure. Protective goggles. Corrosionproof clothing. Gloves. Face shield.









Materials for Protective Clothing: Chemically resistant materials and fabrics. Corrosionproof clothing.

Hand Protection: Wear protective gloves. Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles and face shield. **Skin and Body Protection:** Corrosionproof clothing.

Respiratory Protection: in case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are

not known wear approved respiratory protection.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : Colorless liquid

Odor : Pungent and extremely irritating odor

Odor Threshold: Not availablepH: Not availableEvaporation Rate: Not availableMelting Point: Not available

Melting Point: Not availableFreezing Point: Not available

Boiling Point : 27 - 49 °C (80.6 - 120 °F)

Flash Point: Not availableAuto-ignition Temperature: Not availableDecomposition Temperature: Not availableFlammability (solid, gas): Not available

Vapor Pressure : 4.5 - 11.0 psia @ 20°C (68°F)
Relative Vapor Density at 20 °C : 0.6 (air = 1) for gaseous ammonia

Relative Density : Not available

Specific Gravity : 0.89 - 0.93 g/cc (7.45 - 7.75 lb/gal)

Solubility : Water: infinitely soluble

Partition Coefficient: N-Octanol/Water : Not available Viscosity : Not available

SDS# Date: 05/19/2015 Page 4 of 8



Explosion Data - Sensitivity to Mechanical Not expected to present an explosion hazard due to mechanical

Impact impact.

Not expected to present an explosion hazard due to static discharge.

Discharge

SECTION 10 - STABILITY AND REACTIVITY

Explosion Data - Sensitivity to Static

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames.

incompatible materials, and other ignition sources.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Chlorine, bromine, pentafluoride, nitrogen trifluoride, mercury, silver oxide, calcium, and chlorides of iron. Do not use copper, brass, bronze, or galvanized steel in

Aqua Ammonia service.

Hazardous Decomposition Products: Ammonia and oxides of Nitrogen (Nitrogen Dioxide, Nitric Oxide).

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Oral: Harmful if swallowed.

LD50 and LC50 Data: 1130 Aqua Ammonia

ATE US (oral) 1,000.00 mg/kg body weight

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries Inhalation: Corrosive to mucus membranes. The gas is extremely irritating to mucous membranes and lung tissue. Coughing, chest pain, and difficulty in breathing may result. Prolonged exposure may result in bronchitis, pulmonary edema, and chemical pneumonitis. Breathing high concentrations may result in death.

Symptoms/Injuries Skin Contact: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Causes severe skin burns.

Symptoms/Injuries Eye Contact: Causes serious eye damage.

Symptoms/Injuries Ingestion: Harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Ammonium hydroxide (1336-21-6)

LD50 Oral Rat 350 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified

SDS# Date: 05/19/2015 Page 5 of 8



1-			
Ammonium hydroxide (1336-21-6)			
LC50 Fish 1	8.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas)		
EC50 Daphnia 1	0.66 mg/l (Exposure time: 48 h - Species: water flea)		
EC50 Daphnia 2	0.66 mg/l (Exposure time: 48 h - Species: Daphnia pulex)		
Persistence and Degradability			
1130 Aqua Ammonia			
Persistence and Degradability	Not established.		
Bioaccumulative Potential			
1130 Aqua Ammonia			
Bioaccumulative Potential	Not established.		
Mobility in Soil Not available			
Other Adverse Effects			
Other Information: Avoid release to the environment.			

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, provincial, territorial and international regulations.

Additional Information: Aqua Ammonia is an immediate poison to marine life. Vegetation, insects, reptiles, fish and small mammals contacted by Aqua Ammonia (or a large gaseous Ammonia vapor clouds released by heat) will likely die. Post spill conservation measures may be required. Minimize runoff to watersheds by diking, containment or absorption. Contaminated dirt may be spread as a fertilizer.

SECTION 14 - TRANSPORT INFORMATION

"RQ" required only if container (drum, rail tank car, etc.) has 100 pounds or more of Aqua Ammonia at >20% strength or 1,000 pounds or more at <20% strength.

In Accordance with DOT

Proper Shipping Name : AMMONIA SOLUTION (relative density between 0.880 and 0.957 at 15 degrees C in

water, with more than 10 percent but not more than 35 percent ammonia)

Hazard Class : 8

Identification Number : UN2672

Label Codes : 8

Packing Group : III ERG Number : 154

In Accordance with IMDG

Proper Shipping Name : AMMONIA SOLUTION

Hazard Class :

Identification Number : UN2672

Packing Group : III Label Codes : 8 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B

In Accordance with IATA

Proper Shipping Name : AMMONIA SOLUTION

Packing Group : III

Identification Number : UN2672

Hazard Class : 8
Label Codes : 8
ERG Code (IATA) : 8L

In Accordance with TDG







SDS# Date: 05/19/2015 Page 6 of 8



Proper Shipping Name : AMMONIA SOLUTION

Packing Group : III
Hazard Class : 8
Identification Number : UN2672

Label Codes : 8



SECTION 15 - REGULATORY INFORMATION

US Federal Regulations

Aqua Ammonia

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

Ammonium hydroxide (1336-21-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

Water (7732-18-5)

Ammonium hydroxide (1336-21-6)

- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Polluting Materials List
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey TCPA Extraordinarily Hazardous Substances (EHS)
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Ammonium hydroxide (1336-21-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian Regulations

Aqua Ammonia

WHMIS Classification Class E - Corrosive Material

Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects

SDS# Date: 05/19/2015 Page 7 of 8







Ammonium hydroxide (1336-21-6)

Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification | Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic

effects

Class E - Corrosive Material

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 05/19/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the

OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

Party Responsible for the Preparation of This Document

Dyno Nobel Inc.

2795 East Cottonwood Parkway, Suite 500

Salt Lake City, Utah 84121 Phone: 801-364-4800

Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS

SDS# Date: 05/19/2015 Page 8 of 8

