# **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: AMMONIUM CHLORIDE, TEC

Revision Date: 28-Feb-2014

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: AMMONIUM CHLORIDE, TEC

Synonyms: None
Chemical Family: Inorganic
Application: Clay Stabilizer

Manufacturer/Supplier Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Ammonium chloride	12125-02-9	60 - 100%	TWA: 10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
			STEL: 20 mg/m <sup>3</sup>	

# 3. HAZARDS IDENTIFICATION

**Hazard Overview** May cause eye, skin, and respiratory irritation.

# 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists. Remove

contaminated clothing and launder before reuse.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

## 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Not Determined

Flammability Limits in Air - Lower (%):

Not Determined

Not Determined

Not Determined

Flammability Limits in Air - Upper (%):

Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

**Special Exposure Hazards** Decomposition in fire may produce toxic gases.

**Special Protective Equipment** 

for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required

for fire fighting personnel.

NFPA Ratings: Health 1, Flammability 0, Reactivity 0

HMIS Ratings: Health 1, Flammability 0, Physical Hazard 0, PPE: F

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary** 

Measures

Use appropriate protective equipment. Avoid creating and breathing dust.

**Environmental Precautionary** 

Measures

None known.

Procedure for Cleaning /

**Absorption** 

Scoop up and remove.

## 7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust.

Storage Information Store away from alkalis. Store in a cool, dry location. Product has a shelf life of 60

months.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use in a well ventilated area. Localized ventilation should be used to control dust

levels.

**Respiratory Protection** Dust/mist respirator. (N95, P2/P3)

Hand Protection Impervious rubber gloves. Neoprene gloves. Butyl rubber gloves. Vinyl gloves.

**Skin Protection** Normal work coveralls.

**Eye Protection** Wear safety glasses or goggles to protect against exposure.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid

**Color:** White to light straw

Odor: Odorless pH: 5.5
Specific Gravity @ 20 C (Water=1): 1.52

Density @ 20 C (lbs./gallon): Not Determined

Bulk Density @ 20 C (lbs/ft3):96.1Boiling Point/Range (F):968Boiling Point/Range (C):520

Freezing Point/Range (F):

Freezing Point/Range (C):

Vapor Pressure @ 20 C (mmHg):

Not Determined

Not Determined

Vapor Density (Air=1): 1.8

Percent Volatiles: Not Determined Evaporation Rate (Butyl Acetate=1): Not Determined

Solubility in Water (g/100ml): 27

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Not Determined

Not Determined

Not Determined

Molecular Weight (g/mole): 53.46

## 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong alkalis. Carbonates of alkalis. Contact with lead. Silver salts.

**Hazardous Decomposition** 

**Products** 

Ammonia. Oxides of nitrogen.

Additional Guidelines Not Applicable

# 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

Sympotoms related to exposure

**Acute Toxicity** 

**Inhalation** May cause convulsions. Coughing, chest pains, and breathing difficulty may occur. May

cause lungs to fill with fluids.

**Eye Contact** May cause eye irritation **Skin Contact** May cause skin irritation.

**Ingestion** Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea,

and diarrhea.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are chronic

health hazards.

Toxicology data for the components

<b>a</b>	0.4.0. N	L DE0 0:1	1 DEA D	LOFA bub stadless
Substances	ICAS Number I	LD50 Oral	LD50 Dermal	LC50 Inhalation

Ammonium chloride	12125-02-9	1410 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available
		1220 mg/kg (Rat)		
		1630 mg/kg (Rat)		
		1300 mg/kg (Mouse)		

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicological Information**

**Ecotoxicity Product** 

Acute Fish Toxicity: Not determined

Acute Crustaceans Toxicity: TLM96: 16 mg/l (Crangon crangon)
Acute Algae Toxicity: EC50: 40-70 mg/l (Skeletonema costatum)

**Ecotoxicity Substance** 

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Ammonium chloride	12125-02-9	EC50: 40-70 mg/l (Skeletonema costatum) EC50(10d): 90.4 mg/L (Navicula sp.) NOEC(10d): 26.8 mg/L (growth rate) (Navicula sp.) EC50(5d): 1300 mg/L (growth rate) (Chlorella vulgaris)	LC50(96h): 275 mg/L (Cyprinus carpio) LC50(96h): 163 mg/L (Pimephales promelas) LC50(96h): 218 mg/L (Lepomis cyanellus) NOEC(28d): 11.8 mg/L (Pimephales promelas)	EC50(30m): 1618 mg/L (activated sludge, domestic)	TLM96: 16 mg/l (Crangon crangon) EC50(48h): 101 mg/L (Daphnia magna) NOEC(21d): 14.6 mg/L (Daphnia magna)

#### 12.2 Persistence and degradability

No information available

#### 12.3 Bioaccumulative potential

No information available

#### 12.4 Mobility in soil

No information available

## 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

**Disposal Method** Bury in a licensed landfill according to federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

# 14. TRANSPORT INFORMATION

# **Land Transportation**

DOT

Not restricted

#### **Canadian TDG**

Not restricted

#### **ADR**

Not restricted

# Air Transportation

#### ICAO/IATA

Not restricted

## Sea Transportation

**IMDG** 

Not restricted

# Other Transportation Information

Labels: None

#### REGULATORY INFORMATION

## **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely** 

**Hazardous Substances** 

Not applicable

EPA SARA (311,312) Hazard

**Class** 

Acute Health Hazard

**EPA SARA (313) Chemicals** 

This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Ammonium Chloride//12125-02-9

**EPA CERCLA/Superfund** 

**California Proposition 65** 

MA Right-to-Know Law

Reportable Spill Quantity

Classification

EPA Reportable Spill Quantity is 5000 Pounds based on Ammonium chloride

(CAS: 12125-02-9).

**EPA RCRA Hazardous Waste** 

If product becomes a waste, it does NOT meet the criteria of a hazardous waste

All components listed do not apply to the California Proposition 65 Regulation.

as defined by the US EPA.

One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

**Canadian Regulations** 

Canadian DSL Inventory All components listed on inventory or are exempt.

**WHMIS Hazard Class** D2B Toxic Materials

## OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

## **Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*