HALLIBURTON

SAFETY DATA SHEET **ALDACIDE® G ANTIMICROBIAL**

Revision Date: 05-Jun-2015 **Revision Number: 31**

1. Product and Company Identification

Product Name

Product Trade Name: ALDACIDE® G ANTIMICROBIAL

Other Names

Synonyms: None HM003462 **Product Code:**

Recommended Use

Recommended Use Biocide

Uses Advised Against No information available

Company Name, Address and Contact Details

Halliburton New Zealand Manufacturer/Supplier

1 Paraite Rd.

Bell Block, New Plymouth

New Zealand Registration No.: 824207

fdunexchem@halliburton.com E-Mail address:

Emergency Telephone Number +64 800 451719

New Zealand National Poisons

Centre

0800 764 766 (24 hours)

2. Hazard(s) Identification

Statement of Hazardous Nature

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulation 2001; Classified as dangerous good according to NZS 5433:2012, UN, IMDG or IATA

Classification

- 6.1C (Oral) Acutely Toxic Substances
- 6.1D (Dermal) Acutely Toxic Substances
- 6.1D (Inhalation) Acutely Toxic Substances
- 6.5A Respiratory sensitisers
- 6.5B Contact sensitisers
- 6.8B Human reproductive or developmental toxicants
- 6.9B Harmful to human target organs or systems
- 8.2B Corrosive to dermal tissue if exposed for greater than 3 mins.
- 8.3A Corrosive to ocular tissue
- 9.1A Very ecotoxic in the aquatic environment
- 9.2B Ecotoxic in the soil environment
- 9.3B Ecotoxic to terrestrial invertebrates

Hazard and Precautionary Statements

Hazard Pictograms



Signal Word Danger

Hazard Statements H301 - Toxic if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

11334 - May cause allergy of astrina symptoms of breathing difficult

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

Precautionary Statements

Prevention P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P103 - Read label before use

P104 - Read Safety Data Sheet before use. P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear protective gloves/eye protection/face protection P281 - Use personal protective equipment as required

P285 - In case of inadequate ventilation wear respiratory protection

Response P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician P330 - Rinse mouth

P331 - Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P308 + P313 - IF exposed or concerned: Get medical advice/attention

P314 - Get medical attention/advice if you feel unwell

P391 - Collect spillage

Storage P405 - Store locked up

Disposal P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

Contains

Substances	CAS Number	Substance HSNO Classification
Glutaraldehyde	111-30-8	6.1B (Oral)
		6.1C (Dermal)
		6.1B (Inhalation)
		6.5A
		6.5B
		6.9B
		8.2B
		8.3A
		9.1A
		9.2A
		9.3A
Methanol	67-56-1	3.1B

6.1C (Oral) 6.1C (Dermal) 6.1C (Inhalation) 6.4A 6.8B 6.9A (Inhalation)
9.3C `

2.3. Other Hazards

None known

3. Composition and Information on Ingredients

Substances	CAS Number	PERCENT (w/w)
Glutaraldehyde	111-30-8	10 - 30%
Methanol	67-56-1	0.1 - 1%

4. First-Aid Measures

Requirements for First Aid or Medical Care

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Eyes Immediately flush eyes with large amounts of water for at least 30 minutes. Seek prompt

medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 30

minutes and remove contaminated clothing, shoes and leather goods immediately. Get

Revision Date: 05-Jun-2015

medical attention immediately.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

Workplace Facilities Required

None

Relation to Health Effect

Most Important Symptoms/Effects

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause allergic skin reaction. May cause respiratory irritation. May cause allergic respiratory reaction. Harmful if swallowed. May be fatal if inhaled. Potential reproductive hazard. May cause birth defects.

Medical Attention and Special Treatment

Notes to Physician
Treat symptomatically

5. Fire-fighting measures

Type of Hazard

Flammability Hazard

Combustible liquid

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

HAZCHEM Code

Hazchem Code: None Allocated

Special Protective Equipment and Precautions for Fire Fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

Special Exposure Hazards

Decomposition in fire may produce harmful gases.

6. Spillage, Accidental Release Measures

Revision Date: 05-Jun-2015

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Use only competent persons for cleanup.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing mist. Do not swallow. Wash hands after use. Launder contaminated clothing before reuse.

Handling Practices

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Approved Handlers

If any quantity is present, then an approved handler must be present when the substance is being handled and when not in use, the substance must be locked away.

7.2. Conditions for safe storage, including any incompatibilities

Store away from acids. Store away from alkalis. Store in a well ventilated area. Keep container closed when not in use. Store locked up. Product has a shelf life of 36 months.

Store Site Requirements

No special controls required

Packaging

No special packaging required

8. Exposure Controls and Personal Protection

Workplace Exposure Standards

Exposure Limits

Substances	CAS Number	New Zealand WES	ACGIH TLV-TWA
Glutaraldehyde	111-30-8	STEL: 0.05 ppm	0.05 ppm
Methanol	67-56-1	TWA: 200 ppm TWA: 262 mg/m ³	TWA: 200 ppm STEL: 250 ppm
		STEL: 250 ppm STEL: 328 mg/m ³	

Engineering Controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation. If vapors are strong enough to be irritating to the nose or eyes, the TLV is probably being exceeded and special ventilation or respiratory protection maybe required.

Personal Protective Equipment (PPE)

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Hand Protection

Use gloves which are suitable for the chemicals present in this product as well as other environmental factors in the workplace.

Revision Date: 05-Jun-2015

Wear impervious protective clothing, including boots, gloves, lab coat, apron, rain jacket, **Skin Protection**

pants or coverall, as appropriate, to prevent skin contact.

Chemical goggles; also wear a face shield if splashing hazard exists. **Eye Protection Other Precautions** Eyewash fountains and safety showers must be easily accessible. **Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Clear light yellow Odor: Sharp Odor Threshold: No information available

Property Values

Remarks/ - Method pH:

3.1-4.5 Freezing Point/Range (-5) - (-10) °C **Melting Point/Range** No data available 100.5 °C / 213 °F **Boiling Point/Range** Flash Point No data available

Evaporation rate 0.9 **Vapor Pressure** 0.2 mmHg **Vapor Density** 8.0 **Specific Gravity** 1.064

Soluble in water **Water Solubility** Solubility in other solvents No data available

Partition coefficient: n-octanol/water -0.333

Autoignition Temperature > 275 °C / > 527 °F No data available **Decomposition Temperature Viscosity** No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other information

No data available **VOC Content (%)**

10. Stability and Reactivity

10.2. Chemical Stability

Stable

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Strong acids. Strong alkalis.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

Hazardous Reactions

Hazardous Polymerization: Will Not Occur

11. Toxicological Information

Health Effect from Likely Routes of Exposure

Acute Toxicity

Inhalation Fatal if inhaled. Causes severe respiratory irritation. Vapors given off by heated product

may be harmful. May cause allergic respiratory reaction. Inhalation of vapors may result

in skin sensitization.

Causes severe eye irritation which may damage tissue. May cause permanent eye Eye Contact

damage. High vapor concentration will cause irritation.

Skin Contact Causes severe skin irritation with tissue destruction. This product contains ingredients

which may produce an allergic skin reaction. It should be treated as a skin sensitizer.

Causes burns of the mouth, throat and stomach. Harmful if swallowed. Aspiration into Ingestion

Revision Date: 05-Jun-2015

the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.

Chronic Effects/Carcinogenicity

Suspected of damaging fertility or the unborn child.

Toxicity Data

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Glutaraldehyde	111-30-8	100 mg/kg (Rat)	No data available	0.28-0.5 mg/L (Rat) 4h
Methanol	67-56-1	< 790 mg/kg (rat) mg/kg (mouse) mg/kg (rabbit)	15800 mg/kg (Rabbit) mg/kg bw (primates)	83.2 mg/L (rat) 4h 128.8 mg/L (rat) 4h
Substances	CAS Number	Skin corrosion/irritation		
Glutaraldehyde	111-30-8	Causes severe skin irritation with	n tissue destruction. (Rabbit)	
Methanol	67-56-1	Non-irritating to the skin (Rabbit)		
Substances	CAS Number	Eye damage/irritation		
Glutaraldehyde	111-30-8	Causes severe eye irritation whi	ch may damage tissue. (Rabbit)	
Methanol	67-56-1	Non-irritating to the eye (Rabbit)		
Substances	CAS Number	Skin Sensitization		
Glutaraldehyde	111-30-8	Skin sensitizer in guinea pig.		
Methanol	67-56-1	Did not cause sensitization on laboratory animals (guinea pig)		
Substances	CAS Number	Respiratory Sensitization		
Glutaraldehyde	111-30-8	May cause sensitization by inhalation		
Methanol	67-56-1	No information available		
Substances	CAS Number	Mutagenic Effects		
Glutaraldehyde	111-30-8	In vivo tests did not show mutagenic effects.		
Methanol	67-56-1	The weight of evidence from available in vitro and in vivo studies indicates that this substance is respected to be mutagenic.		
Substances	CAS Number	Carcinogenic Effects		
Glutaraldehyde	111-30-8	Did not show carcinogenic effects in animal experiments		
	67-56-1	No data of sufficient quality are available.		

Substances	CAS Number	Reproductive toxicity	
Glutaraldehyde	111-30-8	Not a confirmed teratogen or embryotoxin.	
Methanol	67-56-1	Experiments have shown reproductive toxicity effects on laboratory animals	

Substances	CAS Number	STOT - single exposure
Glutaraldehyde	111-30-8	May cause respiratory irritation.
Methanol	67-56-1	May cause disorder and damage to the Central Nervous System (CNS)

Substances	CAS Number	STOT - repeated exposure
Glutaraldehyde	111-30-8	May cause disorder and damage to the Respiratory system
Methanol	67-56-1	No data of sufficient quality are available.

	CAS Number	Aspiration hazard
Glutaraldehyde	111-30-8	Not applicable
Methanol	67-56-1	Not applicable

12. Ecological Information

12.1. Toxicity

Ecotoxicity Effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to
				Microorganisms	Invertebrates
Glutaraldehyde	111-30-8	EC50 (72h) 0.6 mg/L (Desmodesmus subspicatus)	LC50 (96h) 10 mg/L (Lepomis macrochirus) NOEC (97d) 1.6 mg/L (Oncorhynchus mykiss)	EC50 (17h) 6.65 mg/L (Pseudomonas putida)	EC50 (48h) 0.35 mg/L (Daphnia magna) EC50 (48h) 0.7 mg/L (Acartia tonsa) NOEC (21d) 0.13 mg/L (Daphnia magna)
Methanol	67-56-1	ErC50 (96h) 22000 mg/L (Pseudokirchnerella subcapitata)	LC50 28200 mg/L (Pimephales promelas) LC50 (96h) 12700 – 15400 mg/L (Lepomis macrochirus)	IC50 (3h) > 1000 mg/L (activated sludge)	EC50 (96h) 18260 mg/L (Daphnia magna) NOEC (21d) 122 mg/L (Daphnia magna, Reproduction)

Revision Date: 05-Jun-2015

12.2. Persistence and degradability

Readily biodegradable

Substances	CAS Number	Persistence and Degradability
Glutaraldehyde	111-30-8	Readily biodegradable (90-100% @ 28d)
Methanol	67-56-1	(95-97% @ 20d)

12.3. Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Glutaraldehyde	111-30-8	-0.36
Methanol	67-56-1	-0.77
		BCF = 1.0 – 4.5 (Cyprinus carpio)
		BCF < 10 (Leuciscus idus melanotus)

12.4. Mobility in soil

Substances	CAS Number	Mobility
Glutaraldehyde	111-30-8	KOC = >5.7 - <2070
Methanol	67-56-1	No information available

Ecotoxicity Hazard Statements

Toxic to aquatic life with long lasting effects

Toxic in the soil environment.

Toxic to terrestrial vertebrates.

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

13.1. Waste treatment methods

Disposal Method Contaminated Packaging Disposal should be made in accordance with federal, state, and local regulations. Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

14. Transport Information

IMDG/IMO

UN Number: UN3265

UN Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S. (Contains Glutaraldehyde)

Transport Hazard Class(es): 8
Packing Group: |||

Environmental Hazards: Not applicable

Page 7/9

ALDACIDE® G ANTIMICROBIAL

Revision Date: 05-Jun-2015

EmS F-A, S-B EMS:

NZ 5433.1999

UN3265 **UN Number:**

UN Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S. (Contains Glutaraldehyde)

Transport Hazard Class(es): Packing Group: Ш

IATA/ICAO

UN3265 **UN Number:**

UN Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S. (Contains Glutaraldehyde)

Transport Hazard Class(es): Packing Group: Ш

Special Precautions for User: None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

15. Regulatory Information

New Zealand Inventory of

Chemicals

All components listed on inventory or are exempt.

HSNO Approval Number HSR002510

Additives, Process Chemicals and Raw Materials (Toxic [6.1], Corrosive HSR002510) **Group Name**

HSNO Controls Refer to the NZ EPA website for more information: http://www.epa.govt.nz

Approved Handlers If any quantity is present, then an approved handler must be present when the

substance is being handled and when not in use, the substance must be locked away.

Poisons Schedule: S6

16. Other information

The following sections have been revised since the last issue of this SDS

Not applicable

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms

bw - body weight CAS - Chemical Abstracts Service EC50 - Effective Concentration 50% LC50 - Lethal Concentration 50% LD50 - Lethal Dose 50% LL50 - Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NOEC - No Observed Effect Concentration OEL - Occupational Exposure Limit ppm - parts per million TWA - Time-Weighted Average VOC - Volatile Organic Carbon C - Celsius IATA/ICAO - International Air Transport Association / International Civil Aviation Organization IMDG/IMO - International Maritime Dangerous Goods / International Maritime Organization mg/m³ - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

Key literature references and sources for data

www.ChemADVISOR.com/

NZ CCID

05-Jun-2015 **Revision Date: Revision Note Revision Note**

SDS sections updated:

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

Revision Date: 05-Jun-2015