

## Safety Data Sheet



## Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

### 1.1 Product identifier

- Product Name** • **Common Oxide Etch/Low Salt**
- Synonyms** • BOE Low Salt; Buffered Oxide Etch Low Salt; COE Low Salt; Common Oxide Etch Lite
- Product Code** • 80111 AL-E

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Etching

### 1.3 Details of the supplier of the safety data sheet

- Manufacturer** • Air Liquide  
2700 Post Oak Blvd.  
Houston, TX 77056  
United States  
www.us.airliquide.com  
sds@airliquide.com
- Telephone (Technical)** • 713-896-2896
- Telephone (Technical)** • 800-819-1704

### 1.4 Emergency telephone number

- Manufacturer** • 800-424-9300 - CHEMTREC
- Manufacturer** • +1 703-527-3887 - Outside United States

## Section 2: Hazards Identification

### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]  
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

### 2.1 Classification of the substance or mixture

- CLP**
- Acute Toxicity Oral 3 - H301
  - Acute Toxicity Dermal 2 - H310
  - Skin Corrosion 1A - H314
  - Acute Toxicity Inhalation 4 - H332
- DSD/DPD**
- Very Toxic (T+)
  - Corrosive (C)
  - R26/27/28, R35

### 2.2 Label Elements

CLP

**DANGER**



- Hazard statements**
- H301 - Toxic if swallowed
  - H310 - Fatal in contact with skin
  - H314 - Causes severe skin burns and eye damage.
  - H332 - Harmful if inhaled

### Precautionary statements

- Prevention**
- P260 - Do not breathe mist/vapours/spray.
  - P262 - Do not get in eyes, on skin, or on clothing.
  - P264 - Wash thoroughly after handling.
  - P270 - Do not eat, drink or smoke when using this product.
  - P271 - Use only outdoors or in a well-ventilated area.
  - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- Response**
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  - P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
  - P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - P350 - Gently wash with plenty of soap and water.
  - P310 - Immediately call a POISON CENTER or doctor/physician.
  - P322 - Specific measures, see supplemental first aid information.
  - P361 - Remove/Take off immediately all contaminated clothing.
  - P363 - Wash contaminated clothing before reuse.
  - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
  - P330 - Rinse mouth.
  - P331 - Do NOT induce vomiting.
- Storage/Disposal**
- P405 - Store locked up.
  - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### DSD/DPD



- Risk phrases**
- R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.
  - R35 - Causes severe burns.
- Safety phrases**
- S27 - Take off immediately all contaminated clothing.
  - S28 - After contact with skin, wash immediately with plenty of ...
  - S36 - Wear suitable protective clothing.
  - S37 - Wear suitable gloves.
  - S39 - Wear eye/face protection.
  - S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## 2.3 Other Hazards

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD**
- According to European Directive 1999/45/EC this preparation is considered dangerous.

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

**OSHA HCS 2012**

- Acute Toxicity Dermal 2 - H310  
Skin Corrosion 1A - H314  
Serious Eye Damage 1 - H318  
Acute Toxicity Inhalation 4 - H332

**2.2 Label elements****OSHA HCS 2012****DANGER**

- Hazard statements**
- Fatal in contact with skin - H310  
Causes severe skin burns and eye damage. - H314  
Causes serious eye damage - H318  
Harmful if inhaled - H332

**Precautionary statements**

- Prevention**
- Do not breathe mist/vapours/spray. - P260  
Do not get in eyes, on skin, or on clothing. - P262  
Wash thoroughly after handling. - P264  
Do not eat, drink or smoke when using this product. - P270  
Use only outdoors or in a well-ventilated area. - P271  
Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340  
Call a POISON CENTER or doctor/physician if you feel unwell. - P312  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353  
Specific treatment, see supplemental first aid information. - P321  
Wash contaminated clothing before reuse. - P363  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338  
Immediately call a POISON CENTER or doctor/physician. - P310  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331
- Storage/Disposal**
- Store locked up. - P405  
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

- Supplemental information**
- 20 percent of this product consists of an ingredient of unknown toxicity.

**2.3 Other hazards****OSHA HCS 2012**

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

**Canada****According to WHMIS****2.1 Classification of the substance or mixture****WHMIS**

- Very Toxic - D1A  
Other Toxic Effects - D2A  
Corrosive - E

**2.2 Label elements****WHMIS**


- Very Toxic - D1A  
Other Toxic Effects - D2A  
Corrosive - E

## 2.3 Other hazards

### WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## 2.4 Other information



## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Ammonium fluoride	CAS:12125-01-8 EC Number:235-185-9 EU Index:009-006-00-8	12% TO 20%	NDA	EU DSD/DPD: Annex VI, Table 3.2 - T; R23/24/25 EU CLP: Annex VI, Table 3.1 - Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301 OSHA HCS 2012: Eye Irrit. 2; Skin Irrit. 2; STOT SE 3: Resp. Irrit.
Hydrofluoric acid	CAS:7664-39-3 EC Number:231-634-8 EU Index:009-002-00-6	5% TO 7%	Inhalation-Rat LC50 • 1276 ppm	EU DSD/DPD: Annex VI, Table 3.2 - T+; R26/27/28 C; R35 EU CLP: Annex VI, Table 3.1 - Acute Tox. 2, H330; Acute Tox. 1, H310; Acute Tox. 2, H300; Skin Corr. 1A, H314 OSHA HCS 2012: Acute Tox. 2 (Inhl); Eye Dam. 1; Skin Corr. 1A

See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

#### Skin

- For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Get medical attention immediately.

#### Eye

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately.

**Ingestion**

- If swallowed, rinse mouth with water (only if the person is conscious) Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Give plenty of water to drink. Do not use mouth-to-mouth method if victim ingested the substance. Obtain medical attention immediately if ingested.

**4.2 Most important symptoms and effects, both acute and delayed**

- Refer to Section 11 - Toxicological Information.

**4.3 Indication of any immediate medical attention and special treatment needed****Notes to Physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

**Section 5 - Firefighting Measures****5.1 Extinguishing media**

**Suitable Extinguishing Media** • LARGE FIRES: Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray.  
SMALL FIRES: Dry chemical, CO<sub>2</sub> or water spray.

**Unsuitable Extinguishing Media** • No data available

**5.2 Special hazards arising from the substance or mixture**

**Unusual Fire and Explosion Hazards** • Containers may explode when heated.  
This solution can give off a small amount of heat when mixed with water.

**Hazardous Combustion Products** • When involved in a fire, this material may decompose and produce irritating vapors, and toxic gases (e.g., fluorine and other fluoride compounds, ammonia compounds).

**5.3 Advice for firefighters**

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
SMALL FIRES: Move containers from fire area if you can do it without risk.  
Runoff from fire control may cause pollution.

**Section 6 - Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** • Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Emergency Procedures** • ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container.

**6.2 Environmental precautions**

- Prevent entry into waterways, sewers, basements or confined areas.

**6.3 Methods and material for containment and cleaning up**

**Containment/Clean-up Measures** • Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.  
Dike to collect large liquid spills.  
A vapor suppressing foam may be used to reduce vapors.  
Use water spray to reduce vapors or divert vapor cloud drift.  
Neutralize residue with lime or calcium carbonate or other caustic neutralizing agent.  
Test area with litmus paper to ensure neutralization is complete.

## 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Handle and open container with care. Use only with adequate ventilation. Use caution when combining with water; DO NOT add water to corrosive liquid, ALWAYS add corrosive liquid to water while stirring to prevent release of heat, steam and fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe mist, vapours, spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Keep container tightly closed. Store in a cool, dry, well-ventilated place. Keep away from incompatible materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	China Highly Toxic Goods
Hydrofluoric acid (7664-39-3)	Ceilings	2 ppm Ceiling (as F)	2 ppm Ceiling (as F)	3 ppm Ceiling (as F); 2.6 mg/m <sup>3</sup> Ceiling (as F)	2 mg/m <sup>3</sup> Ceiling [MAC] (as F)	2 mg/m <sup>3</sup> Ceiling
	TWAs	0.5 ppm TWA (as F)	0.5 ppm TWA (as F)	Not established	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	France	Germany DFG	Germany TRGS	Ireland	Israel
Hydrofluoric acid (7664-39-3)	STELs	3 ppm STEL [VLCT] (restrictive limit); 2.5 mg/m <sup>3</sup> STEL [VLCT] (restrictive limit)	Not established	Not established	3 ppm STEL (as F); 2.5 mg/m <sup>3</sup> STEL (as F)	Not established
	TWAs	1.8 ppm TWA [VME] (restrictive limit); 1.5 mg/m <sup>3</sup> TWA [VME] (restrictive limit)	Not established	1 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 0.83 mg/m <sup>3</sup> TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	1.8 ppm TWA (as F); 1.5 mg/m <sup>3</sup> TWA (as F)	0.5 ppm TWA (as F)
	Ceilings	Not established	2 ppm Peak; 1.66 mg/m <sup>3</sup> Peak	Not established	Not established	2 ppm Ceiling (as F)

	MAKs	Not established	1 ppm TWA MAK; 0.83 mg/m <sup>3</sup> TWA MAK	Not established	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Italy	NIOSH	OSHA	OSHA Vacated	Portugal
Hydrofluoric acid (7664-39-3)	Ceilings	Not established	6 ppm Ceiling (15 min); 5 mg/m <sup>3</sup> Ceiling (15 min)	Not established	Not established	2 ppm Ceiling [VLE-CM] (as F)
	TWAs	1.8 ppm TWA; 1.5 mg/m <sup>3</sup> TWA	3 ppm TWA; 2.5 mg/m <sup>3</sup> TWA	3 ppm TWA (as F)	3 ppm TWA (as F)	0.5 ppm TWA [VLE-MP] (as F)
	STELs	3 ppm STEL; 2.5 mg/m <sup>3</sup> STEL	Not established	Not established	6 ppm STEL (as F)	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Spain		Sweden		
Hydrofluoric acid (7664-39-3)	STELs	3 ppm STEL [VLA-EC]; 2.5 mg/m <sup>3</sup> STEL [VLA-EC]		Not established		
	TWAs	1.8 ppm TWA [VLA-ED] (indicative limit value); 1.5 mg/m <sup>3</sup> TWA [VLA-ED] (indicative limit value)		Not established		
	Biological Limit Values (BLV)	8 mg/L urine end of shift Fluorides (2,F,I)		Not established		
	Ceilings	Not established		2 ppm CLV; 1.7 mg/m <sup>3</sup> CLV		

## Exposure Control Notations

### Ireland

•Hydrofluoric acid (7664-39-3): **Skin:** (Potential for cutaneous absorption)

### Germany TRGS

•Hydrofluoric acid (7664-39-3): **Skin:** (skin notation)

### Germany DFG

•Hydrofluoric acid (7664-39-3): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to)

## 8.2 Exposure controls

### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal Protective Equipment

#### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

#### Eye/Face

- Wear chemical splash safety goggles.

#### Skin/Body

- Wear appropriate gloves.

### Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

STEL = Short Term Exposure Limits are based on 15-minute exposures

TWAEV = Time-Weighted Average Exposure Value

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear to light-yellow solution with an ammonia-like odor.
Color	Clear to light-yellow.	Odor	Ammonia-like
Odor Threshold	0.042 ppm (Hydrofluoric acid)		
General Properties			
Boiling Point	104 C(219.2 F)	Melting Point	> 10 C(> 50 F)
Decomposition Temperature	Data lacking	pH	4.5 to 6.5 @ 25 C(77 F)
Specific Gravity/Relative Density	1.08 Water=1	Density	8.979 lbs/gal
Water Solubility	Soluble	Viscosity	Data lacking
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

### 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Excess heat.

### 10.5 Incompatible materials



- The components of this product are incompatible with strong oxidizing agents, strong reducing agents. The Hydrofluoric Acid component is not compatible with bases and can react violently. Hydrogen Fluoride can dissolve metals containing silica. Hydrofluoric Acid can dissolve glass, ceramics, metals containing silica, natural rubber and leather. Hydrofluoric Acid also reacts with many other materials such as cyanogen fluoride, sodium (with aqueous acid), methanesulfonic acid, acetic anhydride, chlorosulfonic acid, ethylene diamine, ethylene imine, oleum, propylene oxide, vinyl acetate, sodium tetrafluoro silicate, n-phenyl azo piperidine. Due to the presence of the fluoride compounds in this product, this solution must be considered incompatible with glass, and other silica-based compounds.

## 10.6 Hazardous decomposition products

- Products of thermal decomposition include fluorides, and ammonia compounds.

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Components	
Hydrofluoric acid (5% TO 7%)	7664-39-3

**Acute Toxicity:** Inhalation-Rat LC50 • 1276 ppm 1 Hour(s); *Sense Organs and Special Senses:Eye:Lacrimation; Behavioral:Changes in motor activity (specific assay); Gastrointestinal:Changes in structure or function of salivary glands;* Inhalation-Rat LC50 • 1100 mg/m<sup>3</sup> 60 Minute(s);  
**Irritation:** Eye-Human • 50 mg • Severe irritation; Skin-Rat • 50 % 3 Minute(s) • Severe irritation;  
**Reproductive:** Inhalation-Rat TClO • 470 µg/m<sup>3</sup> 4 Hour(s)(1-22D preg); *Reproductive Effects:Effects on Fertility:Pre-implantation mortality; Reproductive Effects:Effects on Fertility:Post-implantation mortality*

GHS Properties	Classification
Acute toxicity	<b>EU/CLP</b> • Acute Toxicity - Dermal 2 - ATEmix(dermal)= 68.18 mg/kg; Acute Toxicity - Inhalation 4 - ATEmix(inhl, mist)=1.52 mg/L; Acute Toxicity - Oral 3 - ATEmix(oral)= 62.5 mg/kg <b>OSHA HCS 2012</b> • Acute Toxicity - Dermal 2; Acute Toxicity - Inhalation 4 - ATEmix (inhl, mist)=3.14 mg/L
Aspiration Hazard	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
Carcinogenicity	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
Germ Cell Mutagenicity	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
Skin corrosion/Irritation	<b>EU/CLP</b> • Skin Corrosion 1A <b>OSHA HCS 2012</b> • Skin Corrosion 1A
Skin sensitization	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
STOT-RE	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
STOT-SE	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
Toxicity for Reproduction	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
Respiratory sensitization	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met

Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Serious Eye Damage 1
-------------------------------	--

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- Harmful if inhaled. May cause corrosive burns - irreversible damage.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

### Skin

#### Acute (Immediate)

- Fatal in contact with skin. Causes severe skin burns and eye damage.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials will cause dermatitis.

### Eye

#### Acute (Immediate)

- Causes serious eye damage.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

### Ingestion

#### Acute (Immediate)

- Toxic if swallowed. May cause irreversible damage to mucous membranes.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

#### Key to abbreviations

LC = Lethal Concentration

TC = Toxic Concentration

## Section 12 - Ecological Information

### 12.1 Toxicity

- Material data lacking.

### 12.2 Persistence and degradability

- Material data lacking.

### 12.3 Bioaccumulative potential

- Material data lacking.

### 12.4 Mobility in Soil

- Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

### 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

#### Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN2922	Corrosive liquids, toxic, n.o.s. (Ammonium Fluoride, Hydrofluoric Acid)	6.1,8	II	NDA
TDG	UN2922	CORROSIVE LIQUID, TOXIC, N.O.S. (Ammonium Fluoride, Hydrofluoric Acid)	6.1,8	II	NDA
IMO/IMDG	UN2922	CORROSIVE LIQUID, TOXIC, N.O.S. (Ammonium Fluoride, Hydrofluoric Acid)	6.1,8	II	NDA
IATA/ICAO	UN2922	Corrosive liquids, toxic, n.o.s. (Ammonium Fluoride, Hydrofluoric Acid)	6.1,8	II	NDA

14.6 Special precautions for user • None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Not relevant.

## Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Ammonium fluoride	12125-01-8	Yes	Yes	Yes
Hydrofluoric acid	7664-39-3	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Ammonium fluoride	12125-01-8	Yes	No	Yes	Yes	No
Hydrofluoric acid	7664-39-3	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Ammonium fluoride	12125-01-8	Yes
Hydrofluoric acid	7664-39-3	Yes

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

• Ammonium fluoride	12125-01-8	D1B, D2A
• Hydrofluoric acid	7664-39-3	D1A, D2A, E; D1B, D2A, E (40%, 50%, 70%, listed under Hydrofluoric acid)

#### Canada - WHMIS - Ingredient Disclosure List

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	1 %

**Environment****Canada - CEPA - Priority Substances List**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**China****Environment****China - Ozone Depleting Substances - First Schedule**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**China - Ozone Depleting Substances - Second Schedule**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**China - Ozone Depleting Substances - Third Schedule**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**Other****China - Annex I & II - Controlled Chemicals Lists**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**China - Dangerous Goods List**

• Ammonium fluoride	12125-01-8	
• Hydrofluoric acid	7664-39-3	(anhydrous or solution, with >60% Hydrofluoric acid; solution, with not >60% Hydrofluoric acid)

**China - Export Control List - Part I Chemicals**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	

**Europe****Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Ammonium fluoride	12125-01-8	T; R23/24/25
• Hydrofluoric acid	7664-39-3	T+; R26/27/28 C; R35

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling**

• Ammonium fluoride	12125-01-8	T R:23/24/25 S:(1/2)-26-45
• Hydrofluoric acid	7664-39-3	T+ C R:26/27/28-35 S:(1/2)-7/9-26-36/37/39-45

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

• Ammonium fluoride	12125-01-8	S:(1/2)-26-45
• Hydrofluoric acid	7664-39-3	S:(1/2)-7/9-26-36/37/39-45

**Germany****Environment****Germany - TA Luft - Types and Classes**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**Germany - Water Classification (VwVwS) - Annex 1**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes**

• Ammonium fluoride	12125-01-8	ID Number 291, hazard class 1 - low hazard to waters
• Hydrofluoric acid	7664-39-3	Not Listed

**Germany - Water Classification (VwVwS) - Annex 3**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	ID Number 254, hazard class 2 - hazard to waters

**Other****Germany - Specifically Regulated Chemicals in TRGS**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**Portugal****Other****Portugal - Prohibited Substances**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**United Kingdom****Environment****United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**Other****United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

**United Kingdom - List of Dangerous Substances in Water**

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

## United States

### Labor

#### U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	1000 lb TQ; 1000 lb TQ (anhydrous)

#### U.S. - OSHA - Specifically Regulated Chemicals

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

### Environment

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Ammonium fluoride	12125-01-8	100 lb final RQ; 45.4 kg final RQ
• Hydrofluoric acid	7664-39-3	100 lb final RQ; 45.4 kg final RQ

#### U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	100 lb EPCRA RQ

#### U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	100 lb TPQ

#### U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	1.0 % de minimis concentration

#### U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - EPA - Designated Generic Categories - Aqueous Ammonia

• Ammonium fluoride	12125-01-8	NH <sub>3</sub> Equiv. Wt. % = 45.98
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	waste number U134

#### U.S. - RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Toxic Wastes & Other Hazardous Characteristics

• Ammonium fluoride	12125-01-8	Not Listed
---------------------	------------	------------

• Hydrofluoric acid	7664-39-3	waste number U134 (Corrosive waste, Toxic waste)
---------------------	-----------	---

## United States - California

### Environment

#### U.S. - California - Proposition 65 - Carcinogens List

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - California - Proposition 65 - Developmental Toxicity

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

#### U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

## United States - Pennsylvania

### Labor

#### U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Ammonium fluoride	12125-01-8	
• Hydrofluoric acid	7664-39-3	

#### U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Ammonium fluoride	12125-01-8	Not Listed
• Hydrofluoric acid	7664-39-3	Not Listed

## 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

## Section 16 - Other Information

### Relevant Phrases (code & full text)

- H300 - Fatal if swallowed
- H311 - Toxic in contact with skin
- H330 - Fatal if inhaled
- H331 - Toxic if inhaled
- R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

**Last Revision Date**

- 16/October/2014

**Preparation Date**

- 16/October/2014

**Disclaimer/Statement of Liability**

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

**Key to abbreviations**

NDA = No data available

---