SUPPLIER MATERIAL SAFETY DATA SHEET (MSDS)

Flammability: **Manufacturer: ESTEAM Product: BLOOD REMOVER** Reactivity: 0 Trade Name: Blood Remover Chem. Name: Mixture Health:

> **Protection:** Use: Blood stain remover for soft fiber NFPA LEAST=0, SLIGHT=1, MODERATE=2, HIGH=3, EXTREME=4

N/D=Not Determined

N/A=Not Applicable

HAZARDOUS INGREDIENTS CAS# % WT HAZARD DATA **EXPOSURE LIMITS (TLV)**

Ammonium Hydroxide 1336-21-6 1-8 25 ppm LD50 350 mg/kg (oral-rat)

PHYSICAL DATA Freeze/Thaw

Stable: Physical Liquid Solubility Boiling **Evaporation**

Percent State: *Point* (*C*): >100C in Water: 100% Raťe: N/D Volatile (vol): N/D Odor/ Clear liquid Specific Freezing Vapor (undiluted): 11.3

FIRE & EXPLOSION HAZARD Conditions: N/A

Point (*C*): 0 C

Hazardous Combustion Products: N/A Flammability: N Upper Explosion Limit (% by vol): Means of Extinction: Water

Lower Explosion Limit (% by vol): Special Procedures: Avoid vapors if material overheated N/A

Auto-ignition: Explosion Sensitivity to Impact: N/A

Rate of Burning: TDG/WHMIS: Non Hazardous / D2B, E N/A Chemical Sensitivity to Static Discharge: N/A

Explosive Power: N/A Flashpoint (C) & Method: None

REACTIVITY DATA Chemical Stability: Stable

Incompatable Substances: Strong acids Hazardous Decomposition Product: Ammonia compounds

TOXICOLOGICAL PROPERTIES

Reproductive Effects Y/N: N Route of Entry - Skin Contact: Route of Entry - Skin Absorption: Carcinogenicity Y/N: N N Route of Entry - Eye Contact: Mutagenicity Y/N: Υ Ν Route of Entry - Inhalation: Teratogenicity Y/N: Ν N/D

Route of Entry - Ingestion: N/D Effects of Overexposure:

Gravity:

>1

Acute Effects:

May cause eye and skin irritation on contact. May cause discomfort or diarrhea. Inhalation may cause dizziness and unconsciousness.

Chronic Effects:

Prolonged or frequent exposure may cause dermatitis.

PREVENTATIVE MEASURES

Chem. Family: N/A

Appearance:

Gloves: Rubber Footwear: N/A Clothing: N/A Eyes: Respirator: N/A Safety glasses Other: None

Recommended Engineered Controls: General ventilation is normally

sufficient except where large quantities are being used.

Leak & Spill Procedures:

Flush area with water to a sanitary

sewer.

Waste Disposal Methods:

According to federal, provincial and

municipal regulations.

Special Handling Procedures:

Keep form freezing, keep away from acids. Store below 40 C.

N/D

Pressure:

FIRST AID MEASURES

Inhalation: Move person to fresh air. If necessary give artificial respiration or oxygen. Call doctor if in distress.

Ingestion: Contact a physician.

Eye Contact: Immediately flush eyes with running water for at least 15 minutes. Call a physician.

Skin Contact: Wash thoroughly with cold water.

Prep./Revised Date: Mailing Address: Esteam Manufacturing Ltd. January 15, 2015

3750-19th Street NE Calgary, AB T2E 6V2 Prepared By: R. Russell

Source Material: Manufacturer's MSDS

Emergency Response: 1-613-996-6666 (Transport Emergencies)



This information is complete to the best of our knowledge, however, users are encouraged to make their own investigations into the suitability of the information to their particular purposes. READ THE LABEL before using this or any product, and take any necessary precautions, dictated by the label or by common sense to ensure that your health is protected.