

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/21/2014 Version: 1.0

SECTION 1: Identification of the su	Ibstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Perfluoroethane (0.0001% - 99.9999%) in Nitrogen
Product code	: SG-2002-02551
	bstance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safet	y data sheet
Air Liquide America Specialty Gases 6141 Easton Rd	
Plumsteadville, PA 18949 - USA	
T 1.800.217.2688 www.airliguide.com	
1.4. Emergency telephone number Emergency number	: CHEMTREC: 1-800-424-9300
	. Onewinted. 1000 424 0000
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Compressed gas	H280
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS04 : Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P313 - Get medical advice/attention CGA-PG05 - Use a back flow preventive device in the piping CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG21 - Open valve slowly CGA-PG06 - Close valve after each use and when empty CGA-PG14 - Approach suspected leak area with caution CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) P403 - Store in a well-ventilated place
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US) No data available	
SECTION 3: Composition/informat	ion on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	
Name	Product identifier % Classification (GHS-US)
11/21/2014	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen	(CAS No)7727-37-9	0.0001 - 99.9999	Compressed gas, H280
Hexafluoroethane (R116)	(CAS No)76-16-4	0.0001 - 99.9999	Liquefied gas, H280

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries	: Symptoms similar to those listed under inhalation.
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
4.3. Indication of any immediate medical	attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5. Einofighting mooour	
SECTION 5: Firefighting measure	es
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release n	neasures
6.1. Personal precautions, protectiv	/e equipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent

6.1.2. For emergency responders Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection. Emergency procedures : Evacuate and limit access. Ventilate area.

premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.

6.2. Environmental precautions

Try to stop release if safe to do so.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for contain	ment and cleaning up
For containment	: Try to stop release if safe to do so.
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4. Reference to other sections	
See also Sections 8 and 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclu	Iding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.
7.3. Specific end use(s)	
Test gas/Calibration gas.	
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
Nitrogen (7727-37-9)	
8.2. Exposure controls	
Appropriate engineering controls	 Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See sections 5 & 6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	
9.1. Information on basic physical and	
Physical state	: Gas
Appearance	: Clear, colorless gas.
Molecular mass	: Not applicable for gas-mixtures.
Color	: Colorless
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable - not flammable
Vapor pressure	: Not applicable.
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Heavier than air.
Solubility	 Water: Solubility in water of component(s) of the mixture : 20 mg/l Insoluble
Log Pow	: Not applicable for gas-mixtures.
Log Kow	: Not applicable for gas-mixtures.
Viscosity, kinematic	: Not applicable.
Viscosity, dynamic	: Not applicable.
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Explosive limits	: Not applicable - not flammable
9.2. Other information	
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECH	ON 10: Stability and reactivity
10.1.	Reactivity
None kn	own.
10.2.	Chemical stability
Stable u	nder normal conditions.
10.3.	Possibility of hazardous reactions
None kn	own.
10.4.	Conditions to avoid
None un	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None kn	own.
10.6.	Hazardous decomposition products
	ormal conditions of storage and use hazardous decomposition products should not be produced.
SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity	: Not classified
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410000 ppm/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified No known effects from this product.
Aspiration hazard	: Not classified Not applicable for gases and gas-mixtures.
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.

SECTI	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	: No ecological damage caused by this product.
40.0	Provide the second state was definities	
12.2.	Persistence and degradability	

Perfluoroethane (0.0001% - 99.9999%) in Nitrogen		
Persistence and degradability	No data available.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	
Hexafluoroethane (R116) (76-16-4)		
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
Perfluoroethane (0.0001% - 99.9999%) in Nitrogen		
Log Pow	Not applicable for gas-mixtures.	
Log Kow	Not applicable for gas-mixtures.	
Bioaccumulative potential	No data available.	
Nitrogen (7727-37-9)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No ecological damage caused by this product.	
Hexafluoroethane (R116) (76-16-4)		
	2	
Log Pow	£	

Perfluoroethane (0.0001% - 99.9999%) in Nitrogen	
Mobility in soil	No data available.
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday, I	
Hexafluoroethane (R116) (76-16-4)	Descuse of its kink valetility, the product is validably to serve around an vater cally time
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
12.5. Other adverse effects	
Effect on ozone layer	· None.
Effect on the global warming	: 10141.62
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Contact supplier if guidance is required. May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
Ecology - waste materials	: None known.
SECTION 14: Transport information	
n accordance with DOT	
ransport document description	: UN1956 Compressed gas, n.o.s.
JN-No.(DOT)	: 1956
OOT NA no.	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
Hazard labels (DOT)	: 2.2 - Non-flammable gas
	2
DOT Symbols	: G - Identifies PSN requiring a technical name
OOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
OOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 75 kg
OOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
OOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted Ensure valve protection device (where provided) is correctly fitted.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR	
Transport document description	: UN 1956, 2.2, (E)
Class (ADR)	: 2 - Gases
Hazard identification number (Kemler No.)	: 20
Classification code (ADR)	: 1A
Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
	2
Orange plates	20 1956
Tunnel restriction code (ADR)	: E
LQ	: 120ml
Excepted quantities (ADR)	: E1
Transport by sea	
UN-No. (IMDG)	: 1956
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
Class (IMDG)	: 2 - Gases
	00000
Air transport	
UN-No.(IATA)	: 1956
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations	5.2. International regulations				
CANADA					
Nitrogen (7727-37-9)					
Listed on the Canadian DSL (Domestic Sustances List)					
WHMIS Classification	Class A - Compressed Gas				
Hexafluoroethane (R116) (76-16-4)					
Listed on the Canadian DSL (Domestic Sustances List)					
WHMIS Classification	Class A - Compressed Gas				
EU-Regulations No additional information available					
Classification according to Regulati Not classified	(EC) No. 1272/2008 [CLP]				
Classification according to Directive 15.2.2. National regulations No additional information available	7/548/EEC [DSD] or 1999/45/EC [DPD]				

No additional information available

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)	
U.S Pennsylvania - RTK (Right to	Know) List
Hexafluoroethane (R116) (76-16-4	1)
U.S New Jersey - Right to Know I	Hazardous Substance List
SECTION 16: Other inform	ation
Indication of changes	: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.
Other information	 This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases: see section 16:

	Compressed gas	Gases under pressure Compressed gas	
	Liquefied gas	Gases under pressure Liquefied gas	
	H280	Contains gas under pressure; may explode if heated	

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.