

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/01/2014 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Phosgene (0.50% - 0.99%) in Nitrogen

Product code : SG-2002-02735

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

#### 1.3. Details of the supplier of the safety data sheet

Air Liquide America Specialty Gases 6141 Easton Rd Plumsteadville, PA 18949 - USA T 1.800.217.2688

www.airliquide.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **Classification (GHS-US)**

Compressed gas H280 Acute Tox. 2 (Inhalation:gas) H330

Full text of H-phrases: see section 16

#### 2.2. Label elements

# **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS04

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated

H330 - Fatal if inhaled

CGA-HG11 - Symptoms may be delayed

Precautionary statements (GHS-US) : P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe gas

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective clothing, protective gloves, eye protection, face protection

P284 - Wear respiratory protection. Consult respiratory device supplier's product information

for the selection of the appropriate device.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER if you feel unwell

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution

CGA-PG18 - When returning cylinder, install leak tight valve outlet cap or plug

CGA-PG21 - Open valve slowly

## 2.3. Other hazards

No additional information available

12/08/2014 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

# SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	99.01 - 99.5	Compressed gas, H280
Phosgene	(CAS No) 75-44-5	0.5 - 0.99	Liquefied gas, H280 Acute Tox. 1 (Inhalation:gas), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation

: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell,

seek medical advice.

First-aid measures after skin contact : Adverse effects not expected from this product. First-aid measures after eye contact : Adverse effects not expected from this product.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Symptoms similar to those listed under inhalation.

Symptoms/injuries after inhalation : Fatal if inhaled. If you feel unwell, seek medical advice.

Symptoms/injuries after skin contact : Adverse effects not expected from this product.

Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous :

administration

Not known.

Chronic symptoms : Adverse effects not expected from this product.

# 4.3. Indication of any immediate medical attention and special treatment needed

If breathing is difficult, give oxygen. Obtain medical attention if breathing difficulty persists.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire

and increasing risk of burns and injuries.

Reactivity : None known.

#### 5.3. Advice for firefighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment consistent with the site emergency plan.

12/08/2014 EN (English US) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep

upwind.

#### 6.1.2. For emergency responders

Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate and limit access. Ventilate area.

#### 6.2. Environmental precautions

Try to stop release if safe to do so.

#### 6.3. Methods and material for containment and cleaning up

For containment : Try to stop release if safe to do so.

Methods for cleaning up : Dispose of this material and its container in accordance with local regulations.

#### 6.4. Reference to other sections

See also Sections 8 and 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder

pressure

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or

in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in

use. Protect cylinder from physical damage. Store in well ventilated area. Store locked up.

Incompatible products : None known. Incompatible materials : None known.

#### 7.3. Specific end use(s)

Test gas/Calibration gas.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Phosgene (0.50% - 0.99%) in Nitrogen

•	
ACGIH	Not applicable
OSHA	Not applicable
Nitrogen (7727-37-9)	
ACGIH	Not applicable
OSHA	Not applicable

Phosgene (75-44-5)		
ACGIH	ACGIH TWA (ppm)	0.1 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	0.4 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	0.1 ppm

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure exposure is below occupational exposure limits. Provide adequate general and local

exhaust ventilation. Systems under pressure should be regularly checked for leakages. Alarm detectors should be used when toxic gases may be released. Consider work permit system e.g.

for maintenance activities.

Hand protection : Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection. Eye protection : Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.

Skin and body protection : Wear suitable protective clothing, e.g. - lab coats, coveralls or flame resistant clothing.

12/08/2014 EN (English US) 3/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection : Consult respiratory device supplier's product information for the selection of the appropriate

device. Wear suitable respiratory equipment.

Thermal hazard protection : None necessary during normal and routine operations.

Environmental exposure controls : Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

Other information : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless gas.

Molecular mass : Not applicable for gas-mixtures.

Color : Colorless

Odor : like freshly mown hay
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Relative evaporation rate (ether=1) : Not applicable for gas-mixtures.

Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Not applicable - not flammable

Vapor pressure : Not applicable.

Relative vapor density at 20 °C : No data available

Relative density : No data available

Relative gas density : Heavier or similar to air.

Solubility : Water: Solubility in water of component(s) of the mixture :

•: 20 mg/l •:

Log Pow : Not applicable for gas-mixtures.

Log Kow : Not applicable for gas-mixtures.

Viscosity, kinematic : Not applicable.

Viscosity, dynamic : Not applicable.

Explosive properties : Not applicable - not flammable.

Oxidizing properties : None.

Explosive limits : Not applicable - not flammable

#### 9.2. Other information

Additional information : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None known.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

None known.

12/08/2014 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Inhalation:gas: Fatal if inhaled.

Phosgene (0.50% - 0.99%) in Nitrogen		
ATE US (gases)	100.402 ppmV/4h	
Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	410000 ppm/4h	
Phosgene (75-44-5)		
LC50 inhalation rat (mg/l)	0.084 mg/l (Exposure time: 30 min)	
LC50 inhalation rat (ppm)	2.5 ppm/4h	
ATE US (gases)	2.500 ppmV/4h	
ATE US (vapors)	0.084 mg/l/4h	
ATE US (dust, mist)	0.084 mg/l/4h	
Skin corrosion/irritation	: Not classified	

Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : Not

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Fatal if inhaled. If you feel unwell, seek medical advice.

Symptoms/injuries after skin contact : Adverse effects not expected from this product.

Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous

administration

: Not known.

Chronic symptoms : Adverse effects not expected from this product.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : No ecological damage caused by this product.

# 12.2. Persistence and degradability

Phosgene (0.50% - 0.99%) in Nitrogen		
Persistence and degradability	No data available.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	
Phosgene (75-44-5)		
Persistence and degradability	Not applicable for inorganic gases.	

#### 12.3. Bioaccumulative potential

Phosgene (0.50% - 0.99%) in Nitrogen	
Log Pow	Not applicable for gas-mixtures.
Log Kow	Not applicable for gas-mixtures.
Bioaccumulative potential	No data available.

12/08/2014 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
Phosgene (75-44-5)	
Phosgene (75-44-5)	
Phosgene (75-44-5) Log Pow	Not applicable for inorganic gases.

#### **Mobility in soil** 12.4.

Phosgene (0.50% - 0.99%) in Nitrogen		
Mobility in soil	No data available.	
Nitrogen (7727-37-9)		
Ecology - soil	No ecological damage caused by this product.	
Phosgene (75-44-5)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	

#### Other adverse effects

Effect on ozone layer : None.

Effect on the global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

: Contact supplier if guidance is required. Do not discharge into any place where its Waste treatment methods accumulation could be dangerous. Must not be discharged to atmosphere. Ensure that the

emission levels from local regulations or operating permits are not exceeded. : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more

Waste disposal recommendations guidance on suitable disposal methods.

: None known. Ecology - waste materials

# **SECTION 14: Transport information**

In accordance with DOT

Transport document description : UN1955 Compressed gas, toxic, n.o.s. Inhalation Hazard Zone B

: UN1955 UN-No.(DOT)

Proper Shipping Name (DOT) Compressed gas, toxic, n.o.s.

Inhalation Hazard Zone B

Hazard labels (DOT) : 2.3 - Poison gas



**DOT Symbols** : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : 1 - This material is poisonous by inhalation (see 171.8 of this subchapter) in Hazard Zone A

(see 173.116(a) or 173.133(a) of this subchapter), and must be described as an inhalation

hazard under the provisions of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : None DOT Packaging Non Bulk (49 CFR 173.xxx) : 192 DOT Packaging Bulk (49 CFR 173.xxx) : 245 DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel **DOT Vessel Stowage Location** 

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

**DOT Vessel Stowage Other** : 40 - Stow "clear of living quarters"

12/08/2014 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Additional information**

Other information : No supplementary information available.

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers:
- Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure cylinder valve is closed and not leaking. - Ensure valve outlet cap nut or plug (where provided)

is correctly fitted. - Ensure valve protection device (where provided) is correctly fitted.

#### **ADR**

Transport document description : UN 1955, 2.3, (C/D)

Class (ADR) : 2 - Gases

Hazard identification number (Kemler No.) : 26
Classification code (ADR) : 1T

Danger labels (ADR) : 2.3 - Toxic gases



Orange plates

26 1955

Tunnel restriction code (ADR) : C/D LQ : 0 Excepted quantities (ADR) : E0

Transport by sea

UN-No. (IMDG) : 1955

Proper Shipping Name (IMDG) : COMPRESSED GAS, TOXIC, N.O.S.

Class (IMDG) : 2.3 - Toxic gases

Air transport

UN-No.(IATA) : 1955

Proper Shipping Name (IATA) : COMPRESSED GAS, TOXIC, N.O.S.

Class (IATA) : 2

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Phosgene (75-44-5)

Niti Ogen (1121-31-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventor

# Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302 Listed on United States SARA Section 313

0.4.0.4.0.4.0.5.4.0.5.4.0.4.0.4.0.4.0.4.	4.0
Quantity (TPQ)	
SARA Section 302 Threshold Planning	10
Listed on Office Otates OATA Occion 515	

SARA Section 313 - Emission Reporting 1.0 %

#### 15.2. International regulations

## **CANADA**

Nitrogen (7727-37-9)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class A - Compressed Gas

12/08/2014 EN (English US) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phosgene (75-44-5)	
Listed on the Canadian DSL (Domestic Sustance	s List)
WHMIS Classification	Class A - Compressed Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class E - Corrosive Material

#### **EU-Regulations**

#### Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Phosgene (75-44-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

#### 15.2.2. National regulations

#### Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### Phosgene (75-44-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on the Canadian IDL (Ingredient Disclosure List)

#### 15.3. US State regulations

## Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Phosgene (75-44-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

#### **SECTION 16: Other information**

Indication of changes : Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information : This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

12/08/2014 EN (English US) 8/9

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Liquefied gas	Gases under pressure Liquefied gas
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H280	Contains gas under pressure; may explode if heated
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H330	Fatal if inhaled
H335	May cause respiratory irritation

#### SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

12/08/2014 EN (English US) 9/9