

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/30/2015 Version: 1.0

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Nitrogen Trifluoride (0.1000% - 15.06%) in Nitrogen
Product code	: SG-2002-02800
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safety	y data sheet
Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704	
www.us.airliquide.com	
1.4. Emergency telephone number Emergency number	: CHEMTREC: 1-800-424-9300
	. GILMITTEC. 1-000-424-3300
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Compressed gas STOT SE 2	H280 H371
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	CHS04 CHS08
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated H371 - May cause damage to organs (kidneys, liver, spleen, central nervous system) CGA-HG10 - Asphyxiating even with adequate oxygen
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe gas P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P308+P313 - If exposed or concerned: Get medical advice/attention P403 - Store in a well-ventilated place P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suprected leak area with caution

CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	84.94 - 99.9	Compressed gas, H280
Nitrogen trifluoride	(CAS No) 7783-54-2	0.1 - 15.06	Ox. Gas 1, H270 Liquefied gas, H280 Acute Tox. 4 (Inhalation:gas), H332 STOT SE 2, H371

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries after inhalation	: Asphyxiating even with adequate oxygen. May cause damage to organs (spleen, liver, kidneys, central nervous system).
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
4.3. Indication of any immediate medical	attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.		
Unsuitable extinguishing media	: Do not use water jet to extinguish.		
5.2. Special hazards arising from the su	ibstance or mixture		
Fire hazard	: The product is not flammable.		
Explosion hazard	 Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. 		
Reactivity	: None known.		
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.		
Protection during firefighting	 Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection. 		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective ed	uipment and emergency procedures		
General measures	: Ensure adequate ventilation.		

6.1.1. For non-emergency personnel Protective equipment

: Wear protective equipment consistent with the site emergency plan.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emerge	ncy procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2.	For emergency responders	
Protecti	ve equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emerge	ncy procedures	: Evacuate and limit access. Ventilate area.
6.2.	Environmental precautions	
Try to s	top release if safe to do so.	
6.3.	Methods and material for contain	ment and cleaning up
For con	tainment	: Try to stop release if safe to do so.
Method	s for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4.	Reference to other sections	
See als	o Sections 8 and 13.	
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Additior	al hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Close valve after each use and when empty.
Precaut	ions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene	e measures	: Do not eat, drink or smoke when using this product.
7.2.	Conditions for safe storage, inclu	ding any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area. Store locked up.
Incomp	atible products	: None known.
Incomp	atible materials	: None known.
73	Specific end use(s)	

7.3. Specific end use(s)

See Section 1.2.

SECTION 8: Exposure controls/personal protection

|--|

Nitrogen Trifluoride (0.1000% - 15.06%) in Nitrogen				
ACGIH	GIH Not applicable			
OSHA	Not applicable			
Nitrogen (7727-37-9)				
ACGIH	Not applicable			
OSHA	Not applicable			

Nitrogen trifluoride (7783-54-2)					
ACGIH	ACGIH TWA (ppm)	10 ppm			
OSHA	OSHA PEL (TWA) (mg/m³)	29 mg/m³			
OSHA	OSHA PEL (TWA) (ppm)	10 ppm			

8.2. Exposure controls

Appropriate engineering controls	:	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	:	Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.
Eye protection	:	Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	:	Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	:	None necessary during normal and routine operations. See Sections 5 & 6.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	 Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

ocorrow 3. Thysical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Gas		
Appearance	: Clear, colorless gas.		
Molecular mass	: Not applicable for gas-mixtures.		
Color	: Colorless		
Odor	: Mouldy.		
Odor threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: See Section 2.1 and 2.2		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Relative gas density	: Heavier or similar to air.		
Solubility	 Water: Solubility in water of component(s) of the mixture : 20 mg/l Slightly soluble 		
Log Pow	: No data available		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: Not applicable - not flammable.		
Oxidizing properties	: None.		
Explosive limits	: No data available		
9.2. Other information			
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below		

/ tourior		ground level.
SECT	ON 10: Stability and reactivity	
10.1.	Reactivity	
None ki	nown.	
10.2.	Chemical stability	
Stable ι	inder normal conditions.	
10.3.	Possibility of hazardous reactions	
None ki	iown.	
10.4.	Conditions to avoid	
None u	nder recommended storage and handling of	conditions (see section 7).
10.5.	Incompatible materials	
None known.		
10.6.	Hazardous decomposition products	
Under r	ormal conditions of storage and use hazar	rdous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
Nitrogen trifluoride (7783-54-2)		
LC50 inhalation rat (ppm)	3350 ppm/4h	
ATE US (gases)	3350.000 ppmV/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause damage to organs (kidneys, liver, spleen, central nervous system).	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: Asphyxiating even with adequate oxygen. May cause damage to organs (spleen, liver, kidneys, central nervous system).	
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.	
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.	
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.	
Symptoms/injuries upon intravenous administration	: Not known.	
Chronic symptoms	: Adverse effects not expected from this product.	

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability			
Nitrogen (7727-37-9)			
Persistence and degradability	No ecological damage caused by this product.		
Nitrogen trifluoride (7783-54-2)			
Persistence and degradability	Persistence and degradability Not applicable for inorganic gases.		
12.3. Bioaccumulative potential			
Nitrogen (7727-37-9)			
Log Pow	Not applicable for inorganic gases.		
Bioaccumulative potential	No ecological damage caused by this product.		
Nitrogen trifluoride (7783-54-2)			
Log Pow	Not applicable for inorganic gases.		
Bioaccumulative potential	No data available.		
12.4. Mobility in soil			
Nitrogen (7727-37-9)			
Ecology - soil	No ecological damage caused by this product.		
Nitrogen trifluoride (7783-54-2)			
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects Effect on ozone layer	: No known effects from this product.	
,	. No known enects from this product.	
Effect on the global warming	: Contains greenhouse gas(es) not covered by 842/2006/EC.	
SECTION 13: Disposal consideration	IS	
13.1. Waste treatment methods		
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.	
Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.	
SECTION 14: Transport information		
In accordance with DOT		
Transport document description	: UN1956 Compressed gas, n.o.s. (Nitrogen, Nitrogen Trifluoride), 2.2	
UN-No.(DOT)	: UN1956	
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.	
Department of Transportation (DOT) Hazard Classes	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115	
Hazard labels (DOT)	: 2.2 - Non-flammable gas	
DOT Symbols	: G - Identifies PSN requiring a technical name	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307	
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305	
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Additional information		
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea		
UN-No. (IMDG)	: 1956	
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.	
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases	
Air transport		
UN-No.(IATA)	: 1956	
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.	
Class (IATA)	: 2	
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Nitrogen (7727-37-9)		

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen trifluoride (7783-54-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Nitrogen (7727-37-9) Listed on the Canadian DSL (Domestic Sustances List) WHMIS Classification Class A - Compressed Gas Nitrogen trifluoride (7783-54-2) Class A - Compressed Gas Listed on the Canadian DSL (Domestic Sustances List) Class A - Compressed Gas WHMIS Classification Class A - Compressed Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects

EU-Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventor	EINECS (European Inventory of Existing Commercial Chemica	(Substances)
	LINECS (EULODEALI IIIVELIULI VOI EXISUITU COLITICICIAI CHELITUA	JUDSIALICEST

Nitrogen trifluoride (7783-54-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Nitrogen trifluoride (7783-54-2)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List)	

15.3. US State regulations

Nitrogen (7727-37-9)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	
Nitrogen trifluoride (7783-54-2)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information Indication of changes : Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012. Other information : This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Compressed gas	Gases under pressure Compressed gas
Liquefied gas	Gases under pressure Liquefied gas
Ox. Gas 1	Oxidizing gases Category 1
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H332	Harmful if inhaled
H371	May cause damage to organs

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.