## N/D=Not Determined SUPPLIER MATERIAL SAFETY DATA SHEET (MSDS)

N/A=Not Applicable Manufacturer: ESTEAM Flammability: **Product:** Wall Wash Reactivity: Trade Name: Wall Wash

Health: **Protection:** Chem. Family: Mixture Use: General purpose cleaner / deodorizer

**HAZARDOUS INGREDIENTS** CAS# % WT **EXPOSURE LIMITS (TLV)** HAZARD DATA

LD50 3030 mg/kg (oral-rat) **FDTA** 64-02-8 1-5 N/A

Freeze/Thaw PHYSICAL DATA

Stable: Physical Liquid Solubility Boiling **Evaporation** 

Percent State: *Point* (*C*): N/D in Water: 100% Rate: N/D Volatile (vol): N/D Odor/ Clear, blue,

Specific Freezing Vapor Appearance: Point (Č): N/D (undiluted): 8.2 N/D **Gravity:** Pressure:

FIRE & EXPLOSION HAZARD Conditions: N/A

Hazardous Combustion Products: N/A Flammability: N Means of Extinction: Upper Explosion Limit (% by vol): Lower Explosion Limit (% by vol): Special Procedures: N/A N/A

Auto-ignition: Explosion Sensitivity to Impact: N/A Rate of Burning: TDG/WHMIS: Non hazardous / D2B Chemical Sensitivity to Static Discharge: N/A

**Explosive Power:** N/A Flashpoint (C) & Method: N/D

Chemical Stability: Stable REACTIVITY DATA

**Incompatible Substances:** Strong acids Hazardous Decomposition Product: None

TOXICOLOGICAL PROPERTIES

Reproductive Effects Y/N: N Route of Entry - Skin Contact: Carcinogenicity Y/N: Route of Entry - Skin Absorption: N N Route of Entry - Eye Contact: Ν Mutagenicity Y/N: Υ

and headache may result. Route of Entry - Inhalation: Ν Teratogenicity Y/N: Chronic Effects: Υ Frequent or prolonged contact may cause defatting dermatitis. Route of Entry - Ingestion: N/D TLV:

> Gloves: Rubber or neoprene Footwear: N/A

Recommended Engineered Controls:

**PREVENTATIVE** 

**MEASURES** 

Chem. Name: N/A

Clothing: N/A Goggles recommended Respirator: NIOSH where vapors present Other: N/A

Use with adequate ventilation.

Leak & Spill Procedures: Soak up with inert absorbent material. Wash unrecoverable material to a sanitary sewer.

Waste Disposal Methods: According to federal, provincial and municipal regulations.

Effects of Overexposure:

Inhalation may be irritating. May cause temporary discomfort to

mouth and throat. Abdominal pain, diarrhea, nausea, vomiting

eyes. Ingestion may cause irritation of the mucous membranes of

Acute Effects:

Special Handling Procedures: Store in a cool, dry place. Keep closed when not in use.

0

N/D

NFPA LEAST=0, SLIGHT=1, MODERATE=2, HIGH=3, EXTREME=4

FIRST AID MEASURES

Inhalation: Move person to fresh air. If necessary give artificial respiration or oxygen. Call a doctor if in distress.

Ingestion: Give water. Contact a physician.

**Eye Contact:** Immediately flush eyes with running water for at least 15 minutes. Contact a physician if irritation persists.

Skin Contact: Immediately flush skin for at least 15 minutes. Launder clothing before reuse. Contact a physician if irritation persists.

Prep./Revised Date: Mailing Address: Esteam Manufacturing Ltd. January 15, 2017

3750-19th Street NE Calgary, AB T2E 6V2 Prepared By: R. Russell

Source Material:

Emergency Response: 1-613-996-6666 (Transport Emergencies)

Manufacturer's MSDS

This information is complete to the best of our knowledge, however, users are encouraged to make their own investigations into the suitability of the information to their particular purposes. READ THE LABEL before using this or any product, and take any necessary precautions, dictated by the label or by common sense to ensure that your health is protected.