Safety Data Sheet

CENTRAL SOLUTIONS, INC.

Issue Date 24-Jan-2008

Revision Date: 28-Oct-2014

Version 2

1. IDENTIFICATION			
Product Identifier Product Name	MooreBrand Instant Hand Sanitizer		
Other means of identification SDS #	18060-1014		
UN/ID No Other Information	UN1170 Reference: RD14-15A. Reorder Numbers: 2.5 oz. 83581 - 4 oz. 83582 - 8 oz. 83583 - 15oz. 83584		
Recommended use of the chemical	I and restrictions on use		
Recommended Use	A gelled alcohol hand sanitizer with Aloe for hand washing to decrease bacteria on the skin.		
Details of the supplier of the safety Manufacturer Address Central Solutions, Inc. 401 Funston Rd. Kansas City, KS 66115	Distributor Moore Medical LLC Farmington, CT 06032		
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	800-255-0262 (M-F 8AM to 5PM, CST) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
	2. HAZARDS IDENTIFICATION		
<u>Classification</u>			
Flammable Liquids	Category 2		

Flammable Liquids

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor



Appearance Clear light green gel

Physical State Gel

Odor Alcohol

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethanol	64-17-5	70

4. FIRST-AID MEASURES

First Aid Measures

	Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
	Skin Contact	If skin irritation occurs, rinse affected area with water.
	Inhalation	Remove to fresh air.
	Ingestion	Dilute by giving a large amount of water. Call a physician or Poison Control Center.
Mo	ost important symptoms and effec	<u>cts</u>
	0	—

Symptoms

Exposed individuals may experience eye tearing, redness and discomfort. May cause gastrointestinal disturbance. Inhalation may cause giddiness or loss of consciousness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Alcohol resistant foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Vapors may travel to source of ignition and flash back. Alcohol flames may be difficult to see; the flames are virtually colorless.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use cool water to cool equipment and to disperse vapors.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment as required.		
Environmental Precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	nent and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up	Small spills (less than 1 gallon) may be washed down a drain with lots of water or cleaned up and disposed of into a sanitary sewer system. Large spills (more than 1 gallon) should be contained and collected (by absorption [sand, clay, or other absorbent material] or vacuuming) then disposed of properly.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Do not contaminate
food or feed stuffs. Do not reuse container. Keep out of the reach of children.Incompatible MaterialsStrong oxidizers. Hydrogen peroxide. Bromine. Chromic acid.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	
Glycerol	TWA: 10 mg/m ³ mist	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Avoid contact with eyes.
Skin and Body Protection	No special technical protective measures are necessary.
Respiratory Protection	No protective equipment is needed under normal use conditions.

General Hygiene Considerations Do not get in eyes. Keep away from food and drink.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance Color	Gel Clear light green gel Light green	Odor Odor Threshold	Alcohol Not determined
Property_	Values	Remarks · Method	
рН	6.00-8.00		
Melting Point/Freezing Point	Not established		
Boiling Point/Boiling Range	100 ℃ / 212 ℉		
Flash Point	21 ℃ / 70 ℉	SETA	
Evaporation Rate	Not established		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not established		
Vapor Density	Not established		
Specific Gravity	.858 - 882		
Water Solubility	Completely soluble		
Solubility in other solvents	Not determined		
-			

Property Partition Coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties Density

Values Not determined Not determined Not determined 6000-10000 cps Not determined Not determined 7.15-7.35 lb/gal

Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizers. Hydrogen peroxide. Bromine. Chromic acid.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Not expected to be a skin irritant during prescribed use.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
64-17-5			
Carbomer 9003-01-4	= 2500 mg/kg (Rat)	-	-
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 21900 mg/kg (Rat)	-
sopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat)4 h
sopropyl Myristate 110-27-0	> 10000 mg/kg (Rat)	= 5 g/kg (Rabbit)	> 41 mg/L (Rat)
Propylene Glycol 25322-69-4	> 2 g/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	Х
64-17-5				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 IARC components are "not classifiable as human carcinogens" NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L
		Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		EC50 2: 48 h Daphnia magna mg/L EC50 Static
Carbomer 9003-01-4		580: 96 h Lepomis macrochirus mg/L LC50		168: 96 h water flea mg/L EC50
Glycerol 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static		500: 24 h Daphnia magna mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Isopropyl Myristate 110-27-0	100: 72 h Desmodesmus subspicatus mg/L EC50	8400: 96 h Brachydanio rerio mg/L LC50 semi-static 8400: 96 h Brachydanio rerio mg/L LC50		100: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Ethanol	-0.32
64-17-5	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Ethanol	Toxic	
64-17-5	Ignitable	

14. TRANSPORT INFORMATION

Note

This product as packaged in 2.5oz, 4oz, 8oz, & 15oz are shipped as Limited Quantity

DOT

UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1170 Ethanol solution 3 II
IATA UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1170 Ethanol solution 3 II
IMDG UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1170 Ethanol solution 3 II

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

<u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	0.25	1.0

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Ethanol - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol 64-17-5	Х	Х	Х
Glycerol 56-81-5	Х	Х	Х
Isopropyl alcohol 67-63-0	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	0	3	0	0
ssue Date	28-Jan-2	2008		
Revision Date:	28-Oct-2014			
Revision Note	New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet