

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/26/2015 Supersedes: 06/02/2015 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 15 Components in Nitrogen

Product code : SG-2016-02005

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

1.3. Details of the supplier of the safety data sheet

Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Compressed gas H280 Ozone 1 H420

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated

H420 - Harms public health and the environment by destroying ozone in the upper atmosphere

OSHA-H01 - May displace oxygen and cause rapid suffocation

Precautionary statements (GHS-US) : P202 - Do not handle until all safety precautions have been read and understood

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P403 - Store in a well-ventilated place

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution

CGA-PG21 - Open valve slowly

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

06/26/2015 EN (English US) Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

Substance

Not applicable

3.2. **Mixture**

EN (English US) 06/26/2015 2/17

15 Components in NitrogenSafety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Nitrogen	(CAS No) 7727-37-9	99.901 - 99.99985	Compressed gas, H280
O-XYLENE	(CAS No) 95-47-6	0.00001 - 0.0066	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315
Vinyl chloride	(CAS No) 75-01-4	0.00001 - 0.0066	Flam. Gas 1, H220 Liquefied gas, H280 Carc. 1A, H350 STOT RE 2, H373
1,1,1-trichloroethane	(CAS No) 71-55-6	0.00001 - 0.0066	Acute Tox. 4 (Inhalation), H332 Ozone 1, H420
TETRACHLOROETHYLENE	(CAS No) 127-18-4	0.00001 - 0.0066	Carc. 2, H351 Aquatic Chronic 2, H411
trans-1,2-Dichloroethylene	(CAS No) 156-60-5	0.00001 - 0.0066	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:gas), H332 Aquatic Chronic 3, H412
1,1-DICHLOROETHYLENE	(CAS No) 75-35-4	0.00001 - 0.0066	Flam. Liq. 1, H224 Acute Tox. 4 (Inhalation:gas), H332 Carc. 2, H351
1,2-DICHLOROETHYLENE (CIS)	(CAS No) 156-59-2	0.00001 - 0.0066	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:gas), H332 Aquatic Chronic 3, H412
Benzene	(CAS No) 71-43-2	0.00001 - 0.0066	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 1B, H340 Carc. 1A, H350 STOT RE 1, H372 Asp. Tox. 1, H304
1,1-dichloroethane	(CAS No) 75-34-3	0.00001 - 0.0066	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
Ethylbenzene	(CAS No) 100-41-4	0.00001 - 0.0066	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:vapour), H332 Carc. 2, H351 STOT RE 2, H373 Asp. Tox. 1, H304
tert-Butyl Methyl Ether	(CAS No) 1634-04-4	0.00001 - 0.0066	Flam. Liq. 2, H225 Skin Irrit. 2, H315
Toluene	(CAS No) 108-88-3	0.00001 - 0.0066	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
TRICHLOROETHYLENE	(CAS No) 79-01-6	0.00001 - 0.0066	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H336 Aquatic Chronic 3, H412
m-xylene	(CAS No) 108-38-3	0.00001 - 0.0066	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
p-xylene	(CAS No) 106-42-3	0.00001 - 0.0066	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:gas), H332 Skin Irrit. 2, H315

06/26/2015 EN (English US) 3/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Adverse effects not expected from this product. First-aid measures after eye contact : Adverse effects not expected from this product.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation.

Symptoms/injuries after skin contact : Adverse effects not expected from this product.

Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous

administration

Not known.

Chronic symptoms : Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire

and increasing risk of burns and injuries.

Reactivity : None known.

5.3. Advice for firefighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment consistent with the site emergency plan.

Emergency procedures : Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep

upwind.

6.1.2. For emergency responders

Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate and limit access. Ventilate area

6.2. Environmental precautions

Try to stop release if safe to do so.

6.3. Methods and material for containment and cleaning up

For containment : Try to stop release if safe to do so.

Methods for cleaning up : Dispose of this material and its container in accordance with local regulations.

06/26/2015 EN (English US) 4/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder

5 ppm (see 29 CFR 1910.1017)

pressure. Close valve after each use and when empty.

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or

in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

OSHA PEL (STEL) (ppm)

Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in

use. Protect cylinder from physical damage. Store in well ventilated area.

Incompatible products : None known.
Incompatible materials : None known.

7.3. Specific end use(s)

See Section 1.2.

OSHA

SECTION 8: Exposure controls/personal protection

8.1. Control parameters 15 Components in Nitrogen

ACGIH	Not applicable		
OSHA	Not applicable		
Vinyl chloride (75-01-4)			
ACGIH	ACGIH TWA (ppm) 1 ppm		
OSHA	OSHA PEL (TWA) (ppm) 1 ppm		

1,1-DICHLOROETHYLENE (75-35-4)	
ACGIH	Not applicable

OSHA	Not applicable
0011/1	Tet applicable
1.2-DICHI OROFTHYI FNF (C	:IS) (156-59-2)

1,2-DICHLOROETHYLENE (CIS) (156-59-2)		
ACGIH Not applicable		
OSHA	Not applicable	

trans-1,2-Dichloroethylene (156-60-5)		
ACGIH	ACGIH TWA (ppm) 200 ppm	
OSHA	Not applicable	

1,1-dichloroethane (75-34-3)	
ACGIH Not applicable	
OSHA	Not applicable

tert-Butyl Methyl Ether (1634-04-4)		
ACGIH Not applicable		
OSHA	Not applicable	

1,1,1-trichloroethane (71-55-6)		
ACGIH Not applicable		
OSHA	Not applicable	

Benzene (71-43-2)		
ACGIH	ACGIH TWA (ppm)	0.5 ppm

06/26/2015 EN (English US) 5/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzene (71-43-2)				
ACGIH	ACGIH STEL (ppm)	2.5 ppm		
OSHA	OSHA PEL (TWA) (ppm)	1 ppm		
OSHA	OSHA PEL (STEL) (ppm)	5 ppm (see 29 CFR 1910.1028)		
OSHA	OSHA PEL (Ceiling) (ppm)	25 ppm		
TRICHLOROETHY	LENE (79-01-6)			
ACGIH	Not applicable			
OSHA	Not applicable			
Toluene (108-88-3)				
ACGIH	ACGIH TWA (ppm)	20 ppm		
OSHA	OSHA PEL (TWA) (ppm)	200 ppm		
OSHA	OSHA PEL (Ceiling) (ppm)	300 ppm		
TETRACHLOROET	THYLENE (127-18-4)			
ACGIH	Not applicable	,		
OSHA	Not applicable			
Ethylbenzene (100	-41-4)			
ACGIH	ACGIH TWA (ppm)	20 ppm		
OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	OSHA PEL (TWA) (ppm) 100 ppm		
m-xylene (108-38-3	3)			
ACGIH	Not applicable	Not applicable		
OSHA	Not applicable			
p-xylene (106-42-3)			
ACGIH	Not applicable			
OSHA	Not applicable			
O-XYLENE (95-47-	6)			
ACGIH	Not applicable	Not applicable		
OSHA	Not applicable	Not applicable		
Nitrogen (7727-37-	9)			
ACGIH	Not applicable	Not applicable		
OSHA	Not applicable			

8.2. **Exposure controls**

Appropriate engineering controls	:	Ensure exposure is below occupational exposure limits. Provide adequate general and local
		exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen

detectors should be used when asphyxiating gases may be released. Consider work permit

system e.g. for maintenance activities.

Hand protection : Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.

Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Eye protection

Wear suitable protective clothing, e.g. - lab coats, coveralls or flame resistant clothing. Skin and body protection

Respiratory protection : None necessary during normal and routine operations. See Sections 5 & 6.

Thermal hazard protection : None necessary during normal and routine operations.

Environmental exposure controls Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

Other information : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

06/26/2015 EN (English US) 6/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance No data available. Color No data available : No data available Odor Odor threshold No data available рΗ No data available : No data available Melting point Freezing point No data available Boiling point No data available

Flash point : Not applicable - not flammable

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : See Section 2.1 and 2.2

Explosion limits : Not applicable - not flammable

Explosive properties : Not applicable - not flammable.

Oxidizing properties : None.

Vapor pressure : No data available Relative density : No data available Relative vapor density at 20 °C : No data available

Molecular mass : Not applicable for gas-mixtures.

Relative gas density Similar to air Solubility : No data available Log Pow : No data available No data available Log Kow No data available Auto-ignition temperature Decomposition temperature · No data available Viscosity No data available Viscosity, kinematic No data available Viscosity, dynamic No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

06/26/2015 EN (English US) 7/17

15 Components in NitrogenSafety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vinul oblarida (75.04.4)	
Vinyl chloride (75-01-4)	E00 ma/ka
LD50 oral rat	500 mg/kg
1,1-DICHLOROETHYLENE (75-35-4)	
LC50 inhalation rat (ppm)	6350 ppm/4h
ATE US (gases)	4500.000 ppmV/4h
1,2-DICHLOROETHYLENE (CIS) (156-59-2)	
ATE US (gases)	4500.000 ppmV/4h
trans-1,2-Dichloroethylene (156-60-5)	
LC50 inhalation rat (ppm)	24100 ppm/4h
ATE US (gases)	4500.000 ppmV/4h
1,1-dichloroethane (75-34-3)	
LC50 inhalation rat (ppm)	13000 ppm/4h
ATE US (oral)	500.000 mg/kg body weight
ATE US (gases)	13000.000 ppmV/4h
tert-Butyl Methyl Ether (1634-04-4)	
LD50 oral rat	2963 mg/kg
LD50 dermal rabbit	10000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm/4h
ATE US (oral)	2963.000 mg/kg body weight
ATE US (dermal)	10000.000 mg/kg body weight
ATE US (gases)	23576.000 ppmV/4h
1,1,1-trichloroethane (71-55-6)	
LC50 inhalation rat (ppm)	17000 ppm/4h
ATE US (gases)	17000.000 ppmV/4h
ATE US (vapors)	11.000 mg/l/4h
ATE US (dust, mist)	1.500 mg/l/4h
(,	1 3
Ponzono (71 43 2)	
Benzene (71-43-2)	930 mg/kg
LD50 oral rat	930 mg/kg 13230 (13050 - 14380) ppm/4h
LD50 oral rat LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 1.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (vapors)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (dases) ATE US (dust, mist)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TETRACHLOROETHYLENE (127-18-4)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (dust, mist) TETRACHLOROETHYLENE (127-18-4) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (dust, mist) TETRACHLOROETHYLENE (127-18-4) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h 12.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (dust, mist) TETRACHLOROETHYLENE (127-18-4) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h 12.500 mg/l/4h 12.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (dust, mist) TETRACHLOROETHYLENE (127-18-4) LC50 inhalation rat (ppm) Ethylbenzene (100-41-4) LD50 oral rat	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h 12.500 mg/l/4h 12.500 mg/l/4h
LD50 oral rat LC50 inhalation rat (ppm) ATE US (oral) ATE US (gases) ATE US (vapors) ATE US (dust, mist) TRICHLOROETHYLENE (79-01-6) LC50 inhalation rat (ppm) ATE US (gases) Toluene (108-88-3) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (dust, mist) TETRACHLOROETHYLENE (127-18-4) LC50 inhalation rat (ppm)	13230 (13050 - 14380) ppm/4h 930.000 mg/kg body weight 13230.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 13091.24 ppm/4h 13091.240 ppmV/4h 636 mg/kg 8390 mg/kg 12.5 mg/l/4h 13001.09 ppm/4h 636.000 mg/kg body weight 8390.000 mg/kg body weight 13001.090 ppmV/4h 12.500 mg/l/4h 12.500 mg/l/4h 12.500 mg/l/4h

06/26/2015 EN (English US) 8/17

Reproductive toxicity

Specific target organ toxicity (single exposure)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylbenzene (100-41-4)	
ATE US (oral)	3500.000 mg/kg body weight
ATE US (dermal)	15354.000 mg/kg body weight
ATE US (gases)	8954.020 ppmV/4h
ATE US (vapors)	17.200 mg/l/4h
ATE US (dust, mist)	17.200 mg/l/4h
m-xylene (108-38-3)	
LC50 inhalation rat (ppm)	4550 ppm/4h
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (gases)	4550.000 ppmV/4h
ATE US (vapors)	11.000 mg/l/4h
ATE US (dust, mist)	1.500 mg/l/4h
p-xylene (106-42-3)	
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (gases)	4500.000 ppmV/4h
O-XYLENE (95-47-6)	
LC50 inhalation rat (ppm)	4550 ppm/4h
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (gases)	4550.000 ppmV/4h
ATE US (vapors)	11.000 mg/l/4h
ATE US (dust, mist)	1.500 mg/l/4h
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	: Not classified
-	. Not diagonicu
Vinyl chloride (75-01-4)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes
In OSHA Specifically Regulated Carcinogen list	Yes
in oci il copositioni in ogginatori careniogen not	
Panzana (74 42 2)	
Benzene (71-43-2) IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	- Carcinogenic to Humans - Evidence of Carcinogenicity, 2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen	Yes
list	103
In OSHA Specifically Regulated Carcinogen list	Yes
Toluene (108-88-3)	
IARC group	3 - Not classifiable
Ethylbenzene (100-41-4)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity
In OSHA Hazard Communication Carcinogen	Yes
list	

06/26/2015 EN (English US) 9/17

: Not classified

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated

exposure)

: Not classified

: Not classified Aspiration hazard

Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation. Symptoms/injuries after skin contact : Adverse effects not expected from this product. Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous : Not known.

administration

: Adverse effects not expected from this product. Chronic symptoms

SECTION 12: Ecological information

12.1. **Toxicity**

Vinyl chloride (75-01-4)	
LC50 fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 other aquatic organisms 1	943 mg/l (Exposure time: 48 h - Species: Chilomonas paramecium)

trans-1,2-Dichloroethylene (156-60-5)	
LC50 fish 1	135 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Benzene (71-43-2)	
LC50 fish 1	10.7 - 14.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	8.76 - 15.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 other aquatic organisms 1	29 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)
LC50 fish 2	5.3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 2	10 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Toluene (108-88-3)	
LC50 fish 1	15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 other aquatic organisms 1	> 433 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)
LC50 fish 2	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 2	12.5 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])

Ethylbenzene (100-41-4)	
LC50 fish 1	11.0 - 18.0 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	1.8 - 2.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	4.6 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)
LC50 fish 2	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
EC50 other aquatic organisms 2	> 438 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)

12.2. Persistence and degradability

Vinyl chloride (75-01-4)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.

Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.

12.3. **Bioaccumulative potential**

06/26/2015 EN (English US) 10/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vinyl chloride (75-01-4)	
BCF fish 1	(no significant bioaccumulation)
Log Pow	1.52
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.

trans-1,2-Dichloroethylene (156-60-5)	
Log Pow	1.48

Benzene (71-43-2)		
	BCF fish 1	3.5 - 4.4
	Log Pow	1.83

Log Pow	2.65
Ethylbenzene (100-41-4)	
BCF fish 1	15
Log Pow	3.118

Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.

12.4. Mobility in soil

Toluene (108-88-3)

Vinyl chloride (75-01-4)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.

Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.

12.5. Other adverse effects

Effect on ozone layer : Harms public health and the environment by destroying ozone in the upper atmosphere

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Contact supplier if guidance is required. Do not discharge into any place where its

accumulation could be dangerous. Ensure that the emission levels from local regulations or

operating permits are not exceeded.

Waste disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more

guidance on suitable disposal methods.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1956 Compressed gas, n.o.s.

UN-No.(DOT) : UN1956

Proper Shipping Name (DOT) : Compressed gas, n.o.s. Hazard labels (DOT) : 2.2 - Non-flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : 302;305

06/26/2015 EN (English US) 11/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx) : 314;315

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Packaging Exceptions (49 CFR 173.xxx) : 306;307 DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Additional information

Other information : No supplementary information available.

ADR

Transport document description : UN 1956, 2.2, (E)
Class (ADR) : 2 - Gases

Hazard identification number (Kemler No.) : 20 Classification code (ADR) : 1A

Hazard labels (ADR) : 2.2 - Non-flammable compressed gas



Orange plates :

20 1956

Tunnel restriction code (ADR) : E
Limited quantities (ADR) : 120ml
Excepted quantities (ADR) : E1

Transport by sea

UN-No. (IMDG) : 1956

Proper Shipping Name (IMDG) : COMPRESSED GAS, N.O.S.

Class (IMDG) : 2 - Gases

Air transport

UN-No. (IATA) : 1956

Proper Shipping Name (IATA) : COMPRESSED GAS, N.O.S.

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

Vinyl chloride (75-01-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 0.1 %

trans-1,2-Dichloroethylene (156-60-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Benzene (71-43-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 0.1 %

06/26/2015 EN (English US) 12/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Toluene (108-88-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 %
Ethylbenzene (100-41-4)	

Ethylbenzene (100-41-4)	
Listed on the United States TSCA (Toxic Substar Subject to reporting requirements of United State	,
SARA Section 313 - Emission Reporting	0.1 %

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Vinyl chloride (75-01-4)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class F - Dangerously Reactive Material

trans-1,2-Dichloroethylene (156-60-5)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Benzene (71-43-2)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Toluene (108-88-3)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Ethylbenzene (100-41-4)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	

EU-Regulations

Vinyl chloride (75-01-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

trans-1,2-Dichloroethylene (156-60-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzene (71-43-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Toluene (108-88-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

06/26/2015 EN (English US) 13/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylbenzene (100-41-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

National regulations

Vinyl chloride (75-01-4)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the Canadian IDL (Ingredient Disclosure List)

trans-1,2-Dichloroethylene (156-60-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Benzene (71-43-2)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the Canadian IDL (Ingredient Disclosure List)

Toluene (108-88-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

Ethylbenzene (100-41-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

06/26/2015 EN (English US) 14/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Vinyl chloride (75-01-4)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	3 μg/day

Yes	No	N0	No	3 μg/day
Benzene (71-43-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	No	Yes	6.4 μg/day
Toluene (108-88-3)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	Yes	No	
Ethylbenzene (100-41-4)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	54 μg/day

Vinyl chloride (75-01-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

trans-1,2-Dichloroethylene (156-60-5)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Benzene (71-43-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) Special Flaza

Toluene (108-88-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

06/26/2015 EN (English US) 15/17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethylbenzene (100-41-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Indication of changes

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

06/26/2015 EN (English US) 16/17

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

ct of H-phrases:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1A	Carcinogenicity Category 1A
Carc. 1B	Carcinogenicity Category 1B
Carc. 2	Carcinogenicity Category 2
Compressed gas	Gases under pressure Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 1	Flammable liquids Category 1
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Liquefied gas	Gases under pressure Liquefied gas
Muta. 1B	Germ cell mutagenicity Category 1B
Muta. 2	Germ cell mutagenicity Category 2
Ozone 1	Hazardous to the ozone layer Category 1
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H224	Extremely flammable liquid and vapor
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause respiratory initiation May cause drowsiness or dizziness
H340	May cause genetic defects (Inhalation)
H341	Suspected of causing genetic defects
H350	
	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H420	Harms public health and the environment by destroying ozone in the upper atmosphere

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

06/26/2015 EN (English US) 17/17