

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/10/2015 Version: 2.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Mixture

Product name : 11 Components in Methane

Product code SG-2012-02719

#### Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

#### Details of the supplier of the safety data sheet

Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com

#### **Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### **GHS-US** classification

Flam. Gas 1 H220 H280 Compressed gas Repr. 2 H361

Full text of H-phrases: see section 16

#### Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS02

GHS04

GHS08

Signal word (GHS-US)

H220 - Extremely flammable gas Hazard statements (GHS-US)

H280 - Contains gas under pressure; may explode if heated H361 - Suspected of damaging fertility or the unborn child OSHA-H01 - May displace oxygen and cause rapid suffocation

CGA-HG04 - May form explosive mixtures with air

CGA-HG16 - Extended exposure to gas reduces the ability to smell sulfides.

: P202 - Do not handle until all safety precautions have been read and understood Precautionary statements (GHS-US)

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely

P381 - Eliminate all ignition sources if safe to do so

P403 - Store in a well-ventilated place

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution

CGA-PG21 - Open valve slowly

CGA-PG29 - Do not depend on odor to detect presence of gas

07/10/2015 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Methane	(CAS No) 74-82-8	57.0003 - 99.8999	Flam. Gas 1, H220 Compressed gas, H280
Nitrogen	(CAS No) 7727-37-9	0.00001 - 10	Compressed gas, H280
Ethane	(CAS No) 74-84-0	0.00001 - 10	Flam. Gas 1, H220 Liquefied gas, H280
Isobutane	(CAS No) 75-28-5	0.00001 - 5	Flam. Gas 1, H220 Liquefied gas, H280
n-Butane	(CAS No) 106-97-8	0.00001 - 5	Flam. Gas 1, H220 Liquefied gas, H280
Propane	(CAS No) 74-98-6	0.00001 - 5	Flam. Gas 1, H220 Liquefied gas, H280
Carbon dioxide	(CAS No) 124-38-9	0.00001 - 2.9999	Liquefied gas, H280
n-Pentane	(CAS No) 109-66-0	0.00001 - 1	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Neopentane	(CAS No) 463-82-1	0.00001 - 1	Flam. Gas 1, H220 Liquefied gas, H280 Aquatic Chronic 2, H411
2-Methylbutane	(CAS No) 78-78-4	0.00001 - 1	Flam. Liq. 1, H224 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
n-Hexane	(CAS No) 110-54-3	0.1 - 0.9999	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrogen sulfide	(CAS No) 7783-06-4	0.00001 - 0.9999	Flam. Gas 1, H220 Liquefied gas, H280 Acute Tox. 2 (Inhalation:gas), H330 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

4.4	Daniel and a 41 and	and the state of all	
4.1.	Description	of first aid	measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Adverse effects not expected from this product. First-aid measures after eye contact : Adverse effects not expected from this product.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation. Symptoms/injuries after skin contact : Adverse effects not expected from this product. Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous : Not known.

administration

Chronic symptoms : Suspected of damaging fertility. Suspected of damaging the unborn child.

07/10/2015 EN (English US) 2/16

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries. May form flammable/explosive vapor-air mixture.

Reactivity : None known.

#### 5.3. Advice for firefighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment consistent with the site emergency plan.

Emergency procedures : Escape the danger area by the closest safe route. Close doors and windows of adjacent

premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep

upwind.

#### 6.1.2. For emergency responders

Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate and limit access. Ventilate area. Remove ignition sources. Monitor concentration of

released product. Consider the risk of potentially explosive atmospheres. Wear self-contained breathing apparatus when entering atmospheres of unknown contaminant concentration until

proven to be safe.

#### 6.2. Environmental precautions

Try to stop release if safe to do so.

#### 6.3. Methods and material for containment and cleaning up

For containment : Try to stop release if safe to do so.

Methods for cleaning up : Dispose of this material and its container in accordance with local regulations.

#### 6.4. Reference to other sections

See also Sections 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Handle empty containers with care

pressure. Close valve after each use and when empty. Handle empty containers with care because residual vapors are flammable. In use, may form flammable vapor-air mixture.

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. – No smoking

in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Use only non-sparking tools.

Hygiene measures : Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity

should be followed

Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area. Store locked up.

07/10/2015 EN (English US) 3/16

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible products : None known.

Incompatible materials : Oxidizing materials. Air.

#### 7.3. Specific end use(s)

See Section 1.2.

## SECTION 8: Exposure controls/personal protection

8.1.	Control parameters	
11	Components in Methane	

ACGIH	Not applicable	
OSHA	Not applicable	
n-Pentane (109-66-0)		
ACGIH	ACGIH TWA (ppm)	600 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	2950 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

Neopentane (463-82-1)		
ACGIH	ACGIH TWA (ppm)	600 ppm
OSHA	Not applicable	

n-Hexane (110-54-3)		
ACGIH	ACGIH TWA (ppm)	50 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	1800 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	500 ppm

2-Methylbutane (78-78-4)		
ACGIH	ACGIH TWA (ppm)	600 ppm
OSHA	Not applicable	

Isobutane (75-28-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	Not applicable	

n-Butane (106-97-8)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	Not applicable	

Propane (74-98-6)		
ACGIH	ACGIH TWA (ppm)	1000 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	1800 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

Carbon dioxide (124-38-9)		
ACGIH	ACGIH TWA (ppm)	5000 ppm
ACGIH	ACGIH STEL (ppm)	30000 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	9000 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	5000 ppm

Nitrogen (7727-37-9)	
ACGIH	Not applicable
OSHA	Not applicable

Ethane (74-84-0)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	

07/10/2015 EN (English US) 4/16

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethane (74-84-0)		
OSHA	Not applicable	
Hydrogen sulfide (7783-06-4)		
ACGIH	ACGIH TWA (ppm)	1 ppm
ACGIH	ACGIH STEL (ppm)	5 ppm
OSHA	OSHA PEL (Ceiling) (ppm)	20 ppm
Methane (74-82-8)		
ACGIH	ACGIH TWA (ppm)	1000 ppm
OSHA	Not applicable	

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure exposure is below occupational exposure limits. Provide adequate general and local

exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit

system e.g. for maintenance activities.

Hand protection : Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.

Eye protection : Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Skin and body protection : Wear suitable protective clothing, e.g. - lab coats, coveralls or flame resistant clothing.

Respiratory protection : None necessary during normal and routine operations. See Sections 5 & 6.

Thermal hazard protection : None necessary during normal and routine operations.

Environmental exposure controls : Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

Other information : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless gas.

Color : Colorless

Odor sulfide-like Rotten eggs. No data available Odor threshold Hq No data available Melting point No data available Freezing point No data available No data available Boiling point Flash point No data available Relative evaporation rate (butyl acetate=1) No data available

Flammability (solid, gas) : See Section 2.1 and 2.2 Explosion limits : No data available

Explosive properties : Without adequate ventilation formation of explosive mixtures may be possible.

Oxidizing properties : None.

Vapor pressure : No data available Relative density : No data available Relative vapor density at 20 °C : No data available

Molecular mass : Not applicable for gas-mixtures.

Relative gas density : Lighter or similar to air Solubility : No data available Log Pow : No data available Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available

07/10/2015 EN (English US) 5/16

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None known.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Can form explosive mixture with air.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Oxidizing materials. Air.

LC50 inhalation rat (ppm)

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

n-Pentane (109-66-0)	
,	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat (mg/l)	364 g/m³ (Exposure time: 4 h)
LC50 inhalation rat (ppm)	123317.17 ppm/4h
ATE US (dermal)	3000.000 mg/kg body weight
ATE US (gases)	123317.170 ppmV/4h
ATE US (vapors)	364.000 mg/l/4h
ATE US (dust, mist)	364.000 mg/l/4h

ATE US (dust, mist)         364.000 mg/l/4h           n-Hexane (110-54-3)           LD50 dermal rabbit         3000 mg/kg           LC50 inhalation rat (ppm)         48000 ppm/4h           ATE US (dermal)         3000.000 mg/kg body weight           ATE US (gases)         48000.000 ppmV/4h           2-Methylbutane (78-78-4)           LC50 inhalation rat (ppm)         94859.36 ppm/4h           Isobutane (75-28-5)           LC50 inhalation rat (mg/l)         658 mg/l/4h           LC50 inhalation rat (ppm)         276713.11 ppm/4h           n-Butane (106-97-8)           LC50 inhalation rat (mg/l)         658 g/m³ (Exposure time: 4 h)           LC50 inhalation rat (mg/l)         658 mg/l/4h           LC50 inhalation rat (ppm)         276789.28 ppm/4h           Propane (74-98-6)           LC50 inhalation rat (ppm)         282800 ppm/4h           Carbon dioxide (124-38-9)           LC50 inhalation rat (ppm)         820000 ppm/4h           Nitrogen (7727-37-9)	ATE US (vapors)	364.000 mg/l/4n	
LD50 dermal rabbit       3000 mg/kg         LC50 inhalation rat (ppm)       48000 ppm/4h         ATE US (dermal)       3000.000 mg/kg body weight         ATE US (gases)       48000.000 ppmV/4h         2-Methylbutane (78-78-4)         LC50 inhalation rat (ppm)       94859.36 ppm/4h         Isobutane (75-28-5)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       276713.11 ppm/4h         n-Butane (106-97-8)         LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	ATE US (dust, mist)	364.000 mg/l/4h	
LC50 inhalation rat (ppm)       48000 ppm/4h         ATE US (dermal)       3000.000 mg/kg body weight         ATE US (gases)       48000.000 ppmV/4h         2-Methylbutane (78-78-4)         LC50 inhalation rat (ppm)       94859.36 ppm/4h         Isobutane (75-28-5)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       276713.11 ppm/4h         n-Butane (106-97-8)         LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	n-Hexane (110-54-3)		
ATE US (dermal) 3000.000 mg/kg body weight ATE US (gases) 48000.000 ppmV/4h  2-Methylbutane (78-78-4) LC50 inhalation rat (ppm) 94859.36 ppm/4h  Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h  n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h  Propane (74-98-6) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 282800 ppm/4h  Carbon dioxide (124-38-9) LC50 inhalation rat (ppm) 820000 ppm/4h	LD50 dermal rabbit	3000 mg/kg	
ATE US (gases) 48000.000 ppmV/4h  2-Methylbutane (78-78-4)  LC50 inhalation rat (ppm) 94859.36 ppm/4h  Isobutane (75-28-5)  LC50 inhalation rat (mg/l) 658 mg/l/4h  LC50 inhalation rat (ppm) 276713.11 ppm/4h  n-Butane (106-97-8)  LC50 inhalation rat (mg/l) 658 g/m² (Exposure time: 4 h)  LC50 inhalation rat (ppm) 276789.28 ppm/4h  Propane (74-98-6)  LC50 inhalation rat (mg/l) 658 mg/l/4h  LC50 inhalation rat (mg/l) 658 mg/l/4h  LC50 inhalation rat (ppm) 282800 ppm/4h  Carbon dioxide (124-38-9)  LC50 inhalation rat (ppm) 820000 ppm/4h	LC50 inhalation rat (ppm)	48000 ppm/4h	
2-Methylbutane (78-78-4)         LC50 inhalation rat (ppm)       94859.36 ppm/4h         Isobutane (75-28-5)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       276713.11 ppm/4h         n-Butane (106-97-8)         LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	ATE US (dermal)	3000.000 mg/kg body weight	
LC50 inhalation rat (ppm)       94859.36 ppm/4h         Isobutane (75-28-5)	ATE US (gases)	48000.000 ppmV/4h	
Isobutane (75-28-5)           LC50 inhalation rat (mg/l)         658 mg/l/4h           LC50 inhalation rat (ppm)         276713.11 ppm/4h           n-Butane (106-97-8)           LC50 inhalation rat (mg/l)         658 g/m³ (Exposure time: 4 h)           LC50 inhalation rat (ppm)         276789.28 ppm/4h           Propane (74-98-6)           LC50 inhalation rat (mg/l)         658 mg/l/4h           LC50 inhalation rat (ppm)         282800 ppm/4h           Carbon dioxide (124-38-9)           LC50 inhalation rat (ppm)         820000 ppm/4h	2-Methylbutane (78-78-4)		
LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       276713.11 ppm/4h         n-Butane (106-97-8)         LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	LC50 inhalation rat (ppm)	94859.36 ppm/4h	
LC50 inhalation rat (ppm)       276713.11 ppm/4h         n-Butane (106-97-8)       LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	Isobutane (75-28-5)		
n-Butane (106-97-8)         LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	LC50 inhalation rat (mg/l)	658 mg/l/4h	
LC50 inhalation rat (mg/l)       658 g/m³ (Exposure time: 4 h)         LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	LC50 inhalation rat (ppm)	276713.11 ppm/4h	
LC50 inhalation rat (ppm)       276789.28 ppm/4h         Propane (74-98-6)         LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	n-Butane (106-97-8)		
Propane (74-98-6)           LC50 inhalation rat (mg/l)         658 mg/l/4h           LC50 inhalation rat (ppm)         282800 ppm/4h           Carbon dioxide (124-38-9)           LC50 inhalation rat (ppm)         820000 ppm/4h	LC50 inhalation rat (mg/l)	658 g/m³ (Exposure time: 4 h)	
LC50 inhalation rat (mg/l)       658 mg/l/4h         LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)         LC50 inhalation rat (ppm)       820000 ppm/4h	LC50 inhalation rat (ppm)	276789.28 ppm/4h	
LC50 inhalation rat (ppm)       282800 ppm/4h         Carbon dioxide (124-38-9)       LC50 inhalation rat (ppm)         820000 ppm/4h	Propane (74-98-6)		
Carbon dioxide (124-38-9)           LC50 inhalation rat (ppm)         820000 ppm/4h	LC50 inhalation rat (mg/l)	658 mg/l/4h	
LC50 inhalation rat (ppm) 820000 ppm/4h	LC50 inhalation rat (ppm)	282800 ppm/4h	
	Carbon dioxide (124-38-9)		
Nitrogen (7727-37-9)	LC50 inhalation rat (ppm)	820000 ppm/4h	
	Nitrogen (7727-37-9)		

07/10/2015 EN (English US) 6/16

820000 ppm/4h

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethane (74-84-0)		
LC50 inhalation rat (mg/l)	658 mg/l/4h	
LC50 inhalation rat (ppm)	820000 ppm/4h	
ATE US (gases)	820000.000 ppmV/4h	
ATE US (vapors)	658.000 mg/l/4h	
ATE US (dust, mist)	658.000 mg/l/4h	
Hydrogen sulfide (7783-06-4)		
LC50 inhalation rat (mg/l)	0.99 mg/l (Exposure time: 1 h)	
LC50 inhalation rat (ppm)	356 ppm/4h	
ATE US (gases)	356.000 ppmV/4h	
ATE US (vapors)	0.990 mg/l/4h	
ATE US (dust, mist)	0.990 mg/l/4h	
Methane (74-82-8)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
ATE US (gases)	820000.000 ppmV/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation. Symptoms/injuries after skin contact : Adverse effects not expected from this product. Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous

administration

: Not known.

Chronic symptoms : Suspected of damaging fertility. Suspected of damaging the unborn child.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

n-Pentane (109-66-0)		
LC50 fish 1	9.87 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 Daphnia 1	9.74 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	11.59 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
n-Hexane (110-54-3)		
LC50 fish 1	2.1 - 2.98 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
2-Methylbutane (78-78-4)		
EC50 Daphnia 1	2.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

07/10/2015 EN (English US) 7/16

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydrogen sulfide (7783-06-4)	
LC50 fish 1	0.0448 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	0.022 mg/l (Exposure time: 96 h - Species: Gammarus pseudolimnaeus)
LC50 fish 2	0.016 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

#### Persistence and degradability

Neopentane (463-82-1)		
Persistence and degradability	No data available.	
2-Methylbutane (78-78-4)		
Persistence and degradability	No data available.	
Isobutane (75-28-5)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
n-Butane (106-97-8)		
Persistence and degradability	No data available.	
Propane (74-98-6)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
Carbon dioxide (124-38-9)		
Persistence and degradability	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	
Ethane (74-84-0)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
Hydrogen sulfide (7783-06-4)		
Persistence and degradability	Not applicable for inorganic gases.	
Methane (74-82-8)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist. No data available.	

#### 12.3. **Bioaccumulative potential**

·		
n-Pentane (109-66-0)		
Log Pow	3.39	
Neopentane (463-82-1)		
Log Pow	3.11	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	
2-Methylbutane (78-78-4)		
Log Pow	3.2 - 3.3	
Log Kow	Not applicable for gas-mixtures.	
Bioaccumulative potential	No data available.	
Isobutane (75-28-5)		
BCF fish 1	1.57 - 1.97	
Log Pow	2.76	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	
n-Butane (106-97-8)		
Log Pow	2.89	
Log Kow	Not applicable for gas-mixtures.	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	
Propane (74-98-6)		
Log Pow	2.36	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	
Carbon dioxide (124-38-9)		
BCF fish 1	(no bioaccumulation)	
Log Pow	0.83	
Bioaccumulative potential	No ecological damage caused by this product.	

07/10/2015 EN (English US) 8/16

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

litrogen (7727-37-9)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No ecological damage caused by this product.	
Ethane (74-84-0)		
Log Pow	1.81	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	
Hydrogen sulfide (7783-06-4)		
BCF fish 1	(no bioaccumulation expected)	
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No data available.	
Methane (74-82-8)		
Log Pow	Not applicable for gas mixtures	
Log Kow	Not applicable for gas mixtures	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	

#### 12.4. Mobility in soil

Neopentane (463-82-1)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
2-Methylbutane (78-78-4)		
Mobility in soil	No data available.	
Isobutane (75-28-5)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
n-Butane (106-97-8)		
Mobility in soil	No data available.	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Propane (74-98-6)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Carbon dioxide (124-38-9)		
Ecology - soil	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Ecology - soil	No ecological damage caused by this product.	
Ethane (74-84-0)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Hydrogen sulfide (7783-06-4)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Methane (74-82-8)		
Mobility in soil	No data available.	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	

#### 12.5. Other adverse effects

Effect on ozone layer : No known effects from this product.

Effect on the global warming : Contains greenhouse gas(es) not covered by 842/2006/EC.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded. Waste gas should be flared through a suitable burner with flash back arrestor. Do not discharge into areas where there is a risk of forming an explosive mixture with air.

Waste disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.

07/10/2015 EN (English US) 9/16

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1954 Compressed gas, flammable, n.o.s.

UN-No.(DOT) : UN1954

Proper Shipping Name (DOT) : Compressed gas, flammable, n.o.s.

Hazard labels (DOT) : 2.1 - Flammable gas

2

DOT Packaging Non Bulk (49 CFR 173.xxx) : 302;305 DOT Packaging Bulk (49 CFR 173.xxx) : 314;315

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Packaging Exceptions (49 CFR 173.xxx) : 306

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

#### **Additional information**

Other information : No supplementary information available.

#### **ADR**

Transport document description : UN 1954 COMPRESSED GAS, FLAMMABLE, N.O.S., 2.1, (B/D)

Class (ADR) : 2 - Gases

Hazard identification number (Kemler No.) : 23
Classification code (ADR) : 1F

Hazard labels (ADR) : 2.1 - Flammable gases



Orange plates :

23 1954

Tunnel restriction code (ADR) : B/D Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0

Transport by sea

UN-No. (IMDG) : 1954

Proper Shipping Name (IMDG) : COMPRESSED GAS, FLAMMABLE, N.O.S.

Class (IMDG) : 2 - Gases

Air transport

UN-No. (IATA) : 1954

Proper Shipping Name (IATA) : COMPRESSED GAS, FLAMMABLE, N.O.S.

07/10/2015 EN (English US) 10/16

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (IATA) : 2

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

n-Pentane (109-66-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
,	, , ,	

#### Neopentane (463-82-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### n-Hexane (110-54-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 1.0 %

#### 2-Methylbutane (78-78-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Isobutane (75-28-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### n-Butane (106-97-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Propane (74-98-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Ethane (74-84-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Hydrogen sulfide (7783-06-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302

Subject to reporting requirements of United States SARA Section 313

SARA Section 302 Threshold Planning	500
Quantity (TPQ)	
SARA Section 313 - Emission Reporting	1.0 %

#### Methane (74-82-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### **CANADA**

n-Pentane (109-66-0)				
Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class B Division 2 - Flammable Liquid			
Neopentane (463-82-1)				
Listed on the Canadian DSL (Domesi	tic Sustances List)			
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas			
n-Hexane (110-54-3)				
Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
2-Methylbutane (78-78-4)				
Listed on the Canadian DSL (Domes	tic Sustances List)			
WHMIS Classification	Class B Division 2 - Flammable Liquid			

07/10/2015 EN (English US) 11/16

# **11 Components in Methane**Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isobutane (75-28-5)				
Listed on the Canadian DSL (Domestic Susta	ances List)			
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas			
n-Butane (106-97-8)				
Listed on the Canadian DSL (Domestic Susta	·			
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas			
Propane (74-98-6)				
Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas			
Carbon dioxide (124-38-9)				
Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class A - Compressed Gas			
Nitrogen (7727-37-9)				
Listed on the Canadian DSL (Domestic Susta	ances List)			
WHMIS Classification	Class A - Compressed Gas			
Ethane (74-84-0)				
Listed on the Canadian DSL (Domestic Susta	ances List)			
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas			
Hydrogen sulfide (7783-06-4)				
Listed on the Canadian DSL (Domestic Susta	ances List)			
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Methano (74-82-8)				
Methane (74-82-8) Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas			
EU-Regulations				
n-Pentane (109-66-0)				
, ,	ean Inventory of Existing Commercial Chemical Substances)			
Neopentane (463-82-1)	,			
, ,	ean Inventory of Existing Commercial Chemical Substances)			
n-Hexane (110-54-3)	, , ,			
	ean Inventory of Existing Commercial Chemical Substances)			
2-Methylbutane (78-78-4)	, , , , , , , , , , , , , , , , , , , ,			
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)				
Isobutane (75-28-5)				
Listed on the EEC inventory EINECS (Europ	ean Inventory of Existing Commercial Chemical Substances)			
n-Butane (106-97-8)				
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)				
Propane (74-98-6) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)				
Carbon dioxide (124-38-9)				
<u> </u>	ean Inventory of Existing Commercial Chemical Substances)			
Nitrogen (7727-37-9)				
	ean Inventory of Existing Commercial Chemical Substances)			

07/10/2015 EN (English US) 12/16

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Ethane (74-84-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Hydrogen sulfide (7783-06-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Methane (74-82-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

#### **National regulations**

#### n-Pentane (109-66-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### Neopentane (463-82-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### n-Hexane (110-54-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### 2-Methylbutane (78-78-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### Isobutane (75-28-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### n-Butane (106-97-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

07/10/2015 EN (English US) 13/16

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Propane (74-98-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### Carbon dioxide (124-38-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### Ethane (74-84-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### Hydrogen sulfide (7783-06-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### Methane (74-82-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### 15.3. US State regulations

#### n-Pentane (109-66-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Neopentane (463-82-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### n-Hexane (110-54-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

07/10/2015 EN (English US) 14/16

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2-Methylbutane (78-78-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Isobutane (75-28-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### n-Butane (106-97-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Propane (74-98-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Carbon dioxide (124-38-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## Ethane (74-84-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Hydrogen sulfide (7783-06-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

#### Methane (74-82-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### **SECTION 16: Other information**

Indication of changes

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

07/10/2015 EN (English US) 15/16

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

xι οι π-piliases.	
Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Compressed gas	Gases under pressure Compressed gas
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 1	Flammable liquids Category 1
Flam. Liq. 2	Flammable liquids Category 2
Liquefied gas	Gases under pressure Liquefied gas
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H224	Extremely flammable liquid and vapor
H225	Highly flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated
	exposure
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

07/10/2015 EN (English US) 16/16