

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/04/2015 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 12 Components in Methane

Product code : SG-2013-02825

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

1.3. Details of the supplier of the safety data sheet

Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Gas 1 H220 Compressed gas H280

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





HS02

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation

CGA-HG04 - May form explosive mixtures with air

Precautionary statements (GHS-US) : P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely

P381 - Eliminate all ignition sources if safe to do so

P403 - Store in a well-ventilated place

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution

CGA-PG21 - Open valve slowly

2.3. Other hazards

No additional information available

08/04/2015 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | GHS-US classification |
|--------------------|--------------------|-----------------------|--|
| Methane | (CAS No) 74-82-8 | 56.8003 - 99.99988 | Flam. Gas 1, H220 Compressed gas, H280 |
| Ethane | (CAS No) 74-84-0 | 0.00001 - 10 | Flam. Gas 1, H220 Liquefied gas, H280 |
| Nitrogen | (CAS No) 7727-37-9 | 0.00001 - 10 | Compressed gas, H280 |
| Propane | (CAS No) 74-98-6 | 0.00001 - 5 | Flam. Gas 1, H220 Liquefied gas, H280 |
| Isobutane | (CAS No) 75-28-5 | 0.00001 - 3 | Flam. Gas 1, H220 Liquefied gas, H280 |
| n-Butane | (CAS No) 106-97-8 | 0.00001 - 3 | Flam. Gas 1, H220 Liquefied gas, H280 |
| 2-methyl pentane | (CAS No) 107-83-5 | 0.00001 - 3 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Carbon dioxide | (CAS No) 124-38-9 | 0.00001 - 2.9999 | Liquefied gas, H280 |
| 2-Methylbutane | (CAS No) 78-78-4 | 0.00001 - 2 | Flam. Liq. 1, H224 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Methylcyclopentane | (CAS No) 96-37-7 | 0.00001 - 2 | Flam. Liq. 2, H225 |
| n-Pentane | (CAS No) 109-66-0 | 0.00001 - 2 | Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| n-Hexane | (CAS No) 110-54-3 | 0.00001 - 0.0999 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Benzene | (CAS No) 71-43-2 | 0.00001 - 0.0999 | Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 1B, H340 Carc. 1A, H350 STOT RE 1, H372 Asp. Tox. 1, H304 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Adverse effects not expected from this product.

First-aid measures after eye contact : Adverse effects not expected from this product.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation. Symptoms/injuries after skin contact : Adverse effects not expected from this product. Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous : Not known.

administration

08/04/2015 EN (English US) 2/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chronic symptoms : Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries. May form flammable/explosive vapor-air mixture.

Reactivity : None known.

5.3. Advice for firefighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment consistent with the site emergency plan.

Emergency procedures : Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep

premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.

6.1.2. For emergency responders

Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate and limit access. Ventilate area. Remove ignition sources. Monitor concentration of released product. Consider the risk of potentially explosive atmospheres. Wear self-contained

breathing apparatus when entering atmospheres of unknown contaminant concentration until

proven to be safe.

6.2. Environmental precautions

Try to stop release if safe to do so.

6.3. Methods and material for containment and cleaning up

For containment : Try to stop release if safe to do so.

Methods for cleaning up : Dispose of this material and its container in accordance with local regulations.

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder

pressure. Close valve after each use and when empty. Handle empty containers with care because residual vapors are flammable. In use, may form flammable vapor-air mixture.

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or

in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Use only non-sparking tools.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity

should be followed.

08/04/2015 EN (English US) 3/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in

use. Protect cylinder from physical damage. Store in well ventilated area.

Incompatible products : None known.

Incompatible materials : Oxidizing materials. Air.

7.3. Specific end use(s)

See Section 1.2.

SECTION 8: Exposure controls/personal protection

| 8.1. | Control parameters |
|------|----------------------|
| 12 C | omponents in Methane |

| ACGIH | Not applicable | |
|---------------------------|------------------------|------------|
| OSHA | Not applicable | |
| Carbon dioxide (124-38-9) | | |
| ACGIH | ACGIH TWA (ppm) | 5000 ppm |
| ACGIH | ACGIH STEL (ppm) | 30000 ppm |
| OSHA | OSHA PEL (TWA) (mg/m³) | 9000 mg/m³ |
| OSHA | OSHA PEL (TWA) (nnm) | 5000 nnm |

| Nitrogen (7727-37-9) | |
|----------------------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

| n-Butane (106-97-8) | | |
|---------------------|------------------|----------|
| ACGIH | ACGIH STEL (ppm) | 1000 ppm |
| OSHA | Not applicable | |

| 2-methyl pentane (107-83-5) | |
|-----------------------------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

| Isobutane (75-28-5) | | |
|---------------------|------------------|----------|
| ACGIH | ACGIH STEL (ppm) | 1000 ppm |
| OSHA | Not applicable | |

| Methylcyclopentane (96-37-7 | ') |
|-----------------------------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

| 2-Methylbutane (78-78-4) | | |
|--------------------------|-----------------|---------|
| ACGIH | ACGIH TWA (ppm) | 600 ppm |
| OSHA | Not applicable | |

| Propane (74-98-6) | | |
|-------------------|------------------------|------------|
| ACGIH | ACGIH TWA (ppm) | 1000 ppm |
| OSHA | OSHA PEL (TWA) (mg/m³) | 1800 mg/m³ |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |

| Ethane (74-84-0) | | |
|------------------|-----------------|----------|
| ACGIH | ACGIH TWA (ppm) | 1000 ppm |
| OSHA | Not applicable | |

| Methane (74-82-8) | | |
|-------------------|-----------------|----------|
| ACGIH | ACGIH TWA (ppm) | 1000 ppm |
| OSHA | Not applicable | |

08/04/2015 EN (English US) 4/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Benzene (71-43-2) | | |
|-------------------|--------------------------|------------------------------|
| ACGIH | ACGIH TWA (ppm) | 0.5 ppm |
| ACGIH | ACGIH STEL (ppm) | 2.5 ppm |
| OSHA | OSHA PEL (TWA) (ppm) | 1 ppm |
| OSHA | OSHA PEL (STEL) (ppm) | 5 ppm (see 29 CFR 1910.1028) |
| OSHA | OSHA PEL (Ceiling) (ppm) | 25 ppm |

| n-Pentane (109-66-0) | | |
|----------------------|------------------------|------------|
| ACGIH | ACGIH TWA (ppm) | 600 ppm |
| OSHA | OSHA PEL (TWA) (mg/m³) | 2950 mg/m³ |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |

| n-Hexane (110-54-3) | | |
|---------------------|------------------------|------------|
| ACGIH | ACGIH TWA (ppm) | 50 ppm |
| OSHA | OSHA PEL (TWA) (mg/m³) | 1800 mg/m³ |
| OSHA | OSHA PEL (TWA) (ppm) | 500 ppm |

8.2. Exposure controls

Appropriate engineering controls : Ensure exposure is below occupational exposure limits. Provide adequate general and local

exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit

system e.g. for maintenance activities.

Hand protection : Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection. Eye protection : Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Skin and body protection : Wear suitable protective clothing, e.g. - lab coats, coveralls or flame resistant clothing.

Respiratory protection : None necessary during normal and routine operations. See Sections 5 & 6.

Thermal hazard protection : None necessary during normal and routine operations.

Environmental exposure controls : Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

Other information : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless gas.

Color : Colorless

Odor : No data available Odor threshold : No data available No data available рΗ Melting point No data available No data available Freezing point : No data available Boiling point Flash point : No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) See Section 2.1 and 2.2 **Explosion limits** No data available

Explosive properties : Without adequate ventilation formation of explosive mixtures may be possible.

Oxidizing properties : None.

Vapor pressure : No data available Relative density : No data available Relative vapor density at 20 °C : No data available

Molecular mass : Not applicable for gas-mixtures.

Relative gas density : Lighter or similar to air

08/04/2015 EN (English US) 5/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility : No data available Log Pow : No data available Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Can form explosive mixture with air.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing materials. Air.

10.6. Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Carbon dioxide (124-38-9) | | |
|----------------------------|-------------------------------|--|
| LC50 inhalation rat (ppm) | 820000 ppm/4h | |
| Nitrogen (7727-37-9) | | |
| LC50 inhalation rat (ppm) | 820000 ppm/4h | |
| n-Butane (106-97-8) | | |
| LC50 inhalation rat (mg/l) | 658 g/m³ (Exposure time: 4 h) | |
| LC50 inhalation rat (ppm) | 276789.28 ppm/4h | |
| Isobutane (75-28-5) | | |
| LC50 inhalation rat (mg/l) | 658 mg/l/4h | |
| LC50 inhalation rat (ppm) | 276713.11 ppm/4h | |
| 2-Methylbutane (78-78-4) | | |
| LC50 inhalation rat (ppm) | 94859.36 ppm/4h | |
| Propane (74-98-6) | | |
| LC50 inhalation rat (mg/l) | 658 mg/l/4h | |
| LC50 inhalation rat (ppm) | 282800 ppm/4h | |
| Ethane (74-84-0) | | |
| LC50 inhalation rat (mg/l) | 658 mg/l/4h | |
| LC50 inhalation rat (ppm) | 820000 ppm/4h | |
| ATE US (gases) | 820000.000 ppmV/4h | |
| ATE US (vapors) | 658.000 mg/l/4h | |
| ATE US (dust, mist) | 658.000 mg/l/4h | |

08/04/2015 EN (English US) 6/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Methane (74-82-8) | | |
|-------------------------------|--|--|
| 820000 ppm/4h | | |
| 820000.000 ppmV/4h | | |
| Benzene (71-43-2) | | |
| 930 mg/kg | | |
| 13230 (13050 - 14380) ppm/4h | | |
| 930.000 mg/kg body weight | | |
| 13230.000 ppmV/4h | | |
| 11.000 mg/l/4h | | |
| 1.500 mg/l/4h | | |
| | | |
| 3000 mg/kg | | |
| 364 g/m³ (Exposure time: 4 h) | | |
| 123317.17 ppm/4h | | |
| 3000.000 mg/kg body weight | | |
| 123317.170 ppmV/4h | | |
| 364.000 mg/l/4h | | |
| 364.000 mg/l/4h | | |
| | | |
| 3000 mg/kg | | |
| 48000 ppm/4h | | |
| 3000.000 mg/kg body weight | | |
| 48000.000 ppmV/4h | | |
| : Not classified | | |
| | | |

| Benzene (71-43-2) | | |
|--|--|--|
| IARC group | 1 - Carcinogenic to humans | |
| National Toxicology Program (NTP) Status | 1 - Evidence of Carcinogenicity, 2 - Known Human Carcinogens | |
| In OSHA Hazard Communication Carcinogen list | Yes | |
| In OSHA Specifically Regulated Carcinogen list | Yes | |

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation. Symptoms/injuries after skin contact : Adverse effects not expected from this product. Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous : Not known.

administration

Chronic symptoms : Adverse effects not expected from this product.

08/04/2015 EN (English US) 7/16

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. **Toxicity**

| 2-Methylbutane (78-78-4) | | |
|---|--|--|
| EC50 Daphnia 1 | 2.3 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| | | |
| Benzene (71-43-2) | | |
| LC50 fish 1 | 10.7 - 14.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) | |
| EC50 Daphnia 1 | 8.76 - 15.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | |
| EC50 other aquatic organisms 1 | 29 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata) | |
| LC50 fish 2 | 5.3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) | |
| EC50 Daphnia 2 | 10 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| n-Pentane (109-66-0) | | |
| LC50 fish 1 | 9.87 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) | |
| EC50 Daphnia 1 | 9.74 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC50 fish 2 | 11.59 mg/l (Exposure time: 96 h - Species: Pimephales promelas) | |
| n-Hexane (110-54-3) | | |
| LC50 fish 1 | 2.1 - 2.98 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) | |
| 2.2. Persistence and degradability | | |
| Carbon dioxide (124-38-9) | | |
| Persistence and degradability No ecological damage caused by this product. | | |
| Nitrogen (7727-37-9) | | |
| Persistence and degradability | No ecological damage caused by this product. | |
| n-Butane (106-97-8) | | |
| Persistence and degradability | No data available. | |
| Isobutane (75-28-5) | | |
| Persistence and degradability | The substance is biodegradable. Unlikely to persist. | |
| 2-Methylbutane (78-78-4) | | |
| Persistence and degradability | No data available. | |
| Propane (74-98-6) | | |
| Persistence and degradability | The substance is biodegradable. Unlikely to persist. | |
| Ethane (74-84-0) | | |
| Persistence and degradability | The substance is biodegradable. Unlikely to persist. | |
| Methane (74-82-8) | | |

12.3. **Bioaccumulative potential**

Persistence and degradability

| Carbon dioxide (124-38-9) | | |
|---------------------------|---|--|
| BCF fish 1 | (no bioaccumulation) | |
| Log Pow | 0.83 | |
| Bioaccumulative potential | No ecological damage caused by this product. | |
| Nitrogen (7727-37-9) | | |
| Log Pow | Not applicable for inorganic gases. | |
| Bioaccumulative potential | No ecological damage caused by this product. | |
| n-Butane (106-97-8) | | |
| Log Pow | 2.89 | |
| Log Kow | Not applicable for gas-mixtures. | |
| Bioaccumulative potential | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. | |
| Isobutane (75-28-5) | | |
| BCF fish 1 | 1.57 - 1.97 | |
| Log Pow | 2.76 | |

The substance is biodegradable. Unlikely to persist. No data available.

08/04/2015 EN (English US) 8/16

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Isobutane (75-28-5) | | |
|---------------------------|---|--|
| Bioaccumulative potential | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. | |
| 2-Methylbutane (78-78-4) | | |
| Log Pow | 3.2 - 3.3 | |
| Log Kow | Not applicable for gas-mixtures. | |
| Bioaccumulative potential | No data available. | |
| Propane (74-98-6) | | |
| Log Pow | 2.36 | |
| Bioaccumulative potential | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. | |
| Ethane (74-84-0) | | |
| Log Pow | 1.81 | |
| Bioaccumulative potential | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. | |
| Methane (74-82-8) | | |
| Log Pow | Not applicable for gas mixtures | |
| Log Kow | Not applicable for gas mixtures | |
| Bioaccumulative potential | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. | |
| Benzene (71-43-2) | | |
| BCF fish 1 | 3.5 - 4.4 | |
| Log Pow | 1.83 | |
| n-Pentane (109-66-0) | | |
| Log Pow | 3.39 | |

Mobility in soil 12.4.

| Carbon dioxide (124-38-9) | | |
|---------------------------|---|--|
| Ecology - soil | No ecological damage caused by this product. | |
| Nitrogen (7727-37-9) | | |
| Ecology - soil | No ecological damage caused by this product. | |
| n-Butane (106-97-8) | | |
| Mobility in soil | No data available. | |
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |
| Isobutane (75-28-5) | | |
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |
| 2-Methylbutane (78-78-4) | | |
| Mobility in soil | No data available. | |
| Propane (74-98-6) | | |
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |
| Ethane (74-84-0) | | |
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |
| Methane (74-82-8) | | |
| Mobility in soil | No data available. | |
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |

Other adverse effects

Effect on ozone layer : No known effects from this product.

Effect on the global warming : Contains greenhouse gas(es) not covered by 842/2006/EC.

08/04/2015 EN (English US) 9/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded. Waste gas should be flared through a suitable burner with flash back arrestor. Do not discharge into areas where there is a risk of forming an explosive mixture with air.

Waste disposal recommendations

Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1954 Compressed gas, flammable, n.o.s.

UN-No.(DOT) : UN1954

Proper Shipping Name (DOT) : Compressed gas, flammable, n.o.s.

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : 302;305
DOT Packaging Bulk (49 CFR 173.xxx) : 314;315

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Packaging Exceptions (49 CFR 173.xxx) : 306

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Additional information

Classification code (ADR)

Other information : No supplementary information available.

ADR

Transport document description : UN 1954 COMPRESSED GAS, FLAMMABLE, N.O.S., 2.1, (B/D)

: 1F

Class (ADR) : 2 - Gases
Hazard identification number (Kemler No.) : 23

Hazard labels (ADR) : 2.1 - Flammable gases

2

Orange plates :

23 1954

Tunnel restriction code (ADR) : B/D
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0

08/04/2015 EN (English US) 10/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

UN-No. (IMDG) : 1954

Proper Shipping Name (IMDG) : COMPRESSED GAS, FLAMMABLE, N.O.S.

Class (IMDG) : 2 - Gases

Air transport

UN-No. (IATA) : 1954

Proper Shipping Name (IATA) : COMPRESSED GAS, FLAMMABLE, N.O.S.

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

n-Butane (106-97-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Isobutane (75-28-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Methylcyclopentane (96-37-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Methylbutane (78-78-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Propane (74-98-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethane (74-84-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Methane (74-82-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Benzene (71-43-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 0.1 %

n-Pentane (109-66-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

n-Hexane (110-54-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 1.0 %

15.2. International regulations

CANADA

| Carbon dioxide | (124-38-9) |
|----------------|------------|
|----------------|------------|

Listed on the Canadian DSL (Domestic Sustances List)

WHMIS Classification Class A - Compressed Gas

Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Sustances List)

WHMIS Classification Class A - Compressed Gas

08/04/2015 EN (English US) 11/16

12 Components in MethaneSafety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| cording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations | | |
|---|--|--|
| n-Butane (106-97-8) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| WHMIS Classification | Class A - Compressed Gas Class B Division 1 - Flammable Gas | |
| Isobutane (75-28-5) | | |
| Listed on the Canadian DSL (Domestic Sustances List) | | |
| WHMIS Classification | Class A - Compressed Gas Class B Division 1 - Flammable Gas | |
| Methylcyclopentane (96-37-7) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| 2-Methylbutane (78-78-4) | | |
| Listed on the Canadian DSL (Domestic Sustance | | |
| WHMIS Classification | Class B Division 2 - Flammable Liquid | |
| Propane (74-98-6) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| WHMIS Classification | Class A - Compressed Gas Class B Division 1 - Flammable Gas | |
| Ethane (74-84-0) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| WHMIS Classification | Class A - Compressed Gas Class B Division 1 - Flammable Gas | |
| Methane (74-82-8) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| WHMIS Classification | Class A - Compressed Gas Class B Division 1 - Flammable Gas | |
| Benzene (71-43-2) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| WHMIS Classification | Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects | |
| n-Pentane (109-66-0) | | |
| Listed on the Canadian DSL (Domestic Sustance | es List) | |
| WHMIS Classification | Class B Division 2 - Flammable Liquid | |
| n-Hexane (110-54-3) | | |
| Listed on the Canadian DSL (Domestic Sustance | , | |
| WHMIS Classification | Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects | |
| EU-Regulations | | |
| Carbon dioxide (124-38-9) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| Nitrogen (7727-37-9) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| n-Butane (106-97-8) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| Isobutane (75-28-5) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| | | |
| Methylcyclopentane (96-37-7) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| 2-Methylbutane (78-78-4) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| <u> </u> | interior j of Existing Commission Chemical Cubstantocs) | |
| Propane (74-98-6) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| Listed on the LLO inventory EnvEGS (European inventory of Existing Commercial Chemical Substances) | | |

08/04/2015 EN (English US) 12/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethane (74-84-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Methane (74-82-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzene (71-43-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

n-Pentane (109-66-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

n-Hexane (110-54-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

National regulations

Carbon dioxide (124-38-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

n-Butane (106-97-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Isobutane (75-28-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Methylcyclopentane (96-37-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

08/04/2015 EN (English US) 13/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-Methylbutane (78-78-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Propane (74-98-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Ethane (74-84-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Methane (74-82-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Benzene (71-43-2)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the Canadian IDL (Ingredient Disclosure List)

n-Pentane (109-66-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

n-Hexane (110-54-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

08/04/2015 EN (English US) 14/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Benzene (71-43-2) | | | | |
|--|--|---|---|-------------------------------------|
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| Yes | Yes | No | Yes | 6.4 µg/day |

Carbon dioxide (124-38-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

n-Butane (106-97-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Isobutane (75-28-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Methylcyclopentane (96-37-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

2-Methylbutane (78-78-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Propane (74-98-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethane (74-84-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Methane (74-82-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Benzene (71-43-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

n-Pentane (109-66-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

08/04/2015 EN (English US) 15/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

n-Hexane (110-54-3)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Indication of changes : Revised safety data sheet in accordance with OSHA final rule on GHS implementation

promulgated March 26, 2012.

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 Other information

CFR, 1910.1200. Other government regulations must be reviewed for applicability to this

product.

Full text of H-phrases:

| t of н-pnrases: Acute Tox. 4 (Inhalation) | Acute toxicity (inhalation) Category 4 | |
|--|--|--|
| Acute Tox. 4 (Initialation) Acute toxicity (Initialation) Category 4 Acute toxicity (oral) Category 4 | | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 | |
| Asp. Tox. 1 | Aspiration hazard Category 1 | |
| Carc. 1A | Carcinogenicity Category 1A | |
| Compressed gas | Gases under pressure Compressed gas | |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A | |
| Flam. Gas 1 | Flammable gases Category 1 | |
| Flam. Liq. 1 | Flammable liquids Category 1 | |
| Flam. Lig. 2 | Flammable liquids Category 2 | |
| Liquefied gas | Gases under pressure Liquefied gas | |
| Muta. 1B | Germ cell mutagenicity Category 1B | |
| Repr. 2 | Reproductive toxicity Category 2 | |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 | |
| STOT RE 1 | Specific target organ toxicity (repeated exposure) Category 1 | |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 | |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 | |
| H220 | Extremely flammable gas | |
| H224 | Extremely flammable liquid and vapor | |
| H225 | Highly flammable liquid and vapor | |
| H280 | Contains gas under pressure; may explode if heated | |
| H302 | Harmful if swallowed | |
| H304 | May be fatal if swallowed and enters airways | |
| H315 | Causes skin irritation | |
| H319 | Causes serious eye irritation | |
| H332 | Harmful if inhaled | |
| H336 | May cause drowsiness or dizziness | |
| H340 | May cause genetic defects (Inhalation) | |
| H350 | May cause cancer | |
| H361 | Suspected of damaging fertility or the unborn child | |
| H372 | Causes damage to organs through prolonged or repeated exposure | |
| May cause damage to organs through prolonged or repe exposure | | |
| H411 Toxic to aquatic life with long lasting effects | | |

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

08/04/2015 EN (English US) 16/16