



## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS # : 30456

### RUBIA TIR 7400 FE 10W-30

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

#### 1. IDENTIFICATION

##### Product identifier

Product name RUBIA TIR 7400 FE 10W-30

##### Other means of identification

Product Code(s) 30456

Number I7X  
Substance/mixture Mixture

##### Recommended use of the chemical and restrictions on use

Identified uses Motor oil.

Uses advised against Do not use for any purpose other than the one for which it is intended

##### Details of the supplier of the safety data sheet

Supplier Address TOTAL Specialties USA Inc  
1201 Louisiana Street, Suite 1800  
Houston, TX 77002  
Phone: +1 800 323 3198

Contact Point Technical/ HSEQ

E-mail Address USRMLIN-info@total.com

##### Emergency telephone number

Company Phone Number

Emergency telephone

+1 (908) 862-9300

CHEMTREC: +1 800 424 9300 (24h)

#### 2. HAZARDS IDENTIFICATION

##### Classification

Serious eye damage/eye irritation - Category 2A  
Reproductive toxicity - Category 2

##### Label elements

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

**WARNING**

Causes serious eye irritation  
Suspected of damaging fertility or the unborn child

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear eye/face protection  
Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/ container to an approved waste disposal plant

**Unknown Acute Toxicity**

No information available

**Hazards not otherwise classified (HNOC)**

None known

**Other information**

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Mixture**

| Chemical Name | CAS-No | Weight % |
|---------------|--------|----------|
|---------------|--------|----------|

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

|                                                                         |             |            |
|-------------------------------------------------------------------------|-------------|------------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)]<br>bis(dithiophosphate) | 93819-94-4  | 1 - 2      |
| Phenol, dodecyl-, branched                                              | 121158-58-5 | 0.1 - 0.24 |

**Additional information**

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

**4. FIRST AID MEASURES****First aid measures for different exposure routes**

|                       |                                                                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b> | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.                                                                                                             |
| <b>Eye contact</b>    | Rinse thoroughly with plenty of water, also under the eyelids. Rinse immediately with plenty of water and seek medical advice. Keep eye wide open while rinsing.                                  |
| <b>Skin contact</b>   | Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.                                                                                    |
| <b>Inhalation</b>     | Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract.                                                                                       |
| <b>Ingestion</b>      | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. If swallowed, do not induce vomiting - seek medical advice. |

**Most important symptoms/effects, acute and delayed**

|                     |                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------|
| <b>Skin contact</b> | Not classified.                                                                                        |
| <b>Eye contact</b>  | Irritating to eyes.                                                                                    |
| <b>Inhalation</b>   | Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| <b>Ingestion</b>    | Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.        |
| <b>Symptoms</b>     | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.                   |

**Indication of immediate medical attention and special treatment needed, if necessary**

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

**5. FIRE-FIGHTING MEASURES**

|                                              |                                                                          |
|----------------------------------------------|--------------------------------------------------------------------------|
| <b><u>Suitable Extinguishing Media</u></b>   | Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog. |
| <b><u>Unsuitable Extinguishing Media</u></b> | Do not use a solid water stream as it may scatter and spread fire.       |

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

**Special Hazard**

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

**Explosion Data**

**Sensitivity to Mechanical Impact**  
**Sensitivity to Static Discharge**

None.  
None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****General Information**

Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

**Other information**

See Section 12 for additional information.

**Environmental precautions****General Information**

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up****Methods for cleaning up**

Dam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on safe handling**

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion**

Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.

Version GNAM



SDS # : 30456

## RUBIA TIR 7400 FE 10W-30

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Do not wash off with: Fuel. Solvent. Abrasive. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product.

### Conditions for safe storage, including any incompatibilities

#### Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bonded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in a bonded area. Store in original container. Keep in properly labeled containers.

#### Materials to Avoid

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure limits

Mineral oil mist:  
USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined).

### Exposure controls

#### Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment

#### General Information

Protective engineering solutions should be implemented and in use before personal protective equipment is considered.

#### Eye/Face Protection

If splashes are likely to occur, wear: Safety glasses with side-shields.

#### Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Version GNAM



SDS # : 30456

## RUBIA TIR 7400 FE 10W-30

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

### Hand Protection

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

### Respiratory protection

None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Do not wash off with: Fuel. Solvent. Abrasive. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Appearance

limpid

Color

No information available

Physical State @20°C

liquid

Odor

Characteristic

Odor Threshold

No information available

#### Property

#### Values

#### Remarks

#### Method

pH

Not applicable

Melting point/range

Not applicable

Boiling point/boiling range

No information available

Flash point

&gt; 210 °C

Cleveland Open Cup (COC)

&gt; 410 °F

Cleveland Open Cup (COC).

Evaporation rate

No information available

Flammability Limits in Air

No information available

upper

No information available

Lower

No information available

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

|                                    |                          |                          |          |
|------------------------------------|--------------------------|--------------------------|----------|
| Vapor Pressure                     |                          | No information available |          |
| Vapor density                      |                          | No information available |          |
| Relative density                   | 0.87                     | @ 15 °C                  |          |
| Density                            | 870 kg/m <sup>3</sup>    | @ 15 °C                  |          |
| Water solubility                   |                          | Insoluble                |          |
| Solubility in other solvents       |                          | No information available |          |
| logPow                             |                          | No information available |          |
| Autoignition temperature           |                          | Not applicable           |          |
| Decomposition temperature          |                          | No information available |          |
| Viscosity, kinematic               | 80 mm <sup>2</sup> /s    | @ 40 °C                  | ISO 3104 |
|                                    | 12 mm <sup>2</sup> /s    | @ 100 °C                 | ISO 3104 |
| Explosive properties               | Not explosive            |                          |          |
| Oxidizing Properties               | Not applicable           |                          |          |
| Possibility of hazardous reactions | No information available |                          |          |
| <u>Other information</u>           |                          |                          |          |
| Freezing Point                     |                          | No information available |          |

**10. STABILITY AND REACTIVITY**

|                                           |                                                                                                                                                                                                         |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Reactivity</u>                         | No information available.                                                                                                                                                                               |
| <u>Chemical stability</u>                 | Stable under recommended storage conditions.                                                                                                                                                            |
| <u>Possibility of hazardous reactions</u> | None under normal processing.                                                                                                                                                                           |
| <u>Conditions to Avoid</u>                | Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.<br>Heat, flames and sparks. Take precautionary measures against static discharges. Strong oxidizing agents. |
| <u>Incompatible Materials</u>             | Strong oxidizing agents.                                                                                                                                                                                |
| <u>Hazardous Decomposition Products</u>   | Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.                                          |

**11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure

|                                     |                                                                                                        |
|-------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Principle Routes of Exposure</b> | Inhalation, Ingestion, Eye contact, Skin contact.                                                      |
| <b>Symptoms</b>                     | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.                   |
| <b>Skin contact</b>                 | Not classified.                                                                                        |
| <b>Eye contact</b>                  | Irritating to eyes.                                                                                    |
| <b>Inhalation</b>                   | Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. |

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

**Ingestion**

Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Acute toxicity - Product Information****Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

**Oral****ATEmix (oral)**

38238 mg/kg

**Dermal****ATEmix (dermal)**

39905 mg/kg

**Inhalation****ATEmix (inhalation-dust/mist)**

51 mg/l

**Acute toxicity - Component Information**

| Chemical Name                                                                            | LD50 Oral             | LD50 Dermal                           | LC50 Inhalation |
|------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|-----------------|
| zinc bis[O-(6-methylheptyl)]<br>bis[O-(sec-butyl)]<br>bis(dithiophosphate)<br>93819-94-4 | LD50 2600 mg/kg (Rat) | LD50 > 3160 mg/kg (Rabbit - OECD 402) |                 |
| Phenol, dodecyl-, branched<br>121158-58-5                                                | LD50 2700 mg/kg (Rat) | LD50 > 3160 mg/kg (Rat)               |                 |

**Sensitization**

Not classified as a sensitizer.

**Carcinogenicity**

This product is not classified carcinogenic.

**Mutagenicity**

This product is not classified as mutagenic.

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Other adverse effects**

Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

**Aspiration Hazard**

Not classified.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life

Harmful to aquatic life with long lasting effects

**Acute aquatic toxicity - Product Information**

No information available

**Acute aquatic toxicity - Component Information**

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

| Chemical Name                                                                   | Toxicity to algae                                             | Toxicity to fish                                                | Toxicity to daphnia and other aquatic invertebrates         | Toxicity to microorganisms |
|---------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------------------------------------------------------------|----------------------------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) 93819-94-4 | EbC50 (96h) 2.1 mg/l<br>Selenastrum capricornutum (OECD 201)  | LC50 (96h) 4.5 mg/l<br>Oncorhynchus mykiss (OECD 203)           | EL50 (48h) 5.4 mg/l Daphnia magna (OECD 202)                |                            |
| Phenol, dodecyl-, branched 121158-58-5                                          | EbC50 (72h) 0.15 mg/l<br>(Scenedesmus subspicatus - OECD 201) | EL50(96h) 40 mg/l<br>Pimephales promelas semi-static (OECD 203) | EC50(48h) 0.037 mg/l<br>(Daphnia magna - static - OECD 202) |                            |

**Chronic aquatic toxicity - Product Information**

No information available

**Chronic aquatic toxicity - Component Information**

| Chemical Name                          | Toxicity to algae | Toxicity to daphnia and other aquatic invertebrates               | Toxicity to fish | Toxicity to microorganisms |
|----------------------------------------|-------------------|-------------------------------------------------------------------|------------------|----------------------------|
| Phenol, dodecyl-, branched 121158-58-5 |                   | NOEC(21d) 0.0037 mg/l<br>(Daphnia magna - semi-static - OECD 211) |                  |                            |

**Effects on terrestrial organisms** No information available.**Persistence and degradability****General Information** No information available.**Bioaccumulative potential****Product Information** No information available.**logPow** No information available**Component Information**

| Chemical Name                                                                   | log Pow |
|---------------------------------------------------------------------------------|---------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) 93819-94-4 | 0.9     |
| Phenol, dodecyl-, branched 121158-58-5                                          | 7.14    |

**Mobility****Soil** Given its physical and chemical characteristics, the product generally shows low soil mobility**Air** Loss by evaporation is limited**Water** Insoluble The product spreads on the surface of the water.**Other adverse effects**

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

General Information No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment****Waste Disposal Methods** Dispose of in accordance with local regulations.**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. TRANSPORT INFORMATION****DOT** Not regulated**TDG** Not regulated**MEX** Not regulated**ICAO/IATA** Not regulated**IMDG/IMO** Not regulated**ADR/RID** Not regulated**ADN** Not regulated**15. REGULATORY INFORMATION****U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute Health Hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | no  |
| Sudden Release of Pressure Hazard | no  |
| Reactive Hazard                   | no  |

Version GNAM



SDS # : 30456

**RUBIA TIR 7400 FE 10W-30**

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product contains the following HAPs:

| Chemical Name              | CAS-No      | Weight %   | HAPS data | VOC Chemicals | Class 1 Ozone Depleters | Class 2 Ozone Depleters |
|----------------------------|-------------|------------|-----------|---------------|-------------------------|-------------------------|
| Phenol, dodecyl-, branched | 121158-58-5 | 0.1 - 0.24 |           | Group V       |                         |                         |

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

No information available

**16. OTHER INFORMATION**

|             |                        |                       |                          |                                        |
|-------------|------------------------|-----------------------|--------------------------|----------------------------------------|
| <b>NFPA</b> | <b>Health Hazard</b> 2 | <b>Flammability</b> 1 | <b>Instability</b> 0     | <b>Physical and chemical hazards -</b> |
| <b>HMIS</b> | <b>Health Hazard</b> 2 | <b>Flammability</b> 1 | <b>Physical Hazard</b> 0 | <b>Personal protection</b> X           |

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

**Revision Date:** 2016-02-04

**Revision Note** \*\*\* Indicates updated section

Version GNAM



SDS # : 30456

## RUBIA TIR 7400 FE 10W-30

Date of the previous version: not applicable

Revision Date: 2016-02-04

Version 1

### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists  
 bw = body weight  
 bw/day = body weight/day  
 EC x = Effect Concentration associated with x% response  
 GLP = Good Laboratory Practice  
 IARC = International Agency for Research of Cancer  
 LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals  
 LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals  
 LL = Lethal Loading  
 NIOSH = National Institute of Occupational Safety and Health  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 NOEL = No Observed Effect Level  
 OECD = Organization for Economic Co-operation and Development  
 OSHA = Occupational Safety and Health Administration  
 UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

### Legend

Section 8  
 ACGIH - American Conference of Governmental Industrial Hygienists  
 OSHA - Occupational Safety and Health Administration  
 NIOSH - National Institute for Occupational Safety and Health  
 TLV - Threshold Limit Values  
 PEL - Permissible Exposure Limits  
 IDHL - Immediately Dangerous to Life or Health concentrations  
 TWA - Time Weight Average  
 STEL - Short Term Exposure Limits  
 S\* - Skin notation  
 TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet

Version GNAM