MATERIAL SAFETY DATA SHEET

Manufacturer: Schaeffer Mfg. Company Address: 102 Barton Street St. Louis, MO 63104 St. Louis, Louis, MO 63104 St. Louis, Louis, MO 63104 St. Louis, Louis, Louis, Louis, Louis, Louis,		WATERIAL SA							
Address St. Louis, MO 63104 800-325-9962 SECTION 1 - PRODUCT INFORMATION Trade Name: #294 Supreme Gear Lube ISO 320 Formula: Proprietary Mixture SECTION 2 - HAZARDOUS INGREDIENTS COMPONENTS-CHEMICAL NAMES AND COMMON NAMES COMPONENTS-CHEMICAL NAMES AND COMMON CARL-20-14 Number COMPONENTS-CHEMICAL NAMES AND COMMON CARL-20-14 COMPONENTS-CHEMICAL NAMES AND COMMON CARL-20-14 COMPONENTS-CHEMICAL NAMES AND COMMON COMPONENTS-CHEMICAL NAMES AND COMPONENTS AND COMMON COMPONENTS-CHEMICAL NAMES AND COMPONENTS AND C									
SECTION 1 - PRODUCT INFORMATION SECTION 2 - PRODUCT INFORMATION SECTION 2 - HAZARDOUS INGREDIENTS SECTION 3 - HAZARDOUS INGREDIENTS SECTION 4 - FIRE AND EXPLOSION HAZARDOUS INGREDIENTS SECTION 5 - REACTIVITY HAZARDOUS INGREDIENTS SECTION 4 - FIRE AND EXPLOSION HAZARDOUS INGREDIENTS SECTION 5 - REACTIVITY HAZARDOUS INGREDIENTS SECTION 5 -					(24-hour	emerger	icy numb	oer) or	
Trade Name: #294 Supreme Gear Lube ISO 320	Address S	St. Louis, MO 63104 800-325-9962							
SECTION 2 - HAZARDOUS INGREDIENTS									
SECTION 2 - HAZARDOUS INGREDIENTS TVL	7 7 7								
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES NAMES Name Number Numbe									
Number % TVL PEL									
Olefin Sutfide Olefin			_	0/					
100% Paraffin Base Oils	NAMES		Number	%					
Clefin Suthide	1000/ Paroffin Page Oile		64740 60 7	90.00	ppm	_	ppm		
Olefin Suffide Solution Solu	100% Parailin Base Oils			60-90		5		5	
Polyalpaolefin Synthetic Base Fluids	Olefin Sulfide			3-4		NF		NF	
Section 3 - PHYSIGAL DATA		Fluids	1						
Beiling Point: > +600°F/300°C Specific Gravity: 8.874 Vapor Possure (mm, Hg): Not Determined						_			
Vapor Density (Air = 1); Not Determined Suporation Rate: (=1) Not Applicable PH: Not Applicable	, , , , , , , , , , , , , , , , , , , ,		3 - PHYSICAL	DATA		l.			
Vapor Density (Air = 1): Not Determined Evaporation Rate: (=1) Not Determined Sububility in Water: Insoluble pH: Not Applicable Appearance and Odor: Blue color, strong odor. SECTION 4 - FIRE AND EXPLOSION HAZARD DATA	Boiling Point:	>600°F/300°C	Specific Gra	avity:			.8274		
Solubility in Water: Insoluble pH: Not Applicable Appearance and Odor: Blue color, strong odor. SECTION 4 - FIRE AND EXPLOSION HAZARD DATA Flash Point (Method) "FPC: 425-430"F218"-221"C C.O.C. (ASTM D-92) Extinguishing Media: Carbon dioxide foam, dry chemical foam, sand, and earth. Special Fire Fighting Procedures: For fires involving this material, do not enter any enclosed or confined space without protective equipment including self-contained breathing apparatus. Unusual Fire & Explosion Hazards: Dense black smoke. SECTION 5 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [UNSTABLE Hazardous Decomposition [WILL X] WILL NOT OCCUR Conditions to Avoid: High heat, high energy ignition sources Incompatibility (Mat. to avoid: Strong oxidizers and reducers.) Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 5 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 5.0/mg/m² for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given of inder high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respirator immediately. Skin: Wash skin thoroughly with soap and water for 15 minutes. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water (Japonese and waterways. Shovel up and dispose of in approved waste containers. Wasto Dispose of at an approved waste or disposal site faci		Not Determined	% Volatile:			NIL			
Appearance and Odor: Blue color, storag odor. SECTION 4 - FIRE AND EXPLOSION HAZARD DATA Flash Point (Method) "F/PC: 425-430" F(218"-221" C.C.O.C. (ASTM D-92) Extinguishing Media: Carbon dioxide foam, dry chemical foam, sand, and earth. Special Fire Fighting Procedures: For fires involving this material, do not enter any enclosed or confined space without protective equipment including self-contained breathing apparatus. Unusual Fire & Explosion Hazards: Dense black smoke. SECTION 5 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [JUNSTABLE] Hazardous Decomposition [WILL [X] WILL NOT OCCUR Conditions to Avoid: High hast, high energy ignition sources Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 5.0/mg/m* for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes SKin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting, if conscious give 2 glasses of water to drink. Seek medical attention immediately. Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. SECTION 7 - SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Co			Evaporation Rate: (=1)						
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA Flamability Limits UEL & LELNot Determined (ASTM D-92) (AST		pH:			Not Applicable				
Flash Point (Method) *F/PC: 425-430*F/218*-221*C C.O.C. (ASTM D-92)									
CASTM D-92 Extinguishing Media: Carbon dioxide foam, dry chemical foam, sand, and earth.									
Special Fire Fighting Procedures: For fires involving this material, do not enter any enclosed or confined space without protective equipment including self-contained breathing apparatus. SECTION 5 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [JUNSTABLE Hazardous Decomposition [] WILL [X] WILL NOT OCCUR Conditions to Avoid: High heat, high energy ignition sources Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 5.0/mg/m³ for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Infration and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting, if conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove witchin to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiratory immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 - SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills, if spilled into a watercourse, call the Coast Guard Toil Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. SECTION 9 - SPECIAL PROTECTION INFORMATION Respiratory	(ASTM D-92)								
equipment including self-contained breathing apparatus. Unusual Fire & Explosion Hazards: Dense black smoke. SECTION 5 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [JUNSTABLE] Hazardous Decomposition [] WILL [X] WILL NOT OCCUR Conditions to Avoid: High heal, high energy ignition sources Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 5.0/mg/m³ for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes Skin Contact: Irritation and redness to eyes Swallowing: Irritation and redness to eyes Swallowing: Irritation and									
STABILITY									
SECTION 5 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [UNSTABLE Hazardous Decomposition [] WILL [X] WILL NOT OCCUR Conditions to Avoid: High heat, high energy ignition sources Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 50/mg/m³ for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Ald Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 - SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toil Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of severs and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, s									
STABILITY [X] STABLE [] UNSTABLE [] UNSTABLE [] Hazardous Decomposition [] WILL [X] WILL NOT OCCUR Conditions to Avoid: High heat, high energy ignition sources Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 5.0/mg/m³ for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 - SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills, if spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws									
Conditions to Avoid: High heat, high energy ignition sources Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA Threshold Limit Value and Sources: 5.0/mg/m² for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nausea and Diarnhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapor can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately Eves: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toil Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Wasto Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not co									
Incompatibility (Mat. to avoid): Strong oxidizers and reducers. Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None									
Hazardous Decomposition Products: Oxides of carbon, sulfur and by products of incomplete combustion. Conditions to Avoid: None SECTION 6 - HEALTH HAZARD DATA									
SECTION 6 - HEALTH HAZARD DATA									
Threshold Limit Value and Sources: 5.0/mg/m³ for oil mist. OSHA & ACGIH. Acute Effects of Overexposure: Ingestion: Nause and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids. Eye Contact: Irritation and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 9 - SPECIAL PROTECTION INFORMATION Respiratory Protection: Nos required under ordinary conditions of use. Ventilation: Oil resistant gloyes. SECTION 9 - SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Com									
Acute Effects of Overexposure: Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids.									
Ingestion: Nausea and Diarrhea. Tackiness agents in this product may possibly be coagulated by stomach acids.	Threshold Limit Value and Sources: 5.0/mg/m³ for oil mist. OSHA & ACGIH.								
Eye Contact: Irritation and redness to eyes Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin. Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly									
Skin Contact: Prolonged and repeated contact with the skin can cause irritation and redness to skin.									
Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the respiratory tract. CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: Nos pecial requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
CHRONIC EFFECTS OF OVEREXPOSURE: None currently known Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: Oher required under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep	Inhalation: Vanors can be given off under high heat conditions excessive breathing of vanors can cause irritation of the								
Emergency and First Aid Procedures: Swallowing: Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately. Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing. Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant gloyes. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
Do not induce vomiting. If conscious give 2 glasses of water to drink. Seek medical attention immediately.									
Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing.									
Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial respiration immediately. Eyes: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloyes: SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
Fush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep	U T I								
Eves: Flush eyes with clear, cool, clean water for 15 minutes. Seek medical attention immediately SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
SECTION 7 – SPILL OR LEAK PROCEDURES Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802. Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay or oil dri. Keep out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
out of sewers and waterways. Shovel up and dispose of in approved waste containers. Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and local laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
Iocal laws and regulations. This product is not considered to be an RCRA hazardous waste. SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep									
SECTION 8 – SPECIAL PROTECTION INFORMATION Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep					nce with all a	applicable fe	ederal, state	and	
Respiratory Protection: None required under ordinary conditions of use. Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep	iocai iaws and regulations. This p				ON				
Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation. Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep	Posniratory Protection: N				UN				
Eye Protection: Chemical resistant goggles of face shield. Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep					th adequate	ventilation			
Protective Clothing: Oil resistant gloves. SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep		• •		io or age aria W	an aucquale	, , , , , , , , , , , , , , , , , , , ,			
SECTION 9 – SPECIAL PRECAUTIONS Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep		0 00							
Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep			SPECIAL PRE	CAUTIONS					
when not in use. Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep	Precautions To Be Taken In Ha				strong oxidi	izers. Keep	containers	closed	
	when not in use.					·			
away from food and feed products	-	_	ore reuse. Wash	skin thoroughly	with soap a	and water af	ter handling	j. Keep	
	away from food and feed produc	ts							

Date Prepared: 05/13/2009 OF-1049 Rev. (1999)

SECTION 10 - ADDITIONAL HEALTH AND TOXICOLOGICAL DATA

HMIS & NFPA Ratings: Health = 1 Fire = 1 Reactivity = 0

This product does not contain any of the chemicals listed on the National Toxicology Program Annual Reports on Carcinogens, The International Agency for Cancer Research Monographs and OSHA's 1910.10 Subpart Z List.

This product does not contain any chemicals that are found on the State of California's Proposition 65 List for chemicals classified as potential reproductive or cancer causing agent.

This product does not contain any greater than 1% of any of the chemicals listed on the EPA's SARA Title III Section 302/304 and 313 list and CERCLA 12(a)

Transport Information:

US DOT: Not regulated. Not dangerous for transport under the US DOT Regulations IATA: Not Regulated. Not dangerous for transport under the IATA Regulations IMDG: Not Regulated Not dangerous for transport under the IMO Regulations

EC Symbols: None EC Risk Phrase: None

EC Safety Phrase: Not Classified

.

Although the information and recommendations set forth herein (hereafter referred to as information) are presented in good faith and believed to be accurate and factual as of the date hereof, Schaeffer Mfg. Company makes no representation as to the completeness or accuracy thereof. Information is supplied upon the condition that the person receiving the same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Schaeffer Mfg. Company be responsible for damages of any natures whatsoever resulting from the use or reliance upon information. No representation or warranty, either expressed or implied, of merchantability or fitness for a particular purpose is made with respect to information of the product to which the information refers.