

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 06/18/2007
MSDS No: 350000004345
Revision No: New MSDS

GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

GENERAL USE: Household: Air care

MANUFACTURER:

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

24 Hr. Medical & Transport Emergency

Phone: (866) 231-5406

24 Hr. International Medical Emergency

Phone: (952) 852-4647

CANADIAN ADDRESS:

S.C. Johnson and Son, Limited
1 Webster Street
Brantford, Ontario N3T 5R1

24 Hr. Canadian Transport Emergency:

CANUTEC (Canadian Transportation):(613) 996 - 6666

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

APPEARANCE/ODOR: Clear, Pale Yellow liquid. Fragrant odor.

IMMEDIATE CONCERNS: CAUTION: EYE IRRITANT. Avoid contact with eyes, skin and clothing.

COMBUSTIBLE LIQUID. Keep away from heat, sparks and flame.

POTENTIAL HEALTH EFFECTS

EYES: May cause: Moderate eye irritation.

SKIN: Prolonged or repeated contact may cause: Drying/defatting of skin.

INGESTION: May cause irritation to mouth, throat and stomach.

INHALATION: Irritation to nose, throat and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED: Persons with pre-existing skin disorders may be more susceptible to irritating effects.

ROUTES OF ENTRY: Skin contact. Eye contact. Ingestion. Inhalation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %
Fragrance	90 - 100

4. FIRST AID MEASURES

EYES: Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 06/18/2007
MSDS No: 350000004345
Revision No: New MSDS

GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

SKIN: Wash contaminated area with water and soap. If irritation persists, get medical attention.

INGESTION: Get immediate medical attention. Do NOT induce vomiting. Drink 1-2 glasses of water. Do NOT administer anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If breathing is affected, get medical attention.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: 67°C (153°F) TCC

FLAMMABLE LIMITS:

Notes: Not Available

AUTOIGNITION TEMPERATURE: Not Available

EXTINGUISHING MEDIA: Foam. CO2. Dry chemical.

EXPLOSION HAZARDS: No special hazards known.

FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus and protective clothing. Cool and use caution when approaching or handling fire-exposed containers.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: Eliminate all ignition sources. Dike large spills. Do not let spilled or leaking material enter watercourse. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Use only as directed. Observe good personal hygiene practices.

HANDLING: Keep away from heat, sparks and flame. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep out of reach of children and pets.

STORAGE: Store in a cool, dry place with adequate ventilation.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: General room ventilation is normally adequate. Substantial amounts of mists/vapors can be controlled with local exhaust ventilation or respiratory protection.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: No special requirements under normal use conditions. If major exposure is possible (e.g. spills): Chemical goggles.

SKIN: No special requirements under normal use conditions. If prolonged or repeated contact is possible, wear suitable gloves.

RESPIRATORY: No special requirements under normal use conditions.

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 06/18/2007
MSDS No: 350000004345
Revision No: New MSDS

GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

OTHER USE PRECAUTIONS: If major exposure is possible to eyes/skin, wear/use appropriate protective equipment.

COMMENTS: ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Fragrant

COLOR: Clear Yellow

PERCENT VOLATILE: > 99%

VAPOR PRESSURE: > 0.55 mm Hg

VAPOR DENSITY: > 1 (Air=1)

BOILING POINT: Not Available

FREEZING POINT: Not Available

FLASHPOINT AND METHOD: 67°C (153°F) TCC

SOLUBILITY IN WATER: Negligible

EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 0.940

10. STABILITY AND REACTIVITY

STABILITY: Stable

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Sources of ignition (sparks, flame). Excessive heat.

HAZARDOUS DECOMPOSITION PRODUCTS: When exposed to fire: Produces normal products of combustion.

INCOMPATIBLE MATERIALS: Strong acids (eg., muriatic acid). Strong bases/alkalis/caustics (e.g. sodium hydroxide). Strong oxidizing materials (e.g. liquid chlorine).

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: Estimated to be greater than 3,000 mg/kg (rat).

ORAL LD₅₀: Not Available

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 06/18/2007
MSDS No: 350000004345
Revision No: New MSDS

GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

INHALATION LC₅₀: Not Available

CARCINOGENICITY

Notes: None known.

SENSITIZATION: None known.

REPRODUCTIVE EFFECTS: None known.

TERATOGENIC EFFECTS: None known.

MUTAGENICITY: None known.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: No special method. Observe all applicable Federal/ Provincial/ State regulations and Local/ Municipal ordinances regarding disposal of non-hazardous materials.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Combustible Liquid, N.O.S.

PRIMARY HAZARD CLASS/DIVISION: Combustible Liquid

UN/NA NUMBER: NA 1993

PACKING GROUP: III

NOTE: S.C. Johnson ships this product as "Non-Regulated" per DOT exception for Combustible Liquids. (49 CFR, 173.150)

AIR (ICAO/IATA)

SHIPPING NAME: Not Regulated

UN/NA NUMBER: None

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

PACKING GROUP: None

VESSEL (IMO/IMDG)

SHIPPING NAME: Not Regulated

UN/NA NUMBER: None

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

PACKING GROUP: None

CANADA TRANSPORT OF DANGEROUS GOODS

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 06/18/2007
MSDS No: 350000004345
Revision No: New MSDS

GLADE® PLUG-INS® SCENTED OIL - HAWAIIAN BREEZE®

SHIPPING NAME: Not Regulated
UN/NA NUMBER: None
PRIMARY HAZARD CLASS/DIVISION: Not Regulated
PACKING GROUP: None

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Inventory.

CALIFORNIA PROPOSITION 65: This product is not subject to the reporting requirements under California's Proposition 65.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS CLASS: D,2B; B,3

CANADIAN ENVIRONMENTAL PROTECTION ACT: All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

16. OTHER INFORMATION


REASON FOR ISSUE: New format.

APPROVED BY: SCJ Global Safety Assessment & Reg. Affairs

HMIS RATING

HEALTH:		2
FLAMMABILITY:		2
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA CODES



MANUFACTURER DISCLAIMER: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.