HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: 320 HAMMER OIL

Revision Date: 08-Feb-2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: 320 HAMMER OIL

Synonyms: None

Chemical Family: Fatty Acid Ester Application: Lubricant

Manufacturer/Supplier Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Contains no hazardous	Mixture	60 - 100%	Not applicable	Not applicable
substances				

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin irritation.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists. Remove

contaminated clothing and launder before reuse.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Treat symptomatically.

FIRE FIGHTING MEASURES

Flash Point/Range (F): > 302 Flash Point/Range (C): > 150 Flash Point Method: **PMCC**

Autoignition Temperature (F): Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Carbon Dioxide, Dry Chemicals, Foam.

Special Exposure Hazards Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

NFPA Ratings: Health 1, Flammability 1, Reactivity 0

Health 1, Flammability 1, Physical Hazard 0, PPE: B **HMIS Ratings:**

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Spills of this product are very slippery.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing.

Storage Information Store away from oxidizers. Store in a cool, dry location. Keep container closed when

not in use.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the

selection and proper use of personal protective equipment should be determined by

an industrial hygienist or other qualified professional based on the specific

application of this product.

Respiratory Protection Not normally needed. But if significant exposures are possible then the following

> respirator is recommended: Organic vapor respirator.

Hand Protection Polyvinylchloride gloves. Rubber gloves.

Skin Protection Normal work coveralls.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

> 320 HAMMER OIL Page 2 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Color:

Odor:

PH:

Diquid

Amber

Mild fatty

Not Determined

Specific Gravity @ 20 C (Water=1): 0.9
Density @ 20 C (lbs./gallon): 7.5

Density @ 20 C (lbs./gallon): Bulk Density @ 20 C (lbs/ft3): Not Determined **Boiling Point/Range (F):** Not Determined Not Determined **Boiling Point/Range (C):** Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Not Determined Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1): Not Determined Not Determined **Percent Volatiles: Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml):

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistrokes):

Partition Coefficient/n-Octanol/Water:

Mot Determined

Not Determined

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None known.

Incompatibility (Materials to

Avoid)

Strong oxidizers. Strong alkalis. Strong acids.

Hazardous Decomposition

Products

Oxides of nitrogen. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye and skin contact.

Inhalation Inhalation of mist or heated vapors may cause respiratory irritation.

Skin Contact Prolonged or repeated contact may cause slight skin irritation.

Eye Contact May cause mild eye irritation.

Ingestion None known
Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

Toxicity Tests

320 HAMMER OIL Page 3 of 6 Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Readily biodegradable

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate InformationNot determinedOther InformationNot applicable

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Shipping Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

None

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory Product contains one or more components not listed on inventory.

WHMIS Hazard Class Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS