	 									 						 				 					-
	M	I	Ā	Т	E	R	Ι	Α	L	S	Α	F	E	Т	Y	D	Α	Т	Α	S	Η	E	E	T	
l	 									 						 				 					- 1

|-----|
| SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION |

PRODUCT NAME : FIBERGLASS MAT 1 OZ.

IDENTIFICATION NUMBER: MAT10Z000000 PREPARE / REVISED: 08/07/06

PRODUCT USE/CLASS : FIBERGLASS REINFORCEMENT

SUPPLIER: MANUFACTURER: Dudick, Inc. Dudick, Inc.

1818 Miller Parkway
Streetsboro, Ohio 44241
Streetsboro, Ohio 44241

CHEM-TEL: 800-255-3924 CHEM-TEL: 800-255-3924

24 HOURS A DAY 24 HOURS A DAY

PREPARER: DUDICK, INC. PHONE: 800-322-1970

=====	.======================================	============	=======
	SECTION 2 - COMPOSITION/INFORMATION	ON INGREDIENTS	
ITEM	CHEMICAL NAME	CAS NUMBER	WT/WT % LESS THAN
01	GLASS FIBER	65997-17-3	100.0 %

				EXPOSURE L	IMITS			
		ACGI	H		OSHA		COMPANY	
ITEM	TLV-TWA		TLV-STEL	PEL-TWA		PEL-CEILING	TLV-TWA	SKIN
01	10 mg/m3	DUST	NE	15mg/m3	DUST	NE	NE	NO

(See Section 16 for abbreviation legend)

| SECTION 3 - HAZARDS IDENTIFICATION |

\*\*\* EMERGENCY OVERVIEW \*\*\*: CAUTION!...DUST OR FIBERS MAY CAUSE MECHANICAL EYE AND SKIN IRRITATION.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: EYE CONTACT WITH DUST AND FIBERS MAY PRODUCE TEMPORARY MECHANICAL IRRITATION.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: SKIN CONTACT WITH FIBERS AND DUST MAY CAUSE ITCHING AND TEMPORARY MECHANICAL IRRITATION.

EFFECTS OF OVEREXPOSURE - INHALATION: INHALATION OF AIRBORNE DUST AND FIBERS MAY CAUSE IRRITATION OF THE NOSE, THROAT, AND LUNGS.

EFFECTS OF OVEREXPOSURE - INGESTION: MAY CAUSE TEMPORARY MECHANICAL IRRITATION OF THE DIGESTIVE TRACT.

(Continued on Page 2)

Product:	MAT10Z000000	PREPARE /	REVISED:	08/07/06	Page	2
========	SECTION	======== 3 - HAZARDS	:===== IDENTIFI	====== CATION	=========	==
========		=======	======	=======	=========	==

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: PREEXISTING SKIN AND EYE DISORDERS MAY BE AGGRAVATED BY THIS PRODUCT.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT INHALATION

SECTION 4 - FIRST AID MEASURES

FIRST AID - EYE CONTACT: DO NOT LET VICTIM RUB EYES. FLUSH EYES WITH FLOWING WATER UNTIL IRRITATION CEASES.IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

FIRST AID - SKIN CONTACT: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. IT IS RECOMMENDED THAT CLOTHES CONTAMINATED WITH FIBERGLASS BE WASHED SEPARATELY TO AVOID CONTAMINATING OTHER CLOTHING. USE A WASHCLOTH AND COOL (NOT HOT) WATER TO REMOVE FIBERS FROM THE SKIN. TO AVOID FURTHER IRRITATION, DO NOT RUB OR SCRATCH IRRITATED AREAS. THIS MAY FORCE FIBERS INTO THE SKIN.

FIRST AID - INHALATION: REMOVE VICTIM TO FRESH AIR. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

FIRST AID - INGESTION: IF GASTROINTESTINAL IRRITATION OCCURS, SEEK MEDICAL ATTENTION.

I	=======================================	=====	=====	=======	==========	
ĺ	SECTIO	л 5 –	FIRE	FIGHTING	MEASURES	
I	=======================================		=====	-======	===========	=========

FLASH POINT: N.A.

LOWER EXPLOSIVE LIMIT: N.A.

UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: NA

EXTINGUISHING MEDIA: ALCOHOL FOAM CO2 DRY CHEMICAL FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE.

SPECIAL FIREFIGHTING PROCEDURES: PRODUCT IS NON-FLAMMABLE. CONSIDERATION MUST BE GIVEN TO OTHER MATERIAL INVOLVED IN THE FIRE.

======================================	:========	==========	
SECTION SECTION	ON 6 - ACCIDENTA	L RELEASE MEASURES	
============		===========	===============

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: IF PRODUCT IS UNCONTAMINATED, SCRAPE UP FOR REUSE. OTHERWISE, PLACE IN SUITABLE CONTAINER FOR DISPOSAL.IF CONTAMINATED WITH A HAZARDOUS MATERIAL, FOLLOW SPILL PROCEDURES FOR THAT MATERIAL.

(Continued on Page 3)

	Product:	MAT10Z000000	PREPARE /	REVISED:	08/07/06	Page 3
Į	=========		========	======	========	
		SECTION	7 - HANDLIN	IG AND ST	ORAGE	
	========	=========	========	======	========	=========

HANDLING: AVOID CONTACT WITH EYES AND SKIN. AVOID BREATHING DUST. WEAR APPROPRIATE SAFETY EQUIPMENT WHEN HANDLING.

STORAGE: STORE OFF OF THE GROUND IF POSSIBLE TO AVOID CONTAMINATION WITH MOISTURE.

```
SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION
```

ENGINEERING CONTROLS: GENERAL MECHANICAL VENTILATION MAY BE SUFFICIENT TO MINIMIZE VAPOR CONCENTRATIONS. LOCAL EXHAUST MAY BE REQUIRED.

RESPIRATORY PROTECTION: CONSIDERATIONS MUST BE GIVEN TO OTHER COMPONENTS OF THIS SYSTEM.USE RESPIRATORY EQUIPMENT SUITABLE TO THE MOST SEVERE COMPONENT. RESPIRATORY PROTECTION IS DEPENDENT UPON USAGE. AIRBORNE DUST OR FIBERS ARE NOT USUALLY GENERATED DURING NORMAL HANDLING. IF CUTTING OR GRINDING PRODUCT, A PARTICULATE DUST MASK IS SUFFICIENT.

SKIN PROTECTION: CLEAN CLOTH GLOVES. IF USING WITH OTHER COMPONENTS, FOLLOW THE RECOMMENDATIONS OF THE MOST SEVERE COMPONENT. CONSIDERATION MUST BE GIVEN TO THE OTHER COMPONENTS OF THE SYSTEM.

EYE PROTECTION: SAFETY GLASSES RECOMMENDED. IF USED WITH OTHER MORE HAZARDOUS MATERIALS, FOLLOW THE RECOMMENDATIONS OF THE MOST SEVERE

OTHER PROTECTIVE EQUIPMENT: CLEAN, FULL BODY COVERING TO MINIMIZE SKIN CONTACT WITH MATERIAL. AN EYEWASH STATION AND SAFETY SHOWER IS RECOMMENDED NEAR WORK AREA.

HYGIENIC PRACTICES: SMOKING OR EATING IN THE WORK AREA SHOULD NOT BE PERMITTED. WASH THOROUGHLY AFTER HANDLING MATERIAL.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE : N.A.
ODOR : NONE
APPEARANCE : WHITE CLOTH BOILING RANGE : N.A. VAPOR DENSITY : Is heavier than air

ODOR THRESHOLD : NA

EVAPORATION RATE: Is slower than Ether

SOLUBILITY IN H2O: INSOLUBLE

SPECIFIC GRAVITY: 2.6 FREEZE POINT : NA pH @ 0.0 % : NA VISCOSITY : NA VAPOR PRESSURE : NA PHYSICAL STATE : SOLID CLOTH

COEFFICIENT OF WATER/OIL DISTRIBUTION: NA

(See Section 16 for abbreviation legend)

\_\_\_\_\_\_ SECTION 10 - STABILITY AND REACTIVITY |-----

CONDITIONS TO AVOID: NONE.

(Continued on Page 4) \_\_\_\_\_\_

Product:         MAT10Z000000         PREPARE / REVISED:         08/07/06         Page 4             SECTION 10 - STABILITY AND REACTIVITY
INCOMPATIBILITY: DISOLVED BY HYDROFLUORIC ACID.
HAZARDOUS DECOMPOSITION PRODUCTS: NOT APPLICABLE.
HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.
STABILITY: This product is stable under normal storage conditions.
SECTION 11 - TOXICOLOGICAL PROPERTIES
No product or component toxicological information is available.
SECTION 12 - ECOLOGICAL INFORMATION
ECOLOGICAL INFORMATION: NOT AN ECOLOGICAL HAZARD.
SECTION 13 - DISPOSAL CONSIDERATIONS
DISPOSAL METHOD: AS MANUFACTURED, IF THIS PRODUCT IS DISCARDED, IT WOULD NOT BE A HAZARDOUS WASTE AS DEFINED BY RCRA.
SECTION 14 - TRANSPORTATION INFORMATION
DOT PROPER SHIPPING NAME: FIBERGLASS MAT
DOT TECHNICAL NAME: NA
DOT HAZARD CLASS: NON-REGULATED HAZARD SUBCLASS: NA
DOT UN/NA NUMBER: NA PACKING GROUP: NA RESP. GUIDE PAGE:
   SECTION 15 - REGULATORY INFORMATION
THE FOLLOWING COMPONENTS ARE NOT SUBJECT TO REPORTING IN SECTION 2:
CHEMICAL NAME CAS NUMBER WT/WT % IS LESS THAN No non-hazardous components exist
U.S. FEDERAL REGULATIONS: AS FOLLOWS -
OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)
(Continued on Page 5)

	Product: MAT10Z000000 PREPARE / REVISED: 08/07/06 Page 5
	   SECTION 15 - REGULATORY INFORMATION
I	CERCLA - SARA HAZARD CATEGORY: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:
-	IMMEDIATE HEALTH HAZARD
5	SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
-	TOXIC SUBSTANCES CONTROL ACT: The chemical substances in this product are on the TSCA Section 8 Inventory.
	This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:
τ	U.S. STATE REGULATIONS: AS FOLLOWS -
7	NEW JERSEY RIGHT-TO-KNOW: The following materials are non-hazardous, but are among the top five components in this product:
1	
-	PENNSYLVANIA RIGHT-TO-KNOW: The following non-hazardous ingredients are present in the product at greater than 3%:
V }	CALIFORNIA PROPOSITION 65: WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:
-	INTERNATIONAL REGULATIONS: AS FOLLOWS -

(Continued on Page 6)

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

Product: MAT10Z000000 PREPARE / REVISED: 08/07/06	Page 6						
SECTION 15 - REGULATORY INFORMATION	======						
CANADIAN WHMIS CLASS: No information available.							
SECTION 16 - OTHER INFORMATION	======						
HMIS RATINGS - HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0							
VOLATILE ORGANIC COMPOUNDS (VOCS): 0.00 lbs/gal, 0 grams/ltr							
LEGEND: N.A Not Applicable, N.E Not Established, N.D Not Determined							

The information contained on this MSDS has been compiled from information obtained from raw material suppliers and is believed to be accurate. It is the responsibility of the user to comply with all Federal, State and Local Regulations.

\_\_\_\_\_

<END OF MSDS>