1-Naphthol, 1%



Section 1

Product Description

Product Name: 1-Naphthol, 1%

Recommended Use: Science education applications **Synonyms:** Alpha-Naphthol Solution

Distributor: Carolina Biological Supply Company

2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER









Highly flammable liquid and vapor. Toxic in contact with skin. Causes serious eye irritation. Causes damage to organs. Harmful to aquatic life.

GHS Classification:

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1, Flammable Liquid Category 2, Serious Eye Damage/Eye Irritation Category 2, Acute Toxicity - Dermal Category 3, Hazardous to the aquatic environment - Acute Category 3

Other Safety Precautions: IF exposed: Call a POISON CENTER or doctor/physician.

Acute Toxicity Oral Contains
86.11525 % of the mixture consists of ingredient(s) of unknown toxicity
Acute Toxicity Dermal Contains
85.11525 % of the mixture consists of ingredient(s) of unknown toxicity

Section 3

Composition / Information on Ingredients

Chemical Name	CAS#	<u>%</u>
Ethanol	64-17-5	85.12
Water	7732-18-5	4.95
2-Propanol	67-63-0	4.7
Methanol	67-56-1	4.23
1-Naphthol	90-15-3	1

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all

contaminated clothing. Wash contaminated clothing before reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media:

Use dry chemical, CO2 or appropriate foam.

1-Naphthol, 1% Page 1 of 5

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Vapors may travel back to ignition source. Closed Containers exposed to heat may

explode.

Hazardous Combustion Products: Carbon dioxide. Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

Section 7

Handling and Storage

Handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../

equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly

closed in a cool, well-ventilated place.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

	ACC	<u>GIH</u>	<u>OSHA PEL</u>	
Chemical Name	<u>(TWA)</u>	(STEL)	<u>(TWA)</u>	(STEL)
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A
			1900 mg/m3 TWA	
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A
			mg/m3 TWA	
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A
			mg/m3 TWA	
1-Naphthol	N/A	N/A	N/A	N/A

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

Respiratory Protection:

Lab coat, apron, eye wash, safety shower.

No respiratory protection required under normal conditions of use. Provide general room

exhaust ventilation if symptoms of overexposure occur as explained Section 11. A

respirator is not normally required.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. Wear chemical splash goggles when handling this product. Have an eye wash station

available.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular

intervals. Clean protective equipment regularly. Wash hands and other exposed areas

with mild soap and water before eating, drinking, and when leaving work

Gloves: Nitrile

Section 9

Eye Protection:

Physical Data

Formula: See Section 3

Molecular Weight: No data available

Vapor Pressure: No data available

Evaporation Rate (BuAc=1): No data available

Appearance: Amber Liquid Odor: Moderate Alcohol Odor Odor Threshold: No data available

pH: No data available

Melting Point: No data available -114 C

Boiling Point: 79 C Flash Point: 17 C

Flammable Limits in Air: Ethyl Alcohol: 3.3 - 19%

Vapor Density (Air=1): No data available

Specific Gravity: < 1
Solubility in Water: Soluble

Log Pow (calculated): No data available -0.32
Autoignition Temperature: Estimated 423 C
Decomposition Temperature: No data available

Viscosity: No data available
Percent Volatile by Volume: 95%

Section 10 Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid:Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition. Exposure to light. Exposure to air. Keep lid tightly closed when not in

use.

Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials, Strong

oxidizing agents, Caustics (bases)

Hazardous Decomposition Products: Carbon dioxide
Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhaltion and skin contact.

Symptoms (Acute): Liver disorders, Impaired Kidney Function, Cardiovascular system, Gastrointestinal,

Delayed Effects: No data available

Acute Toxicity:

Acute reality.				
Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat		
		90000 mg/kg		
2-Propanol	67-63-0	Oral LD50 Rat		INHALATION
·		5045 mg/kg		LC50 Rat 16000
		Oral LD50 Mouse		ppm
		3600 mg/kg		• •
Methanol	67-56-1	Oral LD50 Mouse		INHALATION
		7300 mg/kg		LC50 Rat 64000
		5 6		nnm

1-Naphthol 90-15-3

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
2-Propanol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed
1-Naphthol	90-15-3	Not listed	Not listed	Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: Central Nervous System, Eyes, Liver, Kidneys, Blood

Chronic: Eyes

Section 12 Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or

wildlife.

Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.

Persistence: Biodegradation, Dissolved into water, Photodegradation

Bioconcentration is not expected to occur.

Degradability: Biodegrades at a moderate rate.

1-Naphthol, 1% Page 3 of 5

Other Adverse Effects: No data

Chemical Name CAS Number Eco Toxicity

64-17-5 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] Ethanol

> 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L

7732-18-5 No data available Water

2-Propanol 67-63-0 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L

96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]

48 HR EC50 DAPHNIA MAGNA 13299 MG/L

72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

Methanol 67-56-1 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] Aquatic LC50 (96h) Bluegill Sunfish 0.75 MG/L 1-Naphthol 90-15-3

Section 13

Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name: Air - IATA Proper Shipping Name:

UN1987 UN1987 Alcohols N.O.S. Alcohols N.O.S. Class 3 Class 3 P.G. II P.G. II

Section 15

Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; 2270 kg final RQ	No	No
1-Naphthol	90-15-3	No	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California

to cause cancer, birth defects or other reproductive harm.

Section 16

Additional Information

Revised: 09/03/2014 Replaces: 08/27/2014 Printed: 04-21-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

1-Naphthol, 1% Page 4 of 5

ACGIH	American Conference of Governmental Industrial Hygienists	NTP OSHA	National Toxicology Program Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health

1-Naphthol, 1% Page 5 of 5