

# Material Safety Data Sheet acc. to ISO/DIS 11014

Date Prepared: 03/03/2011 Reviewed On: 02/11/2011

### I Identification of the substance/mixture and of the company/undertaking

- · Product Identifier
- · Product Name: TB Quick Stain, Carbol Fuchsin
- · Catalog Number: 212316
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BD Diagnostic Systems

7 Loveton Circle

Sparks, MD 21152

Telephone.: (410) 771 - 0100 or (800) 638 - 8663

- · Information Department: Technical Service
- · Emergency telephone number:

In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

#### 2 Composition/information on ingredients

- · Chemical characterization: Mixture
- · Description: Mixture consisting of the following components.

· Dangerous Components:				
64-17-5	ethanol	19.0%		
108-95-2	phenol	6.0%		
569-61-9	basic fuchsin	0.1%		

## 3 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45-24/25: May cause cancer. Toxic in contact with skin and if swallowed.



C; Corrosive

R34: Causes burns.



Xn; Harmful

*R40:* Limited evidence of a carcinogenic effect.

R10: Flammable.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR), and the MSDS contains all of the information required by the CPR.

· Code letter and hazard designation of product:

T Toxic

· Hazard-determining components of labelling: ethanol

(Contd. on page 2)



## Material Safety Data Sheet `acc. to ISO/DIS 11014

Reviewed On: 02/11/2011 Date Prepared: 03/03/2011

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 1)

basic fuchsin phenol

#### · Risk phrases:

- May cause cancer.
- 10 Flammable.
- 24/25 Also toxic in contact with skin and if swallowed.
- 34 Causes burns.
- 40 Limited evidence of a carcinogenic effect.

#### · Safety phrases:

- Avoid exposure obtain special instructions before use. 53
- 7 Keep container tightly closed.
- Keep away from sources of ignition No smoking. 16
- 20 When using do not eat or drink.
- 25 Avoid contact with eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- 45 In case of accident or if you feel unwell, seek medical advice immediately.
- 60 This material and its container must be disposed of as hazardous waste.
- · Classification system
- · NFPA ratings (scale 0-4)



Health = 3Fire = 3Reactivity = 0

· HMIS ratings (scale 0-4)



Health = \*3Fire = 3

REACTIVITY 0 Reactivity = 0

## 4 First aid measures

· General information

Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

- · After inhalation Seek medical treatment in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- · After swallowing Call a doctor immediately.
- · Information for doctor Show this product label or this MSDS.

### 5 Firefighting measures

· Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.



# Material Safety Data Sheet `acc. to ISO/DIS 11014

Date Prepared: 03/03/2011 Reviewed On: 02/11/2011

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 2)

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Wipe up with damp sponge or mop.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage
- · Requirements to be met by storerooms and receptacles: 15 30  $^{\circ}$ C
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed containers.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see Section 7.
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

TLV 1900 mg/m3, 1000 ml/m3

108-95-2 phenol

TLV 19 mg/m3, 5 ml/m3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal Protective Equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

· Protection of hands:





Chemical resistant gloves (i.e. nitrile, or equivalent).

· Eye protection: Safety glasses

(Contd. on page 4)



# Material Safety Data Sheet `acc. to ISO/DIS 11014

Date Prepared: 03/03/2011 Reviewed On: 02/11/2011

Product Name: TB Quick Stain, Carbol Fuchsin

· Body protection: Protective work clothing (lab coat).

(Contd. of page 3)

### 9 Physical and chemical properties

· General Information

· Appearance:

Form: Liquid Color: Red

· Odor: Alcohol-like

· Change in condition

Melting point/Melting range: Not determined

**Boiling point/Boiling range:** 92°C

• Flash point:  $26.7^{\circ}C$ 

• Ignition temperature: 425.0°C

· Auto igniting: Product is not self igniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are

possible.

· Explosion limits:

 Lower:
 3.5 Vol %

 Upper:
 15.0 Vol %

· Vapor pressure at 20°C: 59.0 mbar

· **Density:** Not determined

· Solubility in / Miscibility with

Water: Soluble

· Solvent content:

Organic solvents: 19.0 %

#### 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Hazardous decomposition products:

Nitrogen oxides (NOx)

Carbon monoxide (CO) and carbon dioxide (CO2)

Ammonia (NH4)

#### 11 Toxicological information

· Acute toxicity:

· LD/LC50	values	that are	relevant	for c	lassification:
-----------	--------	----------	----------	-------	----------------

64-17-5 ethanol

Oral | LD50 | 3450 mg/kg (MOU)

7060 mg/kg (rat)

(Contd. on page 5)



# Material Safety Data Sheet `acc. to ISO/DIS 11014

Reviewed On: 02/11/2011 Date Prepared: 03/03/2011

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 4)

	108-95-2 phenol					
Oral	LD50	300 mg/kg (mus)				
		300 mg/kg (mus) 317 mg/kg (rat) 670 mg/kg (rat)				
Dermal	LD50	670 mg/kg (rat)				
569-61-9 basic fuchsin						
Oral	LD50	500 mg/kg (mou)				

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: **Toxic** 

Corrosive (causes skin burns)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic

## 12 Ecological information

- · Acquatic toxicity: No further relevant information available.
- · Ecotoxical effects:
- · Other information:

The ecological effects have not been thoroughly investigated, but currently none have been identified.

- · Additional ecological information:
- · General notes: Water danger class 3 (Self-assessment): extremely hazardous for water.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of with solid waste.

Must adhere to official regulations.

- · Uncleaned packagings:
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

· DOT regulations:



· Hazard class:

· Identification number: UN3316

(Contd. on page 6)



# Material Safety Data Sheet `acc. to ISO/DIS 11014

Date Prepared: 03/03/2011 Reviewed On: 02/11/2011

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 5)

· Packing group: III

· Proper shipping name: CHEMICAL KITS

· Label

· TDG (Transport dangerous goods):



• TDG class: 9 (M11) Miscellaneous dangerous substances and articles

· UN-Number: 3316 · Packaging group: III

· Maritime transport IMDG:



· IMDG Class: 9
· UN Number: 3316
· Label 9
· Packaging group: III
· EMS Number: F-A,S-P

· Marine pollutant: No

· Proper shipping name: CHEMICAL KITS

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 9 · UN/ID Number: 3316 · Label 9 · Packaging group: III

· Proper shipping name: CHEMICAL KITS

## 15 Regulatory information

· SARA Section 355 (extremely hazardous substances)

108-95-2 phenol

· SARA Section 313 (specific toxic chemical listings)

64-17-5 ethanol

108-95-2 phenol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

(Contd. on page 7)



# Material Safety Data Sheet `acc. to ISO/DIS 11014

Date Prepared: 03/03/2011 Reviewed On: 02/11/2011

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 6)

#### · Carcinogenic categories

· NTP (National Toxicology Program)				
569-61-9 basic fuchsin	R			
· TLV (Threshold Limit Value established by ACGIH)				
64-17-5 ethanol	A4			
108-95-2 phenol	A4			

#### · Canadian Substance Listing

· Canadian Domestic Substance List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure List (limit 0.1%)

64-17-5 ethanol

· Canadian Ingredient Disclosure List (limit 1%)

108-95-2 phenol

- · National regulations
- · Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

### 16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing MSDS:

Environmental, Health & Safety Created by Michael J. Spinazzola

· Contact: Technical Service Representative

CA ·