

MATERIAL SAFETY DATA SHEET

UPDATED: JUNE 7, 2011

Comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200.

HMIS RATING:	HEALTH = 2	FLAMMABILITY = 0	REACTIVITY = 0	PROTECTION = A
NFPA RATING:	HEALTH = 2	FLAMMABILITY = 1	REACTIVITY = 0	

IDENTITY - As used on Label and List

WHISK ADHESIVE REMOVER #23480-016

SECTION I - Contact Information*Manufacturer's Name & Address:*

Weiman Products
755 Tri-State Parkway
Gurnee, IL 60031

Emergency Telephone Numbers:

Contact Your Regional Poison Control Center
 or 1-800-535-5053 (24 Hours)
 For information call 1-847-263-3500

Distributed By:

CareFusion
1500 Waukegan Road
McGaw Park, IL 60085

For Information call 1-800-323-9088

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Specific Chemical Identity; CAS Number				
Tripropylene glycol methyl ether, #25498-49-1	N/D	N/D	LD50 skin > 20 ml/kg	--

DOT: Non-Hazardous

This product does not contain an amount of any chemical required to be reported under SARA 313.

SECTION III - Physical/Chemical Characteristics

Boiling Point: N/D	Specific Gravity (H₂O = 1): 0.93
Vapor Pressure (mm Hg.): N/D	Melting Point: N/A
Vapor Density (AIR = 1): N/D	Evaporation Rate (Butyl Acetate = 1): N/D
Solubility in Water: Partial	
Appearance and Odor: Clear green liquid with light citrus odor.	

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used): >200°F

Flammable Limits: LEL: N/A UEL: N/A

Extinguishing Media: Alcohol foam, carbon dioxide, dry chemical and water fog.

Special Fire Fighting Procedures: Self-contained breathing apparatus with full-face piece operated in pressure-demand or other positive pressure mode.

Unusual Fire and Explosion Hazards: None

SECTION V - Reactivity Data

Stability: Stable

Incompatibility (Materials to Avoid): Strong oxidizing agents.

Hazardous Decomposition or By-products: Oxides of carbon and isopropanol.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: None

SECTION VI - Health Hazard Data

Route(s) of Entry:

Inhalation: Yes	Skin: Yes	Ingestion: Yes
------------------------	------------------	-----------------------

Health Hazards (Acute and Chronic):

Inhalation: Prolonged exposure to vapors may cause lightheadedness and/or irritation to nose and throat.

Eyes: Contact may cause slight irritation.

Skin: Not likely to cause significant skin irritation.

Ingestion: Can cause nausea.

Carcinogenicity: NTP: N/A IARC Monographs: N/A OSHA Regulated: N/A

Signs and Symptoms of Exposure:

Inhalation: Irritation to nasal passage and lightheadedness.

Eyes: Redness or tearing.

Skin: None.

Ingestion: Nausea.

Medical Conditions Generally Aggravated by Exposure: None known.

Emergency and First Aid Procedures:

Inhalation: Remove to fresh air. If person is having difficulty breathing call a physician immediately.

Eyes: Rinse with water for at least 15 minutes. If irritation persists, seek medical attention immediately.

Skin: Wash with water. If irritation persists, seek medical attention.

Ingestion: Drink a large quantity of milk or water. Do not induce vomiting. Call a physician immediately.

SECTION VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Soak up with absorbent material. Wash area with soap and water.

Waste Disposal Method: Dispose of in accordance with all applicable local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing: Store in a cool, dry area.

Other Precautions: Keep out of reach of children.

SECTION VIII - Control Measures

Respiratory Protection (Specific Type): None

Ventilation: Local Exhaust: Yes

Mechanical (General): None

Special: None

Other: None

Protective Gloves: None

Eye Protection: Safety glasses recommended.

Other Protective Clothing or Equipment: None

Work/Hygienic Practices: None

Note: N/A or N/D as an information entry means the data is not applicable or determined, respectively.

Cat. 23480-016

V. Mueller®

Whisk Adhesive Remover

Instructions for use:

Saturate a cotton pledget with Whisk and apply it to the edge of the tape. Pull the tape gently and keep applying Whisk to the line of adhesion to the skin. Whisk dissolves the adhesive compound quickly, and the tape comes off painlessly. Use more if tape is being removed from hirsute areas. Any residue of adhesive compound on the skin may be removed by wiping with Whisk. After removal of the tape and adhesive residue, wash skin with soap and water, rinse, and dry with clean cloth.

Caution:

Contains Glycol Ether, Fatty Acid Ester, D-Limonene and Green No. 6.

Avoid contact with eyes. In case of contact, rinse with water; if irritation persists, contact a physician. Ingestion: Dilute with milk or water and call a physician.

For professional use only. Keep out of reach of children.

HMIS Rating: H-2 F-O R-O PPE-A

See MSDS for additional information.

Made in U.S.A.

Distributed By

CareFusion

1500 Waukegan Road

McGaw Park, IL 60085 USA



CareFusion