

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

SECTION 1. IDENTIFICATION

Product name : LSD Calibration/Control Pack

Mat.-No./ Genisys-No. : 20766356122

Chemical nature : Handle as potentially infectious.

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics
-

Address : 9115 Hague Road
46250 Indianapolis IN

Telephone : 1-800-428-5074

Emergency telephone number:
In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or
Canada)
1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

The product is a kit consisting of individual ingredients. The classification of the ingredients can be obtained from section 3. Section Label elements contains the resulting labelling for the kit.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS***Negative Control*****GHS Classification**

Not a hazardous substance or mixture.

Chemical nature : Handle as potentially infectious.

Hazardous components

No hazardous ingredients

Calibrator**GHS Classification**

Not a hazardous substance or mixture.

Chemical nature : Handle as potentially infectious.

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Hazardous components

No hazardous ingredients

Positive Control**GHS Classification**

Not a hazardous substance or mixture.

Chemical nature : Handle as potentially infectious.

Hazardous components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

- | | |
|-------------------------|--|
| General advice | : Do not leave the victim unattended. |
| If inhaled | : Move to fresh air.
If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If on skin, rinse well with water. |
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Rinse mouth with water. |
| Notes to physician | : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|---|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Specific hazards during firefighting | : No information available. |
| Further information | : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions | : | Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Advice on safe handling | : | For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area. |
| Conditions for safe storage | : | Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid | : | No materials to be especially mentioned. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION***Negative Control*****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Calibrator**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Positive Control**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|------------------------|---|---|
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
|------------------------|---|---|

Hand protection

- | | | |
|----------|---|---|
| Material | : | Protective gloves |
| Remarks | : | The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. |

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Eye protection	: Safety glasses
Skin and body protection	: Protective suit
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES***Negative Control***

Appearance	: liquid
Colour	: yellow, brown
Odour	: characteristic
pH	: 5 - 9
Flash point	: does not flash
Density	: 1,013 g/cm ³
Solubility(ies) Water solubility	: completely miscible
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

Calibrator

Appearance	: liquid
Colour	: yellow, brown
Odour	: characteristic
pH	: 5 - 9
Flash point	: does not flash
Density	: 1,013 g/cm ³
Solubility(ies) Water solubility	: completely miscible
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

Positive Control

Appearance	: liquid
Colour	: yellow, brown
Odour	: characteristic
pH	: 5 - 9
Flash point	: does not flash

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Density : 1,013 g/cm³

Solubility(ies)
Water solubility : completely miscible

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.

SECTION 11. TOXICOLOGICAL INFORMATION***Negative Control*****Information on likely routes of exposure****Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Calibrator**Information on likely routes of exposure****Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Positive Control**Information on likely routes of exposure****Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION***Negative Control*****Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Calibrator**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Positive Control**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues

: Special treatment as infectious material is mandatory in compliance with local regulations (disinfection and incineration).
Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION
Negative Control
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

ethanol	64-17-5	0.0001 %
---------	---------	----------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

sodium azide	26628-22-8	0 - 0.1 %
--------------	------------	-----------

Pennsylvania Right To Know

Human serum /-plasma / -hemolysate, liquid	Not Assigned	90 - 100 %
sodium azide	26628-22-8	0 - 0.1 %

New Jersey Right To Know

Human serum /-plasma / -hemolysate, liquid	Not Assigned	90 - 100 %
--	--------------	------------

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Calibrator
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

ethanol	64-17-5	0.0003 %
---------	---------	----------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

sodium azide	26628-22-8	0 - 0.1 %
--------------	------------	-----------

Pennsylvania Right To Know

Human serum /-plasma / -hemolysate, liquid	Not Assigned	90 - 100 %
sodium azide	26628-22-8	0 - 0.1 %

New Jersey Right To Know

Human serum /-plasma / -hemolysate, liquid	Not Assigned	90 - 100 %
--	--------------	------------

California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

Positive Control
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

ethanol	64-17-5	0.0007 %
---------	---------	----------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

sodium azide	26628-22-8	0 - 0.1 %
--------------	------------	-----------

Pennsylvania Right To Know

Human serum /-plasma / -hemolysate, liquid	Not Assigned	90 - 100 %
sodium azide	26628-22-8	0 - 0.1 %

New Jersey Right To Know

Human serum /-plasma / -hemolysate, liquid	Not Assigned	90 - 100 %
--	--------------	------------


California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

LSD Calibration/Control Pack

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014


SECTION 16. OTHER INFORMATION**Further information****Negative Control****NFPA:**

Special hazard.

HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic


Calibrator**NFPA:**

Special hazard.

HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Positive Control**NFPA:**

Special hazard.

HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 09-18-2014

**LSD Calibration/Control Pack**

Version 1.3

Revision Date 09-18-2014

Print Date 12-06-2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.