CAIG LABORATORIES, INC.



Page 1 of 6

MSDS-E-G100L-UV

Prep	pared to OSHA, ACC,	ANSI, WHMIS, NOHSC & 2001/58 EC Standards	MSDS Revision: 2.	.0 MSE	DS Revision Date: 11/19/20	007				
1.	PRODUCT IDEN	NTIFICATION		CHEMICAL	RESPONSE CARD:	03				
1.1	Product Name:	DeoxIT [®] GOLD G100L-UV		RESPONSE						
1.2	Chemical Name:	See ingredients listed in section 3		TEAM PPE:						
1.3	Synonyms:	DeoxIT® GOLD G100L-UV		$\overline{\mathbf{T}}$						
1.4	Trade Names:	DeoxIT® GOLD G100L-UV (see list below)		WHMIS:	\bigcirc					
1.5	Product Use:	Conditioner, enhancer & protector for cont	HEALTH:		0					
1.6	Manufacturer's Name:	CAIG Laboratories, Inc.		FLAMMABIL	ITY:	0				
1.7	Manufacturer's Address:	12200 Thatcher Court, Poway, CA 92064-687	6	REACTIVITY	:	0				
1.8	Business Phone:	+1 (800)-224-4123		PERSONAL	PROTECTION:					
1.9	Emergency Phone:	CHEMTREC +1 (703) 527-3887	/ +1 (800) 42	4-9300						
	1.10 Other Product Names: DeoxIT® GOLD G100L-UV, 2 ml (Part No. G100L-UV-2C, G100L-UV-2CP) GOLD DeoxIT® GOLD G100L-UV, 7.4 ml (Part No. G100L-UV-2DB) DeoxIT® GOLD G100L-UV, 12 ml (Part No. G100L-UV-12C) DeoxIT® GOLD G100L-UV, 25 ml (Part No. G100L-UV-25C) DeoxIT® GOLD MIPES, (Part No. G100P) DeoxIT® GOLD G100L-UV, 59 ml (Part No. G100L-UV-2) DeoxIT® GOLD G100L-UV, 59 ml (Part No. G100L-UV-2) DeoxIT® GOLD G100L-UV, 236 ml (Part No. G100L-UV-8) DeoxIT® GOLD G100L-UV, 472 ml (Part No. G100L-UV-16) DeoxIT® GOLD G100L-UV, 944 ml (Part No. G100L-UV-32) DeoxIT® GOLD G100L-UV, 30 L (Part No. G100L-UV-8G)									
		2. HAZARD IDE								
2.1		classified as a HAZARDOUS SUBSTANCE or as DA DG Code (Australia). DeoxIT® GOLD G100L-UV i	ANGEROUS GOODS			[NOHSC:				
2.2	Routes of Entry:	Inhalation: YES	Absorption:	YES	Ingestion:	(ES				
2.3	 2.3 Effects of Exposure: EYES: Non-irritating when used as directed. Can cause irritation, tearing, and temporary blurred vision. SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause temporary headaches and 									
2.4	dizziness. 2.4 Symptoms of Overexposure: EYES: Non-irritating when used as directed. Can cause temporary irritation, tearing, and blurred vision. SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation. INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.									
2.5	Acute Health Effects: None reported when used as directed. Mild to moderate temporary irritation. SKIN: Unlikely when used as directed. Repeated exposure at site of contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amount may cause temporary gastrointestinal irritation and central nervous system depression. UNIKely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.									
2.0	Chronic Health Effects: None reported by t	he manufacturer.								
2.7	Target Organs: Eyes and skin.									

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-1998 format.

CAIG LABORATORIES, INC.

MATERIAL SAFETY DATA SHEET

Page 2 of 6

MSDS-E-G100L-UV

	I											
Prep	pared to OSHA, ACC, ANSI, '	whmis, nohsc	C & 2001/58 EC	C Standards	MSDS F	Revision: 2	.0	MSDS R	evision D	ate: 11/19	/2007	
		3 COM		N & INGRE			ΜΔΤΙά)N				
		<u> </u>							TS IN AIR	(ma/m3)		
						10		SUKE LIN	OSHA	(mg/m³)	OTHER	
							STEL	PEL	STEL	IDLH	OIL	
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	ppm	ppm	ppm	ppm	ppm		
Deox	IT® GOLD G100L-UV	Trade Secret	UNK	UNK	100	NE	NE	NE	NE	NE		
UV Tre	acer Dye	Trade Secret	UNK	UNK	<0.1	NE	NE	NE	NE	NE		
	· · ·											
		1										
			4. FI	RST AID N	EASU	RES						
4.1	First Aid:											
		yes thoroughly						ites, hold	ing eyelio	d(s) open	to ensu	re
	=	ete flushing. If i	-					anton If :				
		e contaminate al attention. Do									ек ргоп	рт
		induce vomitin			-			• • •				
		e victim to fres	• ·	•				-		and seek i	immedic	te
	medico	al attention. If I	breathing stop	os, perform arti	ficial res	piration.						
4.2	Medical Conditions Aggravated b						HEA	ITH			0	
	None reported by the ma	nufacturer.										
							FLA	MMAB	ILIIY		0	
							REA	CTIVIT	Y		0	
							PRO	TECTI	/E EQU	IPMEN	TAT	
							EYES					
			5 FIRE	FIGHTING	MFA	SURES						
5.1	Flashpoint & Method:		V . IIKE		///////////	JUNEO						
	> 280 °C (536 °F)											
5.2	Autoignition Temperature:											
	NA		Г			1	1				1	
5.3	Flammability Limits:		Lower Explo	sive Limit (LEL)		ND	Upper	r Explosive	e Limit (UE	L):	ND	
5.4	Fire & Explosion Hazards: Carbon dioxide, carbon n	nonovido hvd	rocarbons									
5.5	Extinguishing Methods:	nonoxide, nyd										
	CO ₂ , Alcohol foam, Dry C	hemical, Wate	r Fog							10		
5.6	Firefighting Procedures:											
	Wear NIOSH/MSHA appro										0 >	
	spray to cool containers										$\mathbf{\nabla}$	
	exposed to direct flame of weakening of container s											
	Prevent runoff from fire c	•					•	•				
	natural waterway.			ing sevens, a	ianis, ai			y, or any				
		6.	ACCIDE	NTAL RELE	ASE N	MEASU	RES					
6.1	Spills:	•		• • •								_
	Ventilate if in enclosed ar with water. Deny entry to											
	equipment.				voived l	n me ciec		wear ap	propriate	personal	protecti	46
	1 - 4-4-1											



MATERIAL SAFETY DATA SHEET

Page 3 of 6

MSDS-E-G100L-UV

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 11/19/2007 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Wash hands thoroughly after using this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged skin contact. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated area. Do not store near or with any incompatible materials listed in section 10. Open containers may change concentrations, keep tightly closed when not in use. Normal shelf life 2-3 years. 7.3 Special Precautions: Empty containers may contain product residues. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Respiratory Protection: 8.2 None required, when used with adequate ventilation. 8.3 Eve Protection Wear safety glasses with side shields (ANSI Z87) under normal use conditions. 8.4 Hand Protection None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. In such cases, wear rubber or impervious plastic gloves. 8.5 Body Protection: Use as necessary to prevent skin contact. 9. PHYSICAL & CHEMICAL PROPERTIES 91 Density: 0.72 9.2 Boiling Point: > 240 °C (464 °F) 9.3 Melting Point NA 94 **Evaporation Rate:** NA 9.5 Vapor Pressure: < 0.01 mm Hg @ 20 °C (68 °F) 9.6 Molecular Weight: NA 9.7 Appearance & Color: Light yellow/red 9.8 Odor Threshold: Ethereal/hydrocarbon odor 9.9 Solubility: Not soluble in water 9.10 Ph NA 9.11 Viscosity: 5.4 - 7.5 cSt @ 104 °F 9.12 VOC (g/L): None 9 13 Other Information: NA **10. STABILITY & REACTIVITY** 10.1 Stability: Stable under normal conditions of use (see section 7). 10.2 Hazardous Decomposition Products: Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution. 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Use or storage near open flames, sparks, high heat (>100 °F) or other heat sources, and proximity to incompatible substances and heavily trafficked areas. 10.5 Incompatible Substances: Strong oxidizers.



Page 4 of 6

MSDS-E-G100L-UV

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 11/19/2007 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.2 Acute Toxicity: See section 3.5 11.3 Chronic Toxicity: See section 3.6 11.4 Suspected Carcinogen: NE 11.5 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans This product is not reported to produce mutagenic effects in humans. Mutagenicity This product is not reported to produce embryotoxic effects in humans. **Embryotoxicity** This product is not reported to produce teratogenic effects in humans. Teratogenicity: This product is not reported to produce reproductive effects in humans. Reproductive Toxicity 11.6 Irritancy of Product: See Section 3.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life **13. DISPOSAL CONSIDERATIONS** 13.1 Waste Disposal Dispose of in accordance with federal, state or local regulations. 13.2 Special Considerations NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED **15. REGULATORY INFORMATION** 15.1 SARA Reporting Requirements: NA 15.2 SARA Threshold Planning Quantity: NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status. 15.4 CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Requirements: NA

MATERIAL SAFETY DATA SHEET

Page 5 of 6

Contraction of the		RIAL SAFETY DA	ТЛ СЦСІ	ET	ruge sor o			
				- 1	MSDS-E-G100L-UV			
Ener	LABORATORIES, INC.							
Prep	ared to OSHA, ACC, ANSI, WHMIS, NOHSC	& 2001/58 EC Standards MSDS R	Revision: 2.0	MSDS Revi	sion Date: 11/19/2007			
	15. RE	GULATORY INFORMATIO	N- continue	k				
15.6	Other Canadian Regulations							
	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.							
15.7	State Regulatory Information:							
	The primary component of this produc Massachusetts Right to Know List of Chen List 34 323 Appendix A; Wisconsin Hazo Substances List.	nicals; New Jersey Right to Know Li	ist 8:59 Appendix A	; Pennsylvar	nia Hazardous Substances			
15.8	67/548/EEC (European Union) Requirements: The primary component of this product is	not listed in Annex I of EU Directive	67/548/EEC.		×			
		16. OTHER INFORMATIO	2N					
16.1	Other Information:							
	NA							
16.2	Terms & Definitions:							
	See page last page of this MSDS.							
16.3	Disclaimer:							
	This Material Safety Data Sheet is offe government regulations must be reviews knowledge, the information contained he are not guaranteed and no warranties relates only to the specific product(s). considered. Data may be changed from	ed for applicability to this product prein is reliable and accurate as of of any type, either expressed or in If this product(s) is combined w	. To the best of S this date; however nplied, are provide vith other material	hipMate's & , accuracy, s ed. The info	CAIG Laboratories, Inc.'s suitability or completeness rmation contained herein			
16.4	Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 +1 (800) CAIG-123 (244-4123) phone +1 (858) 486-8398 fax http://www.caig.com/	CARE, INC.						
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Blvd., Suite 201 Torrance, CA 90504 +1 (310) 370-3600 phone +1 (310) 370-5700 fax http://www.shipmate.com/	Consulting & Consulting						



MATERIAL SAFETY DATA SHEET

Page 6 of 6

MSDS-E-G100L-UV

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 11/19/2007
DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienist			
TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person						
	whose heart has stopped receives manual chest						
	compressions and breathing to circulate blood and provide						
	oxygen to the body.						

HEALTH

FLAMMABILITY


REACTIVITY PERSONAL PROTECTION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0 Minimal Hazard				
1 Slight Hazard				
2 Moderate Hazard				
3 Severe Hazard				
4 Extreme Hazard				

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

Minimal Hazard		
Slight Hazard		
Moderate Hazard		
Severe Hazard		
Extreme Hazard		
Acidic		
Alkaline		
Corrosive		
Use No Water		
Oxidizer		



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s		
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD _{lo}	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or		
TC, TC _o , LC _{lo} , & LC _o	toxic effects		
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA U.S. Environmental Protection Agency		
DSL Canadian Domestic Substance List		
NDSL Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List	
TSCA U.S. Toxic Substance Control Act		
EU European Union (European Union Directive 67/548/EEC)		

EC INFORMATION:

		*	¥,	<u></u>	×	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful