

Page 1 of 6

MSDS-E-S100L

MSDS Revision Date: 11/19/2007 Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0 03 1. PRODUCT IDENTIFICATION **CHEMICAL RESPONSE CARD:** Product Name: DeoxIT® SHIELD \$100L **RESPONSE TEAM PPE:** 1.2 Chemical Name: See ingredients listed in section 3 1.3 Synonyms DeoxIT® SHIELD \$100L WHMIS: 1 4 Trade Names: DeoxIT® SHIELD \$100L (see list below) 1.5 Product Use: Protect & lubricate electronic contacts & connectors **HEALTH:** 0 1.6 Manufacturer's Name: CAIG Laboratories, Inc. **FLAMMABILITY:** 0 1 7 Manufacturer's Address: 12200 Thatcher Court, Poway, CA 92064-6876 REACTIVITY: 0 1.8 Business Phone: +1 (800)-224-4123 PERSONAL PROTECTION: 1.9 Emergency Phone: CHEMTREC +1 (703) 527-3887 / +1 (800) 424-9300 1.10 Other Product Names: DeoxIT® SHIELD \$100L, 2 ml (Part No. \$100L-2C, \$100L-2CP) DeoxIT® SHIELD \$100L, 7.4 ml (Part No. \$100L-2DB) DeoxIT® SHIELD \$100L, 12 ml (Part No. \$100L-12C) DeoxIT® SHIELD \$100L, 25 ml (Part No. \$100L-25C) DeoxIT® SHIELD PEN, 7 ml (Part No. D100P) DeoxIT® SHIELD WIPES, (Part Nos. D50W, K-D1W-25, K-D1W-50, D1W) DeoxIT® SHIELD \$100L, 59 ml (Part No. \$100L-2) DeoxIT® SHIELD \$100L, 236 ml (Part No. \$100L-8) DeoxIT® SHIELD S100L, 472 ml (Part No. S100L-16) DeoxIT® SHIELD \$100L, 944 ml (Part No. \$100L-32) DeoxIT® SHIELD \$100L, 30 L (Part No. \$100L-8G) 2. HAZARD IDENTIFICATION 2.1 Hazard Identification: This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of [NOHSC: 1088 (1999)] and ADG Code (Australia). DeoxIT® SHIELD \$100L is non-volatile, non-hazardous and non-flammable. Routes of Entry: Inhalation: YES Absorption: YES Ingestion: 2.3 Effects of Exposure: EYES: Non-irritating when used as directed. Can cause irritation, tearing, and temporary blurred vision. SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation. Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are INHALATION: temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause temporary headaches and Symptoms of Overexposure: 2.4 EYES: Non-irritating when used as directed. Can cause temporary irritation, tearing, and blurred vision. SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis (localized redness or rash). Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation. INGESTION: INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness. 2.5 Acute Health Effects: None reported when used as directed. Mild to moderate temporary irritation. EYES: SKIN: Unlikely when used as directed. Repeated exposure at site of contact may cause temporary contact dermatitis (localized redness or rash). INGESTION: Not probable. Small amount may cause temporary gastrointestinal irritation and central nervous system depression. INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness. Chronic Health Effects: 2.6 None reported by the manufacturer. 2.7 Target Organs: Eyes and skin. NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used

NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-1998 format.



equipment.

MATERIAL SAFETY DATA SHEET

Page 2 of 6

MSDS-E-S100L

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 11/19/2007 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH OSHA OTHER** TLV **STEL PEL STEL IDLH** % CHEMICAL NAME(S) CAS No. RTECS No. **EINECS No.** ppm ppm ppm ppm ppm DeoxIT® SHIELD \$100L Trade Secret UNK UNK 100 NE NE NE NE NE (formerly PreservIT) NE NF NE NE NE 4. FIRST AID MEASURES 4.1 First Aid: EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention. SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. INGESTION: Do not induce vomiting! Drink plenty of water. If irritation persists, contact a physician. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate INHALATION: medical attention. If breathing stops, perform artificial respiration. 42 Medical Conditions Aggravated by Exposure: **HEALTH** 0 None reported by the manufacturer. 0 **FLAMMABILITY** REACTIVITY 0 PROTECTIVE EQUIPMENT Α **EYES** 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 250 °C (482 °F) 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL) ND Fire & Explosion Hazards: 5.4 Carbon dioxide, carbon monoxide, hydrocarbons. 5.5 Extinguishing Methods CO₂, Alcohol foam, Dry Chemical, Water Fog 5.6 Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Use a water spray to cool containers involved in fire. Do not use direct water stream. Container storage areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent weakening of container structure. Keep containers cool until well after the fire is out to prevent rupture. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Ventilate if in enclosed area. Secure spill area, remove or minimize all sources of ignition, and maximize ventilation. Wipe and rinse with water. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective



Page 3 of 6

MSDS-E-S100L

Prep	ared to OSHA, ACC, ANSI, WHA	AIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 11/19/2007							
		7. HANDLING & STORAGE INFORMATION							
7.1	Work & Hygiene Practices: Wash hands thoroughly after using this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged skin contact.								
7.2	Storage & Handling: Use and store in a cool, dry, well-ventilated area. Do not store near or with any incompatible materials listed in section 10. Open containers may change concentrations, keep tightly closed when not in use. Normal shelf life 2-3 years.								
7.3	Special Precautions: Empty containers may contain	n product residues.							
	Ω	EXPOSURE CONTROLS & PERSONAL PROTECTION							
8.1	Ventilation & Engineering Controls:	EXTOSORE CONTROLS & LEASONAL I ROTECTION							
0.1	Use with adequate ventilatio	n (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination ink, safety shower, eye-wash station).							
8.2	Respiratory Protection: None required, when used wit	h adequate ventilation.							
8.3	Eye Protection: Wear safety glasses with side s	shields (ANSI Z87) under normal use conditions.							
8.4	Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. In such cases, wear rubber or impervious plastic gloves.								
8.5	Body Protection: Use as necessary to prevent sl	kin contact.							
		9. PHYSICAL & CHEMICAL PROPERTIES							
9.1	Density:	0.72							
9.2	Boiling Point:	> 220 °C (428 °F)							
9.3	Melting Point:	NA NA							
9.4	Evaporation Rate:	NA							
9.5	Vapor Pressure:	< 0.01 mm Hg @ 20 °C (68 °F)							
9.6	Molecular Weight:	NA NA							
9.7	Appearance & Color:	Light blue							
9.8	Odor Threshold:	Ethereal/hydrocarbon odor							
9.9	Solubility:	Not soluble in water							
9.10	Ph	NA NA							
9.11	Viscosity:	5.4 – 7.5 cSt @ 104 °F							
9.12	VOC (g/L):	None							
9.13	Other Information:	NA							
		10. STABILITY & REACTIVITY							
10.1	Stability:	Stable under normal conditions of use (see section 7).							
10.2	Hazardous Decomposition Products:	Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution.							
10.3	Hazardous Polymerization:	Will not occur.							
10.4	Conditions to Avoid:	Use or storage near open flames, sparks, high heat (>100 °F) or other heat sources, and proximity to incompatible substances and heavily trafficked areas.							
	Incompatible Substances:	Strong oxidizers.							



Page 4 of 6

MSDS-E-S100L

Prep	ared to OSHA, ACC, ANSI, WHA	MIS, NOHSC & 2001/58 EC Standards	MSDS Revision: 2.0	MSDS Revision Date: 11/19/2007				
11 TOVICOLOGICAL INTODUATION								
11. TOXICOLOGICAL INFORMATION								
11.1	Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.							
11.2	Acute Toxicity:	See section 3.5						
11.3	Chronic Toxicity:	See section 3.6						
11.4	Suspected Carcinogen:	NE						
11.5	Reproductive Toxicity:	This product is not reported to produ	ce reproductive toxicity in	humans.				
	Mutagenicity:	This product is not reported to produ	ice mutagenic effects in hu	mans.				
	Embryotoxicity:	This product is not reported to produ						
	Teratogenicity:	This product is not reported to produ						
11.6	Reproductive Toxicity: Irritancy of Product:	This product is not reported to produ	ice reproductive effects in r	numans.				
11.7	Biological Exposure Indices:	See Section 3.3						
11.8	Physician Recommendations:	NE						
11.0	rnysician recommendations.	Treat symptomatically.						
		10 5001001011						
		12. ECOLOGICAL I	NFORMATION					
12.1	Environmental Stability:	This product will slowly volatile from organic compounds.	m soil. Components of thi	is product will slowly decompose into				
12.2	Effects on Plants & Animals:	There is no specific data available f	or this product.					
12.3	Effects on Aquatic Life:	Releases of large volumes of this pro-	oduct are expected to be h	narmful or fatal to overexposed aquatic				
		1						
		13. DISPOSAL CON	NSIDERATIONS					
13.1	Waste Disposal:	10. 2.0. 00, 12 00.	10.02.00					
		n federal, state or local regulations.						
13.2	Special Considerations:							
	NA							
		14. TRANSPORTATION	N INFORMATION					
		proper shipping name, hazard class & anay be required by 49 CFR, IATA/ICAC		hown for each mode of transportation.				
14.1	49 CFR (GND): NOT REGULATED							
14.2	IATA (AIR): NOT REGULATED							
14.3								
14.4	TDGR (Canadian GND): NOT REGULATED							
14.5	ADR/RID (EU):							
	NOT REGULATED							
15. REGULATORY INFORMATION								
15.1								
15.2	SARA Threshold Planning Quantity:							
15.3	TSCA Inventory Status:	to manadural area Baland are the TOOA!	Annual and all and a second	at frame lancation and allows				
15.4	CERCLA Reportable Quantity (RQ):	is product are listed on the TSCA inven	nory or are ornerwise exemp	or morn inventory status.				
15.5	NA Other Federal Requirements:							
	NA							



Page 5 of 6

MSDS-E-S100L

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 11/19/2007

15. REGULATORY INFORMATION- continued

15.6 Other Canadian Regulations

This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



15.7 State Regulatory Information:

The primary component of this product is not listed on the following state lists: California OSHA; California Proposition 65; Massachusetts Right to Know List of Chemicals; New Jersey Right to Know List 8:59 Appendix A; Pennsylvania Hazardous Substances List 34 323 Appendix A; Wisconsin Hazardous Substances List NR 605.09; Minnesota Hazardous Substances List; and Florida Toxic Substances List.

15.8 67/548/EEC (European Union) Requirements:

The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.



16. OTHER INFORMATION

16.1 Other Information:

NΑ

16.2 Terms & Definitions:

See page last page of this MSDS.

16.3 Disclaimer:

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4 Prepared for:

CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 +1 (800) CAIG-123 (244-4123) phone +1 (858) 486-8398 fax



16.5 Prepared by:

ShipMate, Inc. 18436 Hawthorne Blvd., Suite 201 Torrance, CA 90504 +1 (310) 370-3600 phone +1 (310) 370-5700 fax

http://www.shipmate.com/

http://www.caig.com/





Page 6 of 6

MSDS-E-S100L

Prepared to OSHA, ACC, ANSI, WHMIS, NOHSC & 2001/58 EC Standards MSDS Revision: 2.0

MSDS Revision Date: 11/19/2007

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienis		
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide					
	whose heart has stopped receives manual chest					
	compressions and breathing to circulate blood and provid					
	oxygen to the body.					


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard		
 Slight Hazard 			
2	Moderate Hazard		
3 Severe Hazard			
4	Extreme Hazard		



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR No Results		
NE Not Established		
ND Not Determined		
ML	Maximum Limit	
SCBA Self-Contained Breathing Apparatus		


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion				
Temperature	in air with no other source of ignition				
LEL Lower Explosive Limit - lowest percent of vapor in air					
	volume, that will explode or ignite in the presence of				
	an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air,				
	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of				
	an ignition source				

HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
w —	Use No Water		
ОХ	Oxidizer		



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the			
	exposed animals s			
LC50 Lethal concentration (gases) which kills 50% of exposed animal				
ppm	Concentration expressed in parts of material per million parts			
TD _{lo}	TD _{Io} Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal				
TC, TCo, LCio, & LCo	toxic effects			
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		

EC INFORMATION:

		No.	*			×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful