

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

1. Product and company identification

Trade Name

Ateva®

The following grades will be covered by this SDS:

Product Grade(s):

3325A, 3325AC, 3342AC, 9030

Celanese EVA Polymers

4405-101 Ave

P.O. Box 428

Edmonton, Alberta, Canada

T5J 2K1

Phone: 780 568-0800

Internet: www.Celanese.com

Transportation emergency phone numbers:

In USA, call 800 424 9300

Outside USA, call 703 527 3887, collect calls accepted.

Identified uses

Plastic processing industry.

2. Hazard Identification

GHS Classification

Hazards

Carcinogenicity

Category

Category 2

Label elements



Signal Word

Warning

Hazard Statements

Suspected of causing cancer

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

3. Composition/information on ingredients

Components	CAS-No	Percent %
E / VA-Copolymer	24937-78-8	> 99
Vinyl acetate	108-05-4	< 0.4

4. First aid measures**Skin**

Wash off immediately with soap and plenty of water. Cool skin rapidly with cold water after contact with molten polymer.

Do not peel solidified product off the skin. Obtain medical attention.

Eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Inhalation

Move to fresh air. If symptoms persist, call a physician.

Ingestion

Get medical attention if symptoms occur.

5. Fire-fighting measures

NFPA: **Health:** 1

Flammability: 0

Instability: 0

Suitable extinguishing media

Water spray, Dry chemical, Carbon dioxide (CO₂), Foam

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Other Information

Potential dust explosion hazard. Keep people away from and upwind of fire

6. Accidental release measures

Product name Ateva®
MSDS number 84010
Revision Number 0.01

NAGH/EN

Revision Date
Issuing date

Jun.16.2015
Jun.16.2015

Personal precautions

Avoid dust formation. Avoid contact with the skin and the eyes. For personal protection see section 8.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Dispose of in accordance with local regulations. Use mechanical handling equipment.

7. Handling and storage

Advice on safe handling

Do not handle hot or molten material without appropriate protective equipment. Do not exceed recommended process temperatures to minimize release of decomposition products. Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Protection - fire and explosion:

Avoid dust formation. Dust can form an explosive mixture in air.

Material storage

Store locked up. Keep in a dry, cool place. To maintain product quality, do not store in heat or direct sunlight.

Incompatible products

strong oxidizing agents

8. Exposure controls / personal protection

OSHA Exposure Limits

Components	STEL
Vinyl acetate	20 PPM

ACGIH Exposure Limits

Components	TWA
Vinyl acetate	10 PPM

Components	STEL
Vinyl acetate	15 PPM

Mexico National Exposure Limits

Components	LMPE - PPT	
Vinyl acetate	30 mg/m ³	10 PPM

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

Components	STEL	
Vinyl acetate	60 mg/m ³	20 PPM

Components	Mexican Carcinogen Category
Vinyl acetate	A3

Exposure controls

Engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Protective equipment

A safety shower and eyebath should be readily available.

General advice

Do not breathe dust. Avoid contact with skin and eyes. Do not handle hot or molten material without appropriate protective equipment..

Skin protection:

When thermal or melt processing, wear long pants, long sleeves, well insulated gloves, and face shield when there is a chance of contact..

Eye/face protection:

safety glasses with side-shields.

9. Physical and chemical properties

Appearance

Form	Solid in various forms
Color	clear to white
Odor	Mild, acrid, vinegar-like
Flash point	Not applicable
Autoignition Temperature	> 330 °C
Method	Estimated
Decomposition Temperature	> 300 °C
Melting point/range	50 - 65°C
Specific Gravity	0.91 - 0.95
Water solubility	Insoluble in water

10. Stability and reactivity

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

Chemical stability

Stable under normal conditions of handling, use and transportation.

Conditions to avoid

Hazardous decomposition products may be produced when the recommended processing temperatures or times are exceeded. Avoid temperatures above 210°C

Incompatible Materials

strong oxidizing agents

Hazardous Combustion or Decomposition Products:

Carbon oxides

Possibility of hazardous reactions

Hazardous polymerization does not occur.

11. Toxicological information**Potential health effects**

Routes of exposure Skin, Eyes

Immediate effects

Skin	Hot or molten material has the potential to cause thermal burns.
Eyes	Particulates may cause mechanical irritation.
Inhalation	Dust irritating to respiratory tract.
Ingestion	Essentially non-toxic based on components.
Other:	Product contains residual Vinyl Acetate, an IARC 2B possible human carcinogen based on animal data

Vinyl acetate

Acute oral toxicity	LD50: 3500 mg/kg
Acute dermal toxicity	LD50: 7440 mg/kg
Acute inhalation toxicity	LC50 (4h): 15810 mg/m ³
Method	Standard Acute Method
Skin corrosion/irritation	Not irritating
Species	rabbit
Method	OECD 404
Skin Sensitization	nonsensitizer
Species	mouse female
Method	OECD 429
Serious eye damage/eye irritation	Not irritating
Species	rabbit eye

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

Vinyl acetate

	Method	OECD 405
Carcinogenic effects		Has been shown to cause cancer in lifetime rat and mouse inhalation studies at the site of contact at non-physiologically relevant doses
	Species	rats and mice
	Study	104-week inhalation study
		NOAEC: 176 mg/m ³
Carcinogenic Effects		Has been shown to cause cancer in lifetime rat and mouse drinking water studies at the site of contact at non-physiologically relevant doses
	Species	rats and mice
	Study	104-week oral gavage study
		LOAEL: 31 mg/kg bw/day
in vitro Mutagenicity		Ames Test: negative - with and without metabolic activation - Method: OECD 471 Chromosome aberrations in cultured human lymphocytes: positive - with and without metabolic activation - Method: OECD 473 Cytotoxicity and micronucleus assay in human lymphoblastoid cells (TK6): positive - Method: OECD 487
in vivo Mutagenicity		Mammalian Erythrocyte Micronucleus Test in mice: ambiguous - Method: OECD 474 Effects on sperm morphology and meiotic micronuclei in mice: negative
Reproductive toxicity		No toxicity to reproduction
	Routes of exposure	oral drinking water
	Species	rat
		NOAEL= 1000 ppm
Developmental effects		no adverse developmental effects
	Routes of exposure	oral drinking water and Inhalation
	Species	rat
Repeated exposure		No adverse effects
	Routes of exposure	oral gavage
	Species	rats and mice
	Method	OECD 408
		NOAEL: 281 mg/kg bw/day
Repeated Exposure		No adverse effects
	Routes of exposure	Inhalation
	Species	rats and mice
	Method	OECD 453
		NOAEC: 176 mg/m ³

Observe the usual hygienic measures for handling chemicals.

12. Ecological Information

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment.

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

13. Disposal considerations

Disposal considerations

Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

14. Transport information

US Department of Transportation Not regulated

TDG Not regulated

ICAO/IATA Not restricted

IMDG Not regulated

15. Regulatory Information

US State Regulations

Chemicals associated with the product which are subject to the state right-to-know regulations are listed along with the applicable state(s):

Vinyl acetate 108-05-4

Pennsylvania	Listed
New York	Listed
New Jersey	Listed
Illinois	Listed
Louisiana	Listed
Massachusetts	Listed
Rhode Island	Listed

U.S. FEDERAL REGULATIONS

TSCA Inventory:

Listed

Environmental Regulations:

SARA 313 Chemicals

Vinyl acetate (108-05-4) 0.4 %

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

Vinyl acetate 108-05-4

EPCRA Section 313	Listed
CERCLA Hazardous Substance	Listed
Extremely Hazardous Substance	Listed

SARA 311:

Acute health:	No
Chronic health:	Yes
Fire:	No
Sudden release of pressure:	No
Reactive:	No

INTERNATIONAL REGULATIONS

International Inventories

Listed on the chemical inventories of the following countries or qualifies for an exemption:

Australia (AICS)
 Canada (DSL)
 China (IECSC)
 Japan (ENCS)
 Japan (ISHL)
 Korea (KECI)
 New Zealand (NZIoC)
 Philippines (PICCS)
 Europe (EINECS)
 United States (TSCA)

16. Other information

NFPA:	Health: 1	Flammability: 0	Instability: 0
HMIS:	Health: 1	Flammability: 0	Physical Hazard: 0

Prepared By

Product Stewardship Department
 Celanese

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Celanese owned data and public sources deemed valid or acceptable.. The absence of data elements required by ANSI or 1907/2006/EC indicates that no data meeting these requirements is available..

Other Information:

Observe national and local legal requirements
 Changes against the previous version are marked by ***

Product name	Ateva®		NAGH/EN
MSDS number	84010	Revision Date	Jun.16.2015
Revision Number	0.01	Issuing date	Jun.16.2015

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Celanese makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Material safety data sheets are provided on the Internet by Celanese as a service to its customers. Possession of an Internet MSDS does not indicate that the possessor of the MSDS was a purchaser or user of the subject product.

Abbreviation and Acronym:

ADR = Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS = Chemical Abstracts Service (division of the American Chemical Society)

CLP = Classification, Labelling and Packaging

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IMO)

ICAO = International Civil Aviation Organization

RID = Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

R-Phrases = Risk Phrases

S-Phrases = Safety Phrases